
Re: FINAL MINUTES OF 450 (PART-III) MEETING OF WRC HELD ON 17th-20th Feb 2026

From Shailesh Zala <shaileshzala@yahoo.co.in>
Date Wed 11-Mar-26 11:30 AM
To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Tue, Mar 10, 2026 at 3:42 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the Final Minutes of 450 (Part-III) meeting held on 17th-20th Feb 2026 for consideration and approval please.

**Thanks and regards
Rashmi Shukla
RD-WRC**

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



**Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi**

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 450वीं (भाग-III) बैठक 17 से 20 फ़रवरी, 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य प्रतिनिधि बैठक में उपस्थित थे:-

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	ऑनलाइन 17 फ़रवरी, 2026 व्यक्तिगत 18 से 20 फ़रवरी, 2026
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत 17 से 20 फ़रवरी, 2026
3.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत 17 से 18 फ़रवरी, 2026
4.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत 17 से 18 फ़रवरी, 2026
5.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य	ऑनलाइन 17 से 18 फ़रवरी, 2026
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत 17 से 20 फ़रवरी, 2026

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
2.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
3.	राज्य सरकार के प्रतिनिधि	गोवा
4.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
5.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
6.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
7.	राज्य सरकार के प्रतिनिधि	गुजरात
8.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
9.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
10.	राज्य सरकार के प्रतिनिधि	राजस्थान

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

1	2627202509273398	JAMWAY KANYA COLLEGE, JUWAD, MEGA HIGHWAY, SAWAI MADHOPUR, SAWAI MADHOPUR, SWAI MADHOPUR, RAJASTHAN-322001	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution was issued SCN vide dated 22.01.2026 with a direction to submit reply within 15 days. The stipulated time-period is over, and the institution has not uploaded reply to SCN.
- ii. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The Institution is required to upload the category of Institution in the institution details.
- iv. The institution is required to upload the NOC of affiliating body vide letter No.14677 dated 29/02/2024 as mentioned in the portal. The institution is required to clarify the same why they uploaded the old NOC.
- v. As per the uploaded affiliation vide order No. No.F-5()Acad./UOK/2024/ 9215 dated 22.01.2025 only running B.A. programme. Therefore the institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- vi. As per the uploaded Certified land documents is mentioned Khasra No. 128 whereas the mentioned the land details column is mentioned Khasra No. is 2506/128. Whereas the Khasra no. is mismatched. The institution is required to upload Certified land documents issued by the Competent Government Authority.
- vii. In the column of Society/Trust/Company members information, the institution has filled information of Chairman/president/Secretary and treasurer with PAN & Aadhar no. only., It is required to mention all Society members with PAN & Aadhar No
- viii. The Institution is required to upload information of all programme /courses run by institution in the campus. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- ix. The institution is required to upload the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- x. The institution namely Maharaja Hammer College is also running 4-years integrated course on the same land. Thus, 2 colleges viz Jamway Kanya College and Maharaja Hammer College are proposed on the same land. The institution is required to clarify the same.
- xi. The institution is required to upload the readable copy of deed issued by the government competent authority

- xii. The institution is required to upload mutation certificate/Jamabandi mentioning all Khasra No. issued by the Competent Government Authority.
- xiii. As per the uploaded CLU land area is mentioned 6950 sq.mts. whereas the mentioned land details Column land area is mentioned is 12600 sq.mts. The land area is mismatched. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xiv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xv. As per the uploaded Building plan is mentioned Khasra no. is 2520/2506 Whereas the Khasra No. is mentioned in the land details is 2506/128. The Khasra No. is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvi. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xvii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xviii. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xix. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff
- xx. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xxi. The institution has uploaded the BCC wherein the total built-up area has been mentioned as 5192.12 sq. mt. and the year of completion of the building has been mentioned as 2014. The same is not acceptable keeping in view that during the physical inspection of the institution for initial recognition on 06.03.2016, the institution has submitted the BCC wherein the total built-up area has been mentioned as 4015.00 sq. mt. Further, there is a difference in the floor-wise built-up area also. In the BCC submitted in the original application as ground floor mentioned is 1408.92 sq. mt., first floor is 1162.45 sq. mt., 2nd floor is 1162.45 sq. mt. & third floor is 282 sq. mt. whereas the present BCC uploaded makes a mention as ground floor is 1417.04 sq. mt., first floor is 1258.36 sq. mt., Second floor is 1258.36 sq. mt., Third floor is 1258.36 sq. mt., Fourth floor is 1258.36 sq. mt., fifth floor is 1258.36 sq. mt. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

2	2627202509293481	T.D. EDUCATION COLLEGE LAXMANPUR, LAUVA, SIRMOUR ROAD, RAIPUR KARCHULIYAN, REWA, REWA, MADHYA PRADESH-486440	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the decision of WRC, First Show Cause Notice (SCN) was issued to the institution vide letter No. F.No.NCTE/WRC/2627202509293481/MADHYA PRADESH/2025/SCN Dated: 20/01/2026 with a request to upload its reply along with all requisite supporting documents within 15 days from the date of issue of the First Show Cause Notice (SCN). No reply has been uploaded by the institution on this portal in response the WRC First Show Cause Notice (SCN) within the stipulated time of 15 days
- ii. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not uploaded the Authorization letter on the 100 Rs/- stamp paper as per admissible government rate.
- iv. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- v. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- vi. The institution is required to upload the complete details of Society/Trust/Members with Aadhar and PAN number issued by the Competent Government Authority.
- vii. The institution is required to upload the details of student admitted year-wise for all running programmes issued by the Competent Government Authority.
- viii. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018-MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- ix. The institution is not conducting any degree courses i.e. B.A., B.Sc., B.Com. but they are running Master of Physical Education (M.P.Ed) degree.1 unit, Bachelor of Education (B.Ed) degree. 2 units, and intends to run B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit), if they are running M.P.Ed., means they are running B.P.Ed. also. The sufficiency of land and builtup area for the above courses with the above courses and intake for education programme course cannot be ascertained.
- x. As per the uploaded land documents 1387/1, 1387/2, 1387/3 and 1383/2 land area is 0.684 hec= 6840 sq.mts. approx. whereas the institution is mentioned in the online application land detail column land area is 11816.82 sq.mts. The land area is mismatched. The institution is required to upload Certified land documents issued by the Competent Government Authority. The institution has not uploaded Affidavit Rs. 100/- in prescribed format regarding land documents.
- xi. The institution is required to upload Mutation Certificate/Jamabandi issued by Competent Authority of State Government
- xii. The institution is required to upload Land Use Certificate (CLU) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- xiii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xiv. As per the uploaded Building plan is mentioned Khasra no. is 2520/2506 Whereas the Khasra No. is mentioned in the land details is 2506/128. The Khasra No. is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. The institution has uploaded Land Document in the name of RAJNISH YUVA JAN KALYAN SHIKSHA SAMITI, Khasra No.1383/2, 1387/1, 1387/2 & 1387/3, total land area 0.684 H. dated 27.08.2008 issued by Deputy Registrar. The institution has mentioned affidavit Land area 11862.82 sq.mt. in the online portal, it is not showing in the land documents. The institution is required to clarify the same.
- xvi. As per the Photocopy of land document uploaded by the institution it has 0.684 hec. Land area whereas in the Column of land detail it has mentioned land area 11816.82 sq.mts. the land area is mismatch. The institution is required to clarify the same.
- xvii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xviii. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- xix. The Institution is required to upload information of all programme /courses run by institution in the campus. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- xx. The institution is required to upload the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- xxi. The institution has uploaded copies of Notice Prapatra B (Mutation Certificate) in the name of Rajneesh Yuva Jan Kalyan Shiksha Samiti, Notice regarding submission of challan dated 11.02.2009, 22.10.2012, Survey/Khasra No. 1387/2 area 1000 sq.mt. and Survey/Khasra No. 1387/3 area 1900 sq.mt. Gram Loava for Commercial Purpose and Survey/Khasra No.1387/1,2,3 or 1383/2, Total area 0105 H, Gram Loava for Commercial Purpose issued by Vishesh Kartavy Adhikari (Parivartit Bhumi). But the institution has not uploaded Mutation Certificate for educational purpose issued by the Govt. Competent Authority.
- xxii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- xxiii. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xxiv. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xxv. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

3	2627202510033603	T.D. SHIKSHA MAHAVIDYALAYA BAGHERI CHAKGHAT REWA (M.P.) SATPURA, PRAYAGRAJ ROAD, TYONTHAR, REWA, REWA, MADHYA PRADESH-486226	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the decision of WRC, First Show Cause Notice (SCN) was issued to the institution vide letter No. F.No.NCTE/WRC/2627202510033603/MADHYA PRADESH/2025/SCN Dated: 20/01/2026 with a request to upload its reply along with all requisite supporting documents within 15 days from the date of issue of the First Show Cause Notice (SCN).
- ii. No reply has been uploaded by the institution on this portal in response the WRC First Show Cause Notice (SCN) within the stipulated time of 15 days.
- iii. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The Institution is required to upload the category of Institution in the institution details.
- v. The institution has not uploaded the Authorization letter on the 100 Rs/- stamp paper as per admissible government rate.
- vi. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- vii. The institution is required to upload the complete details of Society/Trust/Members with Aadhar and PAN number issued by the Competent Government Authority.
- viii. The institution is required to upload the NOC of affiliating body No. N0./VIKASH/2023/220 dated 20/04/2023as mentioned in the portal
- ix. The Institution is required to upload information of all programme /courses run by institution in the campus. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- x. The Institution is required to upload information of all programme/courses run by institution in the campus and the institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- xi. The institution is conducting degree courses i.e. B.A. 120x3=360, B.Sc.120x3= 360, M.A. 60x2=120, M.Sc. 60x2=120. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 2 units, B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained.
- xii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- xiii. The institution is required to upload the Certified land document in the respect of Khasra No. 59/2 issued by the Competent Government Authority
- xiv. As per the uploaded Certified land documents Khasra No. is mentioned 59 whereas in the online application land details is mentioned Khasra No. is 59/2. This institution is required to upload Certified land documents mentioning all Khasra No. is issued by the Competent Government Authority. The institution has not uploaded Affidavit Rs. 100/- in prescribed format regarding land documents.
- xv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvi. The institution is required to upload Building Plan approved by the Competent Authority of

- State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- xviii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xix. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- xx. The institution's name T.D. Education College, Chakghat has been visible in the geographic location on Google Maps. But Name of the institution T.D. Shiksha Mahavidyalaya not mention on Google Maps.
- xxi. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xxii. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xxiii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice

4	2627202510033607	REWANCHAL INSTITUTE OF EDUCATION AND TECHNOLOGY BAUDARA, SIRMOUR LALGAON, REWA, REWA, MADHYA PRADESH-486117	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- As per the decision of WRC, First Show Cause Notice (SCN) was issued to the institution vide letter No. F.No.NCTE/WRC/2627202510033607/MADHYA PRADESH/2025/SCN Dated: 20/01/2026 with a request to upload its reply along with all requisite supporting documents within 15 days from the date of issue of the First Show Cause Notice (SCN).
- No reply has been uploaded by the institution on this portal in response the WRC First Show Cause Notice (SCN) within the stipulated time of 15 days.
- The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

- iv. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- v. The institution is required to upload 12 (A) Exemption Certificate issued by Competent Authority of State Government.
- vi. The institution is required to upload the NOC of affiliating body No.211 dated 28.03.2025 as mentioned in the portal.
- vii. In the column of Society/Trust/Company members information, the institution has filled information of Secretary, Treasurer and Chairman/president with PAN & Aadhar no. only. It is required to mention all Society members with PAN & Aadhar no.
- viii. The Institution is required to upload information of all programme /courses run by institution in the campus. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises
- ix. The institution is required to upload the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- x. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018-MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- xi. The institution has uploaded Land Document in the name of AMBIKESH CHILDREN EDUCATIONAL AND WELFARE SOCIETY, Khasra No.76/1 K, Total Land area 0.810 H. issued by the Sub-Registrar. However, the institution has mentioned Khasra No. 76/6 in the land details column of online application. The institution is required to clarify the same
- xii. As per the uploaded BCC mentioned Khasra No. 76/1 whereas the land details column is Khasra No. is 76/6. The Khasra No. is mismatched. This institution is required to upload Certified land documents mentioning all Khasra No. is issued by the Competent Government Authority. The institution has not uploaded Affidavit Rs. 100/- in prescribed format regarding land documents.
- xiii. The institution is required to upload mutation certificate/Jamabandi in respect of Khasra No. 76/6 issued by the Competent Government Authority.
- xiv. The institution is required to upload Land Use Certificate (CLU) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. Geographic location Name of the institution is not showing in google map. The institution is required to clarify the same.
- xviii. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff
- xix. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority..
- xx. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.

- xxi. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xxii. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xxiii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice

5	2627202510033601	VINAYAK P.G. COLLEGE, NAWALGARH ROAD SHIVSINGHPURA, VIVEK COLONY, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	---	-----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

- i. Building Plan does not bear Room numbers, hence it is difficult to relate this data.
- ii. washroom facilities for PwD students required
- iii. Uploaded Lab 2 and lab 3 are same while uploaded during inspection are different.
- iv. No psychology lab was there which is a very important for ITEP course.
- v. No Washroom facilities for PwD students.
- vi. Ramp, safe drinking water facilities were not there.
- vii. No digital facilities/online resources were there.
- viii. 3500 books were there in the library. No encyclopaedia of education was available.
- ix. Seating capacity of library was only 30, which is less than required as per Regulations.
- x. Health and physical education room was not up to marks.
- xi. Activity cum resource centre was inadequate.
- xii. No interaction with B.Ed. teachers and students.
- xiii. No verification of salary slips of teachers.
- xiv. No projector was there in the multipurpose hall.
- xv. Professional Research General not provided
- xvi. Electronic Publication not provided in the library
- xvii. Digital or Online Resources not provided in the library
- xviii. The institution has not uploaded the Non Encumbrance Certificate issued by the Competent Revenue Authority.
- xix. The institution is required to upload Mutation certificate/ Jamabandi issued by Competent Authority of State Government.
- xx. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xxi. As per the land area in fire Noc on the Fire NOC portal is 790 sq.mts. whereas the land area in the land details in land area 10200 sq.mts. The land area is mismatched.

- xxii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- xxiii. The institution mentioned (A) land area 10200 sq.mts. and built-up area 3421.57 sq.mts. in the land details Column. (B) the institution is mentioned land area in the Mutation Certificate, NEC, CLU, Building Plan and BCC is 4178.70 sq.mts. The land area is mismatched.
- xxiv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xxv. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.

Therefore, the Committee decided that Show Cause Notice post Inspection be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

6	2627202510013552	CHOUDHARY M.S. MEMORIAL COLLEGE TARANAGAR DISTRICT CHURU, RAJASTHAN TARANAGAR, RAJGARH ROAD, TARANAGAR, TARANAGAR, CHURU, RAJASTHAN-331304	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- ii. The uploaded documents are irrelevant. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3 (a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- iii. The Institution is required to upload information of all programme/courses run by institution in the campus and the institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University
- iv. The address mentioned in the application form of the institution Khasra no. is 106/01, 127/107 and 128/107, whereas in the Recognition order of NCTE, the address is mentioned as Khasra Nos. 106/01 and 128/107. The Khasra No. is mismatched.
- v. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- vi. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- vii. The institution is required to upload the complete details of Society/Trust/Members with Aadhar and PAN number issued by the Competent Government Authority.

- viii. The institution is required to should provide proof that all khasara number i.e. Kh. No. 106/1, 127/107, 128/107 are a single plot, upload a proof issued by government competent authority. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot.
- ix. The institution is required upload Certified legible land Documents in respect of all Khasra No. issued by the Competent Government Authority. The institution has not uploaded Affidavit Rs. 100/- in prescribed format regarding land documents.
- x. Documents uploaded by the institution are irrelevant. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xi. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff
- xiii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xv. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xvi. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xvii. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xviii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

7	2627202509132204	NEW LOOK GIRLS COLLEGE, LODHA, DUNGARPUR ROAD, BANSWARA, BANSWARA, RAJASTHAN-327001	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines

issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload LATEST Non-Encumbrance Certificate mentioning all Khasra No old and new.
- ii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iii. As per the land documents uploaded, the land has been allotted by Govt of Rajasthan for starting "New Look Central School". In the clause (3) of the lease deed it has been stated "यह की भूमि का प्रयोग केवल उसी प्रयोजन के लिए किया जाएगा जिसके लिए इसका आवंटन हुआ है" The institution is required to get approval from the Govt of Rajasthan for starting ITEP course in the said premises.
- iv. The institution is required to create the New Look Girls College, lodha website and update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3244. sThe institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.70x3= 210,. And for other courses BBA, BCA,BBM,PGDCA,M.Sc., M.A. institution are required to upload the approved intake on the portal. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- vii. As per the uploaded Fire safety in the Fire NOC portal is mentioned land area is 2502 sq./ts/ Whereas the mentioned land area is mentioned in tge land area in the land details is 17759.sq.mts. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- viii. As the institution is running the School, Degree College in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ix. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- x. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xi. The geotagged photographs uploaded show that the multi-purpose hall is not as per NCTE norms. The furniture in the multi-purpose hall is inadequate.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programmes are conducted in a single campus and in the same premises letter issued by government competent authority.

- xiv. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution, thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

8	2627202509162562	AISHWARYA TEACHERS TRAINING COLLEGE, CHITRAKOOT NAGAR, BHUWANA, NEAR RTO, GIRWA, UDAIPUR, RAJASTHAN-313001	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ii. The website needs to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution is required to upload legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution is required to upload Building Safety Certificate in the name of online application has been submitted by the institution in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- v. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- vi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4500. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4500. The institution conducts degree courses i.e. B.Com. intake (80), BSc. intake (210), B.A. intake (80), BBA(earlier called BBM) intake (40), M.Com intake (80), M.A intake (160), M.Sc. (PHYSICS) intake (15), M.SC(CHEMISTRY) intake (15), PG Diploma & Certificate Course intake (100), PGD In Yoga intake (60), PGDCA intake (40), PGDCA intake (120), BCA intake (60), Bachelor of Computer Applications (BCA) intake (60), MBA intake (60), MCA intake (45), DIPLOMA IN PHARMACY intake (60), Rajasthan State Certificate in Information Technology intake (50), combined intake of 1245. The sufficiency of land and built-up area for 1245 intake of multidisciplinary courses and 100 intakes for B.A.B.Ed./B.Sc. B.Ed. and 100 intake for B.Ed., 50 intake for D.El.Ed. for course cannot be ascertained.

- vii. The institution is required to upload Mutation Certificate/Jamabandi issued by Competent Authority of State Government.
- viii. The institution is required to provide proof that all Khasara No i.s. 4342,4343,4344,4345,4346,4347,4348,4350,4351,4352,4353, 4354,4357,4359,4365 are in a single plot, letter issued by government competent authority.
- ix. The name of the Multidisciplinary college name is Aishwarya College of Education Sansthan, and Teacher training college name is AISHWARYA TEACHERS TRAINING COLLEGE. Both college names mismatch.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate Sno. 1700 issued on dated 22/12/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xii. The uploaded certificate is not proper. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xiii. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of Final Show Cause Notice.

9	2627202509152452	DEEPSHIKHA COLLEGE OF TECHNICAL EDUCATION, sector-3, MANSAROVER, VARUN PATH, JAIPUR, RAJASTHAN	TRANSITION B.A. B.ED / B.SC. B.ED
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has uploaded so many irrelevant documents. The institution is required to upload the proper Not-for-Profit Certificate issued by government competent authority.
- ii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- iii. The institution has uploaded expired Building Safety Certificate No:-EE-III/BSC/D-.194 dated 10.10.2022 (valid up to three years from the date of issued) by Executive Engineer, PWD, Nagar-Khand-III, Jaipur. The institution is required to upload the same.
- iv. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body.

- vi. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- vii. The institution has the total land area of 3000 sqm wherein the institution is running the various Degree Courses and proposed ITEP course, which is not sufficient. As per the provisions of NCTE Regulations, the land area of 3000 sqm is exclusively required for ITEP course.
- viii. The institution is required to upload Mutation Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government
- ix. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- x. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xi. the name of applicant institution Deepshikha College Of Technical Education are not visible/reflected in the uploaded geotagged photographs.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. the reply uploaded by the institution is not proper. The institution is conducting degree courses i.e. B.A. 60x3=180, B.Sc.60x3= 180. As per the website of institution they are running B.Tch. and M.Tech., BBA and MBA, BCA and MCA, B.Com., political diploma in Civil, Electrical, Mechanical and Electronics and communication. Pharmacy and other. The institution is required to upload the approved annual intake of all courses on the online portal. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for B.Sc. B.Ed. Secondary (2 unit) course cannot be ascertained.
- xv. the reply uploaded by the institution is not proper The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises, letter issued by government competent authority.
- xvi. The institution has not uploaded Land Use Certificate (CLU) instead of that they uploaded uploaded copies of all land-related documents mentioning land allotted by Rajasthan Housing Board for lease basis to the institution at Sector No.3, Mansarovar, Jaipur for Educational purpose allotted a land measuring 3000 sqm. at sector no.3, Mansarover. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of Final Show Cause Notice

10	2627202509152327	VARDHMAN TEACHER TRAINING COLLEGE, MANIA, NH-3, A.B. ROAD, MANIA, MANIA, MANIA, DHOLPUR, RAJASTHAN-328024	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is not running any Multidisciplinary course i.e. liberal art, Science and Commerce. Therefore, the Committee noted that the institution does not fulfil the basic criteria as per NCTE Regulations and Public Notice vide No NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025.
- ii. The NEC uploaded is issued in the year 2016. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- iii. The institution is required to provide proof that all khasra numbers i.e. 216, 217, are in a single plot, upload a proof issued by government competent authority.
- iv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- v. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The institution mentioned the Land area 6658.26 sq.mts. in the online application. However, the Land area is mentioned 5057.80 sq.mts. in the CLU is uploaded by the institution. Both the land area is mismatch. The institution is required to clarify the same and upload the evidence regarding the same.
- viii. As per the uploaded BCC Khasra No. is mentioned is 216 and 217 Whereas the Khasra no. is mentioned in the uploaded CLU is 216/1 and 217/0. The khasra No. is mismatched. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ix. The institution has uploaded proof of having land in its name. It is observed that the land document uploaded is not signed by the Sub-Registrar on all pages and seems that it is not registered in the office of sub-registrar
- x. The institution is required to upload the staff list in the prescribed format of the NCTE duly approved the Registrar and affiliating university concerned.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xiii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 25/0669 issued on dated 22/07/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility

- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of Final Show Cause Notice.

11	2627202509162509	SHRI SAI BABA AADARSH MAHAVIDYALAYA, DIGMA, BANARAS ROAD, AMBIKAPUR, AMBIKAPUR, SURGUJA, CHATTISGARH-497001	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload land use Certificate (CLU) mentioning all Khasra No. issued by Competent Authority of State Government.
- ii. The institution is required to upload Affidavit on Rs.100/- non-judicial stamp paper. The institution mentioned in the Column of address details its plot No. 317/2. However, it has not mentioned Plot No. 317/2 in the Column of Land details, CLU, NEC and BCC. The institution is required to upload the same.
- iii. the uploaded documents are irrelevant. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- iv. In reply the Institute has stated that Plot No. 317/2 is situated at a distance of 2 km from the College and this plot has been given by the President of the Trust/Society on a lease of 30 years for the hostel of the Institute.
- v. The institution is required to upload mutation Certificate/Jamabandi mentioning all Khasra No./plot no issued by Competent Authority of State Government.
- vi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4470. The institution is conducting degree courses i.e. B.A. 205x3=615, B.Com. 180x3=540, B.Sc.390x3= 1170, . M.A. 40x2=80 M.Com. 30x2=60,M.Sc. 45x2=90 combined intake of 2555 as per the notification of Sarguja University Ambikapur, Chhattisgarh uploaded by the institution. The institution also running PGDCA, BBA, DCA, PGDBM and MSW but their intake is not mentioned. The sufficiency of land and built-up area for 2555 intake of multidisciplinary courses and 100 intake for B.Sc. B.Ed. cannot be ascertained since the institution has mentioned the total built-up area 4470.3sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- vii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government for all plots.
- viii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

- ix. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to upload the same.
- x. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xii. A geotagged photograph shows part of the building under construction.
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of Final Show Cause Notice.

12	2627202509243215	ARYAN MAHAVIDYALAYA, BOBARI ROAD, GATHWARI, JAIPUR, RAJASTHAN-303120	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	-----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

- i. Mutation Certificate was neither presented to the VT members nor uploaded on the portal.
- ii. Proper Land Use Certificate is not shown to the VT members during Online Meeting and not uploaded on the portal also.
- iii. Laboratories are inadequately equipped and lack proper furniture.
- iv. Seating capacity in the Multipurpose hall is less and also not equipped properly.
- v. The document shown regarding Non Encumbrance Certificate to the VT Members is not in the correct format and does not state that there are no outstanding taxes of any kind on the land.
- vi. Building Plan Building Plan is not sealed and signed by the Council of Architecture Registered architect and not in good resolution to read.
- vii. The institution is required to upload Building Safety Certificate to the effect that the building of the institution has been constructed as per National Building Code and the same is fully safe and structurally sound having load bearing capacity as per the Code/ Standards, to run the teacher training course.
- viii. There is no provision of Lift or Ramp for upper floors.
- ix. No facilities are provided for the toilets of physical handicap persons.
- x. As per the Photographs uploaded during VT, some Photographs areas are Mismatched.

- xi. During virtual inspection, the institution failed to confirm the Title and volume of books to VT Members.
- xii. Professional Research Journals not provided in the library
- xiii. Electronic Publications not available.
- xiv. Digital or online resources not available
- xv. Health and Physical Education room, Common room not provided.
- xvi. Furniture in labs is not adequately provided.
- xvii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- xviii. The institution has mentioned the land area as 5086 sqm, The above area of 5086 sqm is not sufficient for running the ITEP course and the Degree college keeping in view the Guidelines issued by the Government of Rajasthan for (निजीमहाविद्यालयनीति)
- xix. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xx. The institution has uploaded the Non-Encumbrance Certificate issued in Jan 2025. It is required to upload the latest NEC.
- xxi. The institution has not uploaded the Building Safety Certificate.
- xxii. As per the land area in fire Noc on the Fire NOC portal is 2144 whereas the land area in the land details in land area 5086 sq.mts. The land area is mismatched.
- xxiii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- xxiv. As per Building Plan and BCC uploaded, the institution has mentioned the total built-up area 3388.88 sq.mts has been earmarked for the teacher education programme. The institution has not mentioned / clarified as to where it would run the Multi Disciplinary programme.

Therefore, the Committee decided that Show Cause Notice post Inspection be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

13	2627202509162532	EXCELLENCE GIRLS COLLEGE SIKAR, NEAR NEHRU PARK, SALASAR ROAD, SIKAR, RAJASTHAN-332001	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- ii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsqonline.rajasthan.gov.in/track_application.aspx

- iii. The name of institution recognised by NCTE is Excellence Girls TT College and the institution running Multidisciplinary course is Excellence Girls College.
- iv. if you open the website the name of institution reflected "Excellence Knowledge City for Girls" The name of applicant institution is Excellence Girls College. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The uploaded document is of May 06. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority. The institution is required to upload the same.
- viii. The Institution is required to upload information of all programme /courses run by institution in the campus. letter should be issued by government competent authority.
- ix. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xi. The geotagged photo uploaded does not show the applicant college name on the building.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the furniture in the multipurpose hall is inadequate.
- xiv. in the website of the "Excellence Knowledge City for Girls" the institution claimed that, "We now offer mainstream education to nearly 2000 girls, from school through college. Our fine institution, which stands out as a landmark in Sikar, is completely secular. It is open to all girls, irrespective of religion, caste and community." and in the sr no 4 The institution is required to upload the all-courses intake capacity in online portal. the answer is Excellence Girls College Sikar Course Intake Detail B.A. - 120 Seat(2 Unit) B.Sc.- 60 Seat (1 Unit) M.A. Home Science -40 Seat (1 Unit) M.A. Urdu - 40 Seat (1 Unit) B.A. B.Ed. - 50 Seat (1Unit) B.Sc. B.Ed. - 50 Seat (1Unit). the institution is required to upload all courses in the same premises with intake capacity and approved capacity of each course.
- xv. The institution has not uploaded Latest Certified copy of land Documents issued by the Competent Government Authority. the institution is required to upload the same.
- xvi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xvii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate S.no. अ.अ./2023-24/डी-4797 issued on दिनांक 01/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of Final Show Cause Notice.

14	2627202509283418	GAYATRI MAHAVIDHALAYA SANCHORE SANCHORE, M.B. ROAD, SANCHORE, JALLORE, RAJASTHAN-343041	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/SCR/2024-25/867 issued on dated 03/09/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- iii. The institution is required to upload Mutation Certificate/Jamabandi mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- iv. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- v. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- viii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. the teaching staff list will easily rotate 360 degree during inspection and it will be easy to verify.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xiii. The institution has not uploaded the building plan which mentions the names of all the courses run in the same premises of the institute, Khasra/Plot/Survey number and total land area and total built up area reserved for each course run in the locality and demarcated land

- and built up area for teacher education programs including multi-disciplinary programmes.
- xiv. The Institution has uploaded form no. 10AC issued by Income Tax Department instead of Not-for-Profit Certificate for consideration. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5057. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 320x3=960, B.Sc.180x3=540, B.Com. 80x3=240. M.A.(GEO, Hindi, Hist, POL)320x2=640, M.Sc. (zoo,chem,math) 120x2=240, M.Com. 80x2=160 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

15	2627202509293457	CHOPASANI TEACHERS TRAINING COLLEGE, CHOPASNI ROAD, JODHPUR, RAJASTHAN-342008	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has NOT uploaded certified copy of registered land documents. The institution has uploaded affidavit in respect of land documents.
- ii. The of Multidisciplinary institution is "Chopanasani Mahavidyalaya" and the name of applicant intuition is "Chopasani Teachers Training College, Chopasani, both name are mismatched.
- iii. As per Jamabandi uploaded, the owner of land has been mentioned as " चोपसामी स्कूल संस्था whereas the application has been submitted by Chopasami Shiksha Samiti. The institution is required to clarify this discrepancy.
- iv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- v. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority..
- vi. The institution is required to upload certified copy of registered land documents with the affidavit in respect of land documents.
- vii. The institution has not uploaded the building plan which mentions the names of all the courses run in the same premises of the institute, Khasra/Plot/Survey number and total land area and total built up area reserved for each course run in the locality and demarcated land and built-up area for teacher education programs including multi-disciplinary programmes. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

- viii. The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ix. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. the BCC should be easily readable.
- x. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xi. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xv. The applicant institution is required to upload the latest affiliation orders of multidisciplinary programme with approved intake and present intake capacity of each course. The institution is required to upload the information of each course running in the same premises. The uploaded mutation certificate is for CHOPASANI School.
- xvi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. the teaching staff list will easily rotate 360 degree during inspection and it will be easy to verify.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xviii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate No EEC/Ju/2024-25/647 Dated 14/05/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

16	2627202510013536	RAMSEEN COLLEGE, RAMSEEN JALORE, RAMSEEN, JALORE RAOD RAMSEEN, JASWANTPURA, JALLORE, RAJASTHAN-343029	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines

issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises, document should be issued by government competent authority.
- iii. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- iv. The institution in its sub-status filled "ITSELF" running multidisciplinary programme(s). The land area and built up area earmarked for the running teacher education programme and demarcated land area and built up area for the multidisciplinary programme is not reflected in the Building Plan. Khasra no.1459 mentioned in the building plan whereas Khasra no. 1459 (5697/5686) mentioned in the online transition application. The building plan has not been certified by competent authority of State Govt. except Panchayat Samiti. Land area 6720 sq.mts. and built up area 4370 sq.mts. mentioned in each floor plan is hand-written in black sketch pen. All requisite infrastructure facilities as per NCTE Norms and Regulations for ITEP programme is not found reflected in the uploaded building plan. Library-cum reading room area 167.225 sq.mts. filled in the portal is not found reflected in the building plan. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes
- v. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- viii. The geotagged photographs uploaded show that the college does not have proper adequate playgrounds and sports facility.
- ix. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- x. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4370. The institution is conducting degree courses i.e. B.A. 160x3=480, B.Sc.60x3= 180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- xi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xii. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

- xiv. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/BML/2024-25/62 issued on dated 01/05/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xv. the uploaded Land Use Certificate (CLU) is in the prescribed format. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

17	2627202510013555	MOHINI DEVI GOENKA MAHILA MAHAVIDYALAYA, GHASSU, NH- 52, SIKAR-LACHHMANGARH ROAD, LACHHMANGARH, GHASSU, KHURI BARI, SIKAR, RAJASTHAN-332315	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution is not functional. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- iii. As per the land documents uploaded, the land has been leased by Govt of Rajasthan to SHRI LAL GOENKA CHARITABLE TRUST whereas the trust applied to NCTE for ITEP course is GOENKA SHIKSHA AVAM SHODH SANSTHAN. The name mismatch.
- iv. In the application address Column Khasra No. 69,70,70/312,71 is mentioned, whereas in the recognition order of the NCTE uploaded by the institution Khasra no. 42, & 42/2 is mentioned. Both the addresses including khasra nos. are mismatch.
- v. The institution is required to upload Mutation Certificate issued by Competent Authority of State Government.
- vi. The Building safety certificate uploaded makes a mention that the building is fit for school activities. The institution is required to upload a certificate with regard to Teacher Education Course.
- vii. The institution is required to upload certified copy of registered land documents mentioning all Khasra No. issued by the Competent Revenue Authority..
- viii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- ix. In the Land details area mentioned 114121 and built up area is 5959.31 sq.mts. whereas in the fire safety certificate area mentioned 2521 sq. mts. Both the land area is mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department,

<p>Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.</p> <p>x. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf.</p> <p>xi. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"</p> <p>xii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the document should be issued by government competent authority.</p> <p>xiii. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.</p> <p>xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.</p> <p>xv. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.</p> <p>xvi. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.</p> <p>xvii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.</p> <p>xviii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.</p> <p>xix. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.</p> <p>xx. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5959. The institution is conducting degree courses i.e. B.A. 120x3=360, B.Sc.120x3= 360, M.Sc. 40x2=80. The sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for B.Ed. 4 Units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>			
18	2627202509142295	ABHIGYAN MAHAVIDHALAYA TONK, JAIL ROAD, RAJASTHAN-304001	TRANSITION B.A. B.ED / B.SC. B.ED
<u>Decision of WRC:</u>			

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the University in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

19	2627202510033599	SARASWATI VIDHYA MANDIR SANSTHAN, UDAJI KA GADA, N.H. 56, NEAR MATAJI BUS STAND, GHATOL, UDAJI KA GADA, BANSWARA, RAJASTHAN-327027	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded CLU is mentioned 1987/417, 1986/416 and 1988/1986/416 whereas the Khasra is 416 mentioned in the Address Column . The Khasra No. is mismatched. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ii. The institution is required to update and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. As per the uploaded BCC Khasra No. is mentioned 416 whereas the Khasra No. is mentioned 416,1986/416,1987/417, 1988/1986, in the uploaded NEC. The Khasra No. is mismatched. The institution is required to upload latest Non-Encumbrance Certificate mentioning all Khasra No. issued by the Competent Government Authority.
- iv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The name of institution recognised by NCTE is Saraswati Vidya Mandir Sansthan whereas the institution running the Multidisciplinary course is Saraswati College. The name mismatch.
- vi. The institution should upload the earmarked proper affiliation order indicating the same college name. Affiliation order uploaded is ambiguous and vague, Committee is unable to determine the name of proper college which is related to applicant college.
- vii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3492. If assume that, the institution is conducting degree courses i.e. B.A. $70 \times 3 = 210$, B.Sc. $70 \times 3 = 210$, M.Sc. $60 \times 2 = 120$. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed.

- Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- viii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1659 issued on dated 9/12/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
 - ix. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. the teaching staff list will easily rotate 360 degree during inspection and it will be easy to verify.
 - x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
 - xi. The uploaded geotagged photo does not reflect the name of the applicant college.
 - xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
 - xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

20	2627202509243173	AASHIRWAD SHIKSHAK PRASHIKSHAN SANTHAN BITHARI, 03, PHALODI, PHALODI, JODHPUR, RAJASTHAN-342301	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

- i. The library was found to be inadequately equipped. It does not possess any encyclopedias or standard reference books. Proper pedagogy books relevant to teacher education programmes are lacking. No online resources, e-journals, or digital library facilities were available.
- ii. There is no Language Laboratory and no Geography Laboratory as mandated by the norms.
- iii. Seating capacity in the Multipurpose hall is less and also not equipped with projection facility.
- iv. The Visiting Team has reported that the entire campus requires a barrier-free environment. It lacks hard-paved access routes in the external areas, and no ramps or accessible washrooms were observed.
- v. The seating capacity of the library is inadequate and Proof of purchase for the 4,000 books listed in the library was not presented to the Visiting Team during the inspection.

- vi. The title of books encyclopedias and journals have not been verified by the Visiting Team during inspection.
- vii. The institution is required to upload Building Safety Certificate to the effect that the building of the institution has been constructed as per National Building Code and the same is fully safe and structurally sound having load bearing capacity as per the Code/ Standards, to run the teacher training course.
- viii. Class Room less seating capacity, no projection facilities, no charging points for student's laptops etc.
- ix. Professional Research General Could not be verified in absence of valid proofs
- x. Education Encyclopaedia are not available
- xi. Digital or Online Resources Not available not presented
- xii. Electronic Publication Not available
- xiii. Science Stream Laboratories Not available
- xiv. Humanities Stream Laboratories computer lab had less number of systems, art room was less in area - computer lab had less number of systems, art room was less in area
- xv. Activity Cum Resource Centre less in area
- xvi. Health and Physical Education Room less in area
- xvii. Class room not furnished adequately
- xviii. Furniture is not adequately provided in the institution.
- xix. Availability of developed Kitchen Garden
- xx. Rain Water Harvesting System Not available
- xxi. Facilities for co-curricular Activities Not available
- xxii. The institution does not have a kitchen garden or a rainwater harvesting system. The playground was found to be in very poor condition and unsuitable for physical activities.
- xxiii. The road leading from the main entrance to the campus was not pucca, causing accessibility issues.
- xxiv. Faculty members were not present during the online inspection.
- xxv. Required academic and administrative documents were found to be inadequate.
- xxvi. There were no washroom facilities for physically challenged students, which is a serious violation of accessibility norms.
- xxvii. Boys' washrooms were located in an open area and were found to be unsatisfactory in terms of hygiene and privacy.
- xxviii. Multipurpose hall was not properly equipped with any digital resources like OHP etc.
- xxix. The Inspection Committee, therefore, does not recommend the college for approval.
- xxx. The land and building-related documents are not clearly visible, and some of them have been scanned from black-and-white photocopies. Moreover, certain documents are not issued by the competent authorities. No bills or brochures for the purchased books, Computers and furniture were produced at the time of inspection, and the same were denied to be shown during the inspection.
- xxxi. The Geography Laboratory, Language Laboratory, and Psychology Laboratory are not available in the institution. The overall infrastructure quality is very poor. The multipurpose hall, library, and classrooms have very limited seating capacity. The quality of furniture is also extremely poor. Toilet facilities are structurally very weak and unhygienic.
- xxxii. The institution is required to establish and adequately equip the basic infrastructure and facilities in compliance with NCTE norms in order to run any NCTE-recognized professional course
- xxxiii. Institute's physical and academic infrastructure needs drastic improvements, faculty needs to be verified as no one was available, when asked visiting committee ws informed that faculty was on leave, no proofs were presented. Barrier free environment is not addressed , no pucca pathways were available in the campus.

- xxxiv. The institution is running the multi-disciplinary course in the name of Aashirwad College, Bhitadi, Palody whereas the institution recognized by NCTE is Aashirwad Shikshank Prashikshan Sansthan. Both names are mismatch.
- xxxv. The 'Aashirwad College' is running ONLY B.A. course hence, it is not a multi-disciplinary institution as per the Norms of ITEP course. The institution doesn't fulfil the criteria stipulated vide NCTE Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025.
- xxxvi. The institution has mentioned the total built up area of 2860 sqm, which is not sufficient for the existing liberal arts course and proposed ITEP course.
- xxxvii. As per the BCC, the Building of the institution is of Stone Slab, which is not permissible as per NCTE Regulations.
- xxxviii. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "*The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area*"
- xxxix. The institution has NOT uploaded Exemption Certificate (12A) dated issued by Income Tax Department.

Therefore, the Committee decided that Show Cause Notice post Inspection be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

21	2627202510033631	PRABHA DEVI MEMORIAL MAHAVIDYALAYA KABRI DUNGRI, MUNDOTA, JALSU, (AMER), KABRI DUNGRI, JAIPUR, RAJASTHAN-303706	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has NOT uploaded complete additional information on their website as per clause 7(14), 8(6), 10(3) of the NCTE Regulation 2014 and clause 2(C) of the NCTE Regulations.
- ii. The institution is required to upload the latest Non-Encumbrance Certificate (NEC) issued by the competent Government authority.
- iii. The institution has uploaded the building plan approved by Assistant Engineer. The Khasra No. 31/2, 975/2, 556, 557, 558, 555/1, 555/2, 555/3, 557/1 with a land area of 7200 sq. mts. is mentioned therein. However, There is also a mismatch between the land area indicated in the Plan and the land area stated in the affidavit and on the online portal. Further, the earmarked land and built-up area for each course being run in the same premises and the demarcated land and built-up area for teacher education programmes is not mentioned in the building plan.
- iv. Institution has uploaded the digital copy of Mutation Certificate of Kh.No. 31/2, 18, 557, 556, 558, 557/1, 555/1, 555/2, and 555/3 but Mutation certificate of kh. no. 31/975/2 is NOT uploaded.
- v. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

- vi. The Name of Applicant institution is “Prabha Devi Memorial Mahavidyalaya Kabri Dungri, Mundota, Jalsu, (Amer), Kabri Dungri, Jaipur, Rajasthan-303706” and the multidisciplinary college Name is “Prabha Devi Memorial PG Mahavidhyalaya, Kabri Doongari Tehsil Amer Jaipur” the name of both institutions does not match
- vii. As per the uploaded CLU is mentioned Khasra No. is 975/2,557,556,558, 555/2,557/1, 555/3, 555/1,31/2,18 Whereas the Khasra No. is mentioned 31/2, 31/975/2, 18, 557, 556, 558, 557/1, 555/1, 555/2 and 555/3. The Khasra No. is mismatched.
- viii. As per the Uploaded BCC is not mentioning all Khasra no. The institution is required to upload BCC in the NCTE prescribe Format of the NCTE mentioning all Khasra No. issued by the Competent Government Authority.
- ix. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/PWD/Shp/D-1105 issued on dated 15/01/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the document should be issued by government competent authority.
- xiv. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xv. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot. Document should be issued by government competent authority.
- xvi. The name of applicant College is not reflected in the geotagged photo uploaded.
- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xviii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- xix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xx. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 15000. The Name of Applicant institution is “Prabha Devi Memorial Mahavidyalaya Kabri Dungri, Mundota, Jalsu, (Amer), Kabri Dungri, Jaipur, Rajasthan-303706” and the multidisciplinary college Name is “Prabha Devi Memorial PG Mahavidhyalaya, Kabri Doongari Tehsil Amer Jaipur” the name of both institutions do not match. Assume that, Prabha Devi Memorial Mahavidyalaya is conducting degree courses i.e. B.A. 300x3=900, B.Sc.240x3= 720, B.Com. 120x3=360, M.A. (history, English, Drawing & Painting, Geography, Hindi, Political Science, Sanskrit, Economics, Public Administration, Sociology,) 400x2=800, M.Sc. (Physics, Chemistry and Zoology) 120x2=240, M.Com 120x2=240 total 3260 students. as per geotag photo uploaded it shows that they are running D.Pharm. PGTD. Yoga and PGDCA also. The sufficiency of land and built-up area for the above courses with multidisciplinary courses and intake for B.A. B.Ed. Secondary (2 unit), Middle (2 unit) B.Sc. B.Ed. Secondary Secondary (2 unit), Middle (2 unit) 400x4=1600 course cannot be ascertained.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

22	2627202510043679	SHRI RANJEET SINGH SHIKSHAN SANSTHAN, CHITALWANA, JHAB, JALLORE, RAJASTHAN-343040	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- ii. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- i. The institution is conducting degree courses i.e. B.A. intake (240), B.Sc. intake (60), M.A. intake (1-unit) combined intake of 300+M.A. The sufficiency of land and built-up area for 300+M.A. intake of multidisciplinary courses and 400 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained since the institution has mentioned the total built-up area 4009.61 sq.mts. out of which 3000 sq.mts. built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL <https://lsgonline.rajasthan.gov.in/trackapplication.aspx>.
- v. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. document should be issued by government competent authority.
- vi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/SCR/2025-26/466 issued on dated 03/06/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- ix. The library of college and reading room is not reflected in the geotagged photo uploaded

- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate,
- xi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. the teaching staff list will easily rotate 360 degree during inspection and it will be easy to verify.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

23	2627202509162607	AKASHDEEP P G GIRLS COLLEGE JAIPUR, SECTOR 11 AGARWAL FARM MANSAROVER, SANGANER, JAIPUR, JAIPUR, RAJASTHAN-302020	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is also running B.Ed (Shiksha Shastri) (four Units) in the name of Akashdeep Teacher Training Girls College, B.Ed (2 Units) in the name of Akashdeep Teacher Training Girls Degree College, M.Ed (1 Unit) in the name of Akashdeep Teacher Training Girls Degree College, D.El.Ed (2 Units) in the name of Akashdeep Sanskrit Teachers Training School on the above land and building, which has not been mentioned in the application form.
- ii. The institution is required to upload the details of courses being run other institutions on the society on the land where the ITEP course is proposed, duly countersigned by the Competent Govt Authority.
- iii. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution is required to upload legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The institution is conducting degree courses i.e. B.A. 120x3=360, B.Sc. 60x3= 180, B.Com. 60x3= 180, M.A. Pol Sc., Pub.Admn, Socio. And MJMC 160x2=320 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit)course cannot be ascertained.
- vi. The institution is conducting degree courses and also various teacher education courses on the same land. The sufficiency of land and built-up area for multidisciplinary, Teacher Education courses and proposed ITEP cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.

- vii. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- viii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- ix. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- x. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. एफ-58/डी.सी./एम.एस.जैड/2597 issued on dated 15/07/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xv. The uploaded list of teaching staff is not duly countersigned by its affiliating body and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- xvi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

24	2627202509172764	SHRI RAGHUNATH BISHNOI MEMORIAL COLLEGE, RANIWARA, JALLORE, RAJASTHAN-343040	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has uploaded the CLU for only 4260 sqm of land, which is not sufficient for the existing Multidisciplinary course, existing B.Ed course and proposed ITEP course.

- ii. The institution has mentioned the total land as 10115 sqm, whereas the CLU has been submitted only for 4260 sqm of land. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iii. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution is required to upload the Building Plan approved by the Competent Authority total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/SCR/2024-25/368 issued on dated 12/06/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- vi. Built Up area mentioned in the Affidavit (in sq m) are 7408. In the conversion order No /Rev./2017/339 dated 17/3/2017 it mentioned 4260 sq mt. for संस्थागत (शैक्षणिक) प्रयोजनार्थ. The land area is mismatched in BCC and CLU.
- vii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) for mentioning all khasra or plot issued by the Competent Government Authority for all the courses being conducted in the premises
- viii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ix. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. Letter should be issued by government competent authority.
- x. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xii. The geotagged photo uploaded does not show the applicant college name on the building.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xvii. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition

application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.			
25	2627202510033605	AJEETGARH P.G.COLLEGE, AJEETGARH, DIVRALA ROAD, SHRIMADHOPUR, AJEETGARH, SIKAR, RAJASTHAN-332701	TRANSITION B.A. B.ED / B.SC. B.ED
<u>Decision of WRC:</u>			
<p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:</p> <p>Visiting Team be constituted for inspection of the University in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time</p>			
26	2627202510053701	D.R.S. B.ED. COLLEGE GANGAPUR (BHATLO) GANGAPUR (BHATLO), GOVINDGARH ROAD, HUZUR REWA, MADHYA PRADESH-486001	TRANSITION B.A. B.ED / B.SC. B.ED
<u>Decision of WRC:</u>			
<p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:</p> <ol style="list-style-type: none"> It is noted that the 'DRS B.Ed College' is running ONLY B.Com. course hence, it is not a multi-disciplinary institution as per the Norms of ITEP course. The institution doesn't fulfil the criteria stipulated vide NCTE Public Notice No.NCTE-Reg1012/7/2025-Reg. Sec-HQ dated 12.09.2025As per the The institution doesn't fulfil the criteria stipulated vide NCTE Public Notice No.NCTE-Reg1012/7/2025-Reg. Sec-HQ dated 12.09.2025. As per the application form, the institution is having only 4250 sqm of land which is not sufficient for running the Liberal Arts Course and the existing B.Ed and proposed ITEP courses. As per the NCTE Regulations, this land area is sufficient only for running the ITEP and B.Ed course. The Non Encumbrance Certificate uploaded by the institution is dated 01/03/2024. The institution is required to upload the latest NEC. The institution has not uploaded the Fire Safety Certificate issued by the Competent Government Authority. The institution has not uploaded the Building Safety Certificate issued by the Competent Government Authority. As per the building plan and BCC uploaded , the institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) 			

of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"

Therefore, the Committee decided that Show Cause Notice post Inspection be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

27	2627202509263326	RAGHUKUL COLLEGE OF EDUCATION PIPLA BAI KA BADH, , CHAKSU, CHAKSU, JAIPUR, RAJASTHAN-303903	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the Fire NOC on the Fire portal is 1393 sq.mts. Whereas the land area is mentioned in the land details Column is 4000 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iv. The Building Plan signed by Assistant Engineer, PWD is only with regard to Building Safety. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. Since the institution has mentioned the total land area as 4000 sqm and built-up area 5066.32 sq.mts and the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. The institution is required to demarcate the land and built up area separately for Teacher Education and Multidisciplinary courses as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vi. Moreover, the total land area of 4000 sqm is not sufficient for the existing B.Ed (2 Units), Multidisciplinary course (s) and proposed ITEP course.
- vii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

- x. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5066. The institution is conducting degree courses i.e. B.A. Pass Course (60x3) =180, B.Sc. (Bio Group) (60x3) =180, B.Sc. (Math Group) (60x3) 180, sufficiency of land and built-up area for the above courses with combined intake of multidisciplinary courses and Bachelor of Education (B.Ed) degree, B.A./B.Ed. Secondary (1 unit), B.Sc./B.Ed. (Secondary (1 unit), course cannot be ascertained.
- xiii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 759 issued on dated 3/09/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xiv. The uploaded list of teaching staff is not duly countersigned by its affiliating body and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xv. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

28	2627202509253283	GLOBAL EDUCATION INSTITUTE DEDWA KHURD, NH-68, SANCHORE, SANCHORE, JALLORE, RAJASTHAN- 343041	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution is required to upload Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.

- iv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- v. The institution is conducting D.El.Ed (2 Unit), Degree courses and has proposed the ITEP course. The institution is having the land area of 6315 sqm, which is not sufficient as per the Norms of NCTE and the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vi. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- vii. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- ix. The Institution is required to upload Not-for-Profit Certificate issued by issued by Competent Authority of State Government.
- x. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- xi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority
- xii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4722. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 320x3=960, B.Sc. 2 units. M.A.160x2=320 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Diploma in Elementary Education (D.El.Ed.) 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained
- xiii. The name of applicant College is not reflected in the geotagged photo uploaded
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xv. The geotagged photographs uploaded show that the condition of Library, and other labs are not in good condition
- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xviii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xix. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- xx. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

29	2627202509283415	OXFORD INTERNATIONAL COLLEGE PARAWA, SANCHORE ROAD, CHITALWANA, SANCHORE, JALLORE, RAJASTHAN-343041	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The NEC uploaded is issued in July 2025. The institution is required to upload the latest Non Encumbrance Certificate issued by the Competent Revenue Authority.
- ii. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- iii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/SCR/2023-24/640 issued on dated 28/06/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- iv. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- v. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- vi. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- viii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- ix. The geotagged photographs uploaded show that the condition of Library, and other labs are not in good condition
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- i. Committee noted that, In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6247 the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 240x3=720, B.Sc.60x3=180. M.A.40x2=80 The

- sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

30	2627202510053709	SHIKSHA MAHAVIDYALAYA SIDHI PANWAR SENGARAN, BEOHARI ROAD, GOPAD BANAS, MADHYA PRADESH-486661	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- ii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The institution is required to upload the Fire Safety Certificate issued by the Fire Department of the State of Madhya Pradesh.
- iv. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- v. The website of the institution is not functional. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The institution is conducting D.El.Ed (1 Unit), B.Ed (2 Units), Degree courses and has proposed the ITEP course. The institution is having the land area of 4048 sqm, which is sufficient only for the Teacher Education Course (s). The land of the institution is not adequate for running the Degree courses and proposed ITEP course.
- vii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- viii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. letter should be issued by government competent authority.
- ix. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- x. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xi. The institution is conducting degree courses i.e. B.Com. intake (120), BA. intake (120), B.Sc. intake (120), combined intake of 360. The sufficiency of land area and built-up area for 360 intake of multidisciplinary courses and 50 intake for B.A.B.Ed./B.Sc.B.Ed. and 100 intake for

- B.Ed. and 50 intake for D.El.Ed. course cannot be ascertained since the institution has mentioned the total built up area 4048.0 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- xii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. SN GP/25 issued on dated 12/1/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
 - xiii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms
 - xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
 - xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
 - xvi. The geotagged photographs uploaded show that the condition of computer Laboratory, Library, and other labs are not in good condition
 - xvii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xviii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

31	2627202510013543	RNT TT COLLEGE, KAPASAN, NEAR MATAJI TEMPLE, HIGHWAY ROAD, KAPASAN, CHITTORGARH, RAJASTHAN-312202	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been maintained and updated with relevant information in compliance to Clause 7(14)(i), 8(14), 8(6) and 10(3) of NCTE Regulations as amended from time to time. The institution is required to update the website as per NCTE Regulations.
- ii. The Building plan is not approved by any Competent Government Authority. The institution is required to upload legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- iv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5800. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Com 120x3=360, B.Sc.280x3= 840,

<p>B.C.A.60x3=180, M.Com 40x2=80, M.SC. 35x2=70, M.A.20x2=40 As per Website they are running Law college, Agricultural college, BSTC college and International School. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. 2 units and B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.</p> <p>v. The institution approved by NCTE is RNT TT College whereas the name of multidisciplinary institution is Rabindranath Tagore P.G. College. Both name mismatch.</p> <p>vi. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"</p> <p>vii. In google map, given geographic Location of the institution shows "RNT B.Ed. College, RNT PG college" which does not match with name mentioned in the transition application The institution is required to clarify the same.</p> <p>viii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. PA/TS2023-24/BS-84/D 1561 issued on dated 16/11/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority</p> <p>ix. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.</p> <p>x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale</p> <p>xi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.</p> <p>xii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.</p> <p>xiii. The name of applicant College is not reflected in the geotagged photo uploaded</p> <p>xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.</p> <p>xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.</p> <p>xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.</p> <p>xvii. The name of applicant College is not reflected in the geotagged photo uploaded</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>			
32	2627202510033642	RAJPUTANA TEACHERS TRAINING COLLEGE, DABLA ROAD, SHYAM NAGAR, KOTPUTLI, JAIPUR, RAJASTHAN-303108	TRANSITION B.A. B.ED / B.SC. B.ED
<p>Decision of WRC:</p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education</p>			

Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- ii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- iii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2850. If we assume that, the institution is conducting degree courses i.e. B.A. 420x3=1260, B.Sc.240x3= 720, the sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- v. The name of the Multidisciplinary college is RAJPUTANA MAHAVIDYALAYA//RAJPUTANA PG COLLEGE and the ITEP college name is RAJPUTANA TEACHERS TRAINING COLLEGE. Both colleges name mismatch.
- vi. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- vii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ix. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. Latter should be issued by government competent authority.
- x. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EE/BSC/30/D-2541 issued on dated 14/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xiv. Even till the time of this scrutiny, the website of institution "www.rajputanapgccollege.com/ has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- xv. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time

- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xviii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

33	2627202510013547	KOTHARI MAHILA MAHAVIDHALYA, SANKHAN TAL, RAJGARH CHURU VPO SANKHAN TAL, RAJGARH ROAD, RAJGARH, CHURU, RAJASTHAN-331303	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is running Kothari Teacher Training College (B.Ed (2 Units), Malaram Kothari T.T. College (B.Ed (2 Units) and proposed ITEP (2 Units) KOTHARI MAHILA MAHAVIDHALYA on the same land.
- ii. The institution is required to upload affidavit in respect of land regarding land documents.
- iii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iv. The institution website is not operational at the time of scrutiny. The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vi. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- vii. The institution has mentioned the total built up area of 3000 sqm which is not sufficient even for the existing Teacher Education Courses. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- viii. The institution is required to upload Building Plan approved by the Competent Authority mentioning the total land area and built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. Building Plan uploaded by the institution is approved by the Assistant Engineer. Details of built-up area provided for infrastructural facilities regarding academic wing, administrative wing and other amenities

- are not reflected in the building plan as per ITEP Regulations, 2021. Multipurpose Hall with different toilets as per regulations is not reflected in the building plan.
- ix. College Khasra Numbers/plot numbers and other things are not mentioned in the विकलांग बनुकुलता प्रमाणपत्र certificate no. 1125 issued on dated 30/01/2026. The uploaded certificate does not have the stamp of the government authorities. And the signature of EXECUTIVE ENGINEER PWD RAJGARH CHURU is so funny.
 - x. institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
 - xi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
 - xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
 - xiii. The uploaded geotagged photo does not reflect the name of the applicant college on the building
 - xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
 - xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
 - xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
 - xvii. The geotagged photographs do not show the drinking water system of the college. Drinking water system should be permanent.
 - xviii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
 - xix. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3000. The institution is conducting degree courses i.e. B.A. $80 \times 3 = 240$, B.Sc. $70 \times 3 = 210$, M.A. $20 \times 2 = 40$ The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
 - xx. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

34	2627202509202962	TRILOK SINGH T T COLLEGE, NARODARA BUS STEND, NH-52, SIKAR ROAD, LAXMANGARH, LAXMANGARH, SIKAR, RAJASTHAN-332311	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of the applicant institution is 'Trilok Singh TT College' and the name of the multidisciplinary institution is 'Trilok Singh College', the names of the two institutions do not match.
- ii. With regard to land documents, the institution has uploaded the lease deed from Nagarpalika, which is not registered.
- iii. The plot area mentioned in the Fire Safety Certificate on the portal of Rajasthan Government is 2401 sq. mts. whereas the institution has mentioned its total land area 13186 sq. mts.
- iv. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. As per the Clu uploaded by the institution Khasra No. 745, 746 are not mentioned therein Whereas these Khasra No. are mentioned land details column of online application by the institution.
- vi. The institution has not uploaded the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- vii. The institution has not uploaded the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- viii. The institution needs to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ix. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4539. If we assume that, the institution is conducting degree courses i.e. B.A. 120x3=360, B.Sc.60x3= 180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (2 unit), B.Sc. B.Ed. Secondary (2 unit), course cannot be ascertained.
- x. The institution has not uploaded the building plan which mentions the names of all the courses run in the same premises of the institute, Khasra/Plot/Survey number and total land area and total built up area reserved for each course run in the locality and demarcated land and built up area for teacher education programs including multi-disciplinary programmes.
- xi. The institution has not uploaded that all khasara numbers i.e. 129/1- patta no. 444,445,153,154 khasara no. 1271- patta no. 531,532, khasra no. 2323 –patta no. 533 is issued by the office of the executive officer nagar palika laxmangarh.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiv. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xv. The institution has not uploaded the building plan which mentions the names of all the courses run in the same premises of the institute, Khasra/Plot/Survey number and total land area and total built up area reserved for each course run in the locality and demarcated land and built up area for teacher education programs including multi-disciplinary programmes.
- xvi. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

35	2627202509162529	ASHWINI BALIKA MAHAVIDYALAYA	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	------------------------------	--------------------------------------

	BAY, POWER HOUSE KE SAMNE, DANTARAMGARH, SIKAR, SIKAR, RAJASTHAN-332601	
<u>Decision of WRC:</u>		
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>		
<ol style="list-style-type: none"> i. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. In the Land details area mentioned 8000 sq.mts. whereas in the fire safety certificate land area mentioned 225 sq. mts. Both the land area is mismatch. ii. The website of the institution is not functional. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. iii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. iv. Uploaded documents cannot prove that the plot is a single plot. The institution is required to provide proof that all Khasra Nos i.e. 952/906,963/356,989/962 are in a single plot. v. The institution is required to upload legible Mutation Certificate issued by Competent Authority of State Government. vi. As per the uploaded BCC is mentioned the institution is conducting into Multiple Plots. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. The institution is required to upload the demarcated land and built-up area for the existing courses/school and the proposed ITEP course duly approved by the Complete Authority of the State Government. vii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2370. The institution is conducting degree courses i.e. M.A. intake (120), B.A. intake (120), B.Sc. intake (60), M.Sc. intake (80) combined intake of 380. The sufficiency of land area and built-up area for 380 intake of multidisciplinary courses and 100 intake for B.A.B.Ed./B.Sc.B.Ed. course cannot be ascertained since the institution has mentioned the total built-up area 2369.8 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education. viii. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area" ix. The institution has not uploaded the Building Plan mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programme. Institution is required to upload the same. x. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1804 issued on dated 29/09/2025. The institution is required 		

	<p>to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority</p> <p>xi. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises, letter be issued by government competent authority.</p> <p>xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.</p> <p>xiii. Uploaded teaching staff list is not as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms.</p> <p>xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.</p> <p>xv. In some cases, the institution Ashwini Balika p. G. College letterhead used. Sometimes he used letter head of Ashwini Balika College. There is some variation in the name of the institution. The institution is required to clarify the same.</p> <p>xvi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority</p>
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of Final Show Cause Notice.</p>	

36	2627202510033606	DCS PG COLLEGE, RATLIYA, DIGGI ROAD, SANGANER, JAIPUR, RAJASTHAN-302029	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Building plan uploaded is not readable. The institution is required to upload the readable copy of Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. The institution is required to upload Exemption Certificate (12A) issued by the Competent Government Authority.
- iii. In the Land Details land area is 9700 and Built Up area mentioned in the Affidavit (in sq m) is 3616. The institution is claimed that they are running and conducting degree courses if this is true i.e. B.A. 300x3=900, B.Com 180x3=540, B.Sc. 120x3=360, M.A. Hindi 40x2=80, M.A. Geography 60x2=120, M.A. History 60x2=120, M.A. Political science 60x2=120, M.Sc. Zoology 40x2=80, M.Sc. Math 40x2=80, M.Sc. 20x2=40 M.Sc. Physics 40x2=80. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for applied B.A. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.

- iv. The website of the institution is not working. Therefore, it cannot be ensured whether the website of the Institution is updated and maintained in compliance with the provisions of Section 7(14)(i), 8(6), 8(14) and 10(3) of the NCTE Regulations, 2014, as amended from time to time.
- v. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- vi. The details of Fire Safety Certificate No. 49637 dated 27.03.2025 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL https://sgonline.rajasthan.gov.in/track_application.aspx. However, the Fire Safety Certificate is valid upto 26.03.2026 and the plot area mentioned on the portal of Rajasthan Government is 5100 sq. mts. whereas the institution has mentioned its total land area 9700 sq. mts.
- vii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. The institution is required to upload the same.
- ix. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 159 issued on dated 30/04/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xi. The geotagged photographs uploaded show that the condition of computer Laboratory, Library, and other labs are not in good condition
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The name of applicant College is not reflected in the geotagged photo uploaded.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xv. The uploaded list of teaching staff is not duly countersigned by its affiliating body and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xvi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xvii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

37	2627202509243170	RAJASTHAN T.T. COLLEGE, MANDAWA ROAD, GANPATI NAGAR, JHUNJHUNU	TRANSITION B.A. B.ED / B.SC. B.ED
----	------------------	--	-----------------------------------

		JHUNJHUNU, MANDAWA ROAD, GANPATI NAGAR, JHUNJHUNU, RAJASTHAN-333001	
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> i. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. ii. The Committee noted that the name of the applicant institution i.e. Rajasthan T. T. College, Mandawa Road, Ganpati Nagar, Jhunjhunu and the name of multidisciplinary institution is Smt. Harkori Devi Girls P.G. College, Mandawa Road, Ganapati Nagar, Jhunjhunu. Both names are different. iii. The institution is required to upload latest of Non-Encumbrance Certificate issued by the concerned Govt. Competent authority. iv. As per the Fire NOC on the Fire portal is 8000 sq.mts. Whereas the land area is mentioned in the land details Column is 22092.46 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsqonline.rajasthan.gov.in/track_application.aspx. v. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area" vi. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. The certificate should be issued by government competent authority. vii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority. viii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5031. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc. 120x3= 360, M.A. 80x2=160, B.Ed. 2 Units 100x2=200, The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed/ Secondary (1 unit) B.Sc. Secondary (1 unit) course cannot be ascertained. ix. The institution is required to upload mutation certificate of land issued by government competent authority. x. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. xi. Mentioning Geographic Location Latitude 27.7160828 Longitude 76.1611333, checked on google map and found that institution name is "Smt. Harkori Devi Girls PG College". xii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. 			

- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xiv. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 697 issued on dated 23/07/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xviii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xix. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time. The name of college is राजस्थान शिक्षक प्रशिक्षण विद्यालय,
- xx. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 7days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)
अध्यक्ष