

Re: FINAL MINUTES OF 453 (PART-III) OF WRC

From Shailesh Zala <shaileshzala@yahoo.co.in>

Date Fri 20-Mar-26 10:00 AM

To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Thu, Mar 19, 2026 at 10:15 AM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the final minutes of 453 Meeting (Part-III) of WRC held on 05th to 07th March 2026 for consideration and approval please.

Thanks and regards

Rashmi Shukla

Regional Director - WRC

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 453वीं बैठक (भाग-III) 05th-07th मार्च 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य प्रतिनिधि बैठक में उपस्थित थे:-

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	आभासी 05 मार्च 2026 व्यक्तिगत 06 th से 07 th मार्च 2026
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत 05 th से 07 th मार्च 2026
3.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत 06 th से 07 th मार्च 2026
4.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	डॉ. करणम पुष्पनाधाम	सदस्य
3.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य
4.	राज्य सरकार के प्रतिनिधि	गोवा
5.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
6.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
7.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
8.	राज्य सरकार के प्रतिनिधि	गुजरात
9.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
10.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
11	राज्य सरकार के प्रतिनिधि	राजस्थान

i. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application	Name and Address	Programme
1	2627202509243168	SANSKAR MAHAVIDYALAYA, NADBAI, PIPRAU ROAD, BHARATPUR, RAJASTHAN-321602	Transition B.A. B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc.60x3= 180. The sufficiency of land and built-up area for 900 intake the above courses with multidisciplinary courses and 1600 intake for B.A. B.Ed. Secondary (2 unit), Middle (2 unit) B.Sc. B.Ed. Secondary Secondary (2 unit), Middle (2 unit) course cannot be ascertained since the institution has mentioned the total built-up area 4218.62 sq.mts. sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ii. As per the uploaded Certified land documents only one Khasra No. 2139 is mentioned whereas the land details column is mentioned Khasra No. is 2133, 2134, 2135, 2139, 2140 and 2143. The Khasra No. is mismatched. The institution is required to upload certified land documents mentioning all Khasra No. issue by the Competent Government Authority.
- iii. Land Use Certificate for Khasra Nos.2133, 2134, 2135, 2140 & 2143 is uploaded by the institution. LUC for Khasra No.2139 is not uploaded by the institution. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. A geotagged photograph shows Some part of college is under repair.

- x. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xiii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 5538-39 issued on dated 06/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

2	2627202509202961	CHOUDHARY A.R COLLEGE BUKANAR BASS HR SCHOOL KE PASS, SARDARSHAHAR, RAJASTHAN-331403	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to upload the same.
- ii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- iii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- iv. As per the uploaded Building Plan is not earmarked the land and Built-up area for multi-disciplinary programme. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The Khasra No 58/3 is mentioned in the WRC recognition order dated: 03.03.2021 uploaded by the institution which is not mentioned in the land details filled on the online portal. The land document of this Khasra No. is not uploaded. The institution is required to clarify the mismatched along with supporting documents issued by the Competent Government Authority.
- vi. The institution is conducting degree courses i.e. B.A. 400x3=1200, B.Sc.70x3= 210, M.A. 40x2=80, M.Sc. 40x2=80 combined intake of 1570. The sufficiency of land and built-up area for 1570 intake of multidisciplinary courses and 100 intakes for B.A. B.Ed. Secondary (1 unit), B.Sc.B.Ed. Secondary (1 unit), course cannot be ascertained since the institution has mentioned the total built-up area 3901.299 sq. mts. out of which 3269.623sq.mts. is earmarked for the teacher education programme as per the BCC is uploaded by it. The area earmarked for Multi-disciplinary is not adequate as per the

	Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf .
vii.	The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
viii.	College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 2295 issued on dated 22/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
ix.	The institution is required to upload legible Mutation Certificate (Jamabandhi) mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government and the Mutation Certificate (Jamabandhi) be easily rotate 360 degree during inspection and it will be easy to verify.
x.	uploaded geographic location shows name of institution is CHOUDHARY A.R P G COLLEGE SARDARSHAHAR. The applicant name is different. The Geographic Location of the institution is not located in the address submitted by the institution in the online portal. The institution is required to clarify the same and upload the evidence regarding the same.
xi.	A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
xii.	A geotagged photograph shows part of the building left unrepaired.
xiii.	The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
xiv.	The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
xv.	The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
xvi.	Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
xvii.	The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
xviii.	It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
xix.	Since the institution has not uploaded the bank statement, it cannot be ascertained that the Institution is paying salary as per Central/State Govt.
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>	

3	2627202509202971	MAHATMA GANDHI T.T. COLLEGE, RAMGARH, MANDAWAR ROAD, MAHWA, DAUSA, RAJASTHAN-321608	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- As per the uploaded Affidavit in respect of certified land land area is mentioned land area is 15597.64 sq.mts. and Built-up area is 11011.72 sq.mts. Whereas the mentioned details in the land details column

- land area 4100 sq.mts. and Built-up 5320.76 sq.mts. The land area is mismatched. This required to clarify the mismatched along with supportive documents issued by the Competent Government Authority.
- ii. As per the uploaded Affidavit by the institution in respect of certified land with total land area 15597.64 sq.mts. whereas the uploaded fire safety on the fire NOC portal plot area is 2700 sq.mts. the land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
 - iii. The institution is uploaded Jamabandi land area is mentioned at Khasra No. 1172/138, 130/1298, 132/1299 and 133 = 0.5959 hec and 138/1= 0.2259 hec which is not matched with the mentioned details in the land details column. Clarify the mismatched along with supporting documents issued by the Competent Government Authority.
 - iv. The institution is mentioned in the Column land detail Khasra No. is 130, 132, 133 and 138/1 Whereas the CLU is uploaded by the institution is mentioned 133, 130/1298 and 132/1299. The Khasra No. is mismatched. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
 - v. As per the uploaded Certified land documents Khasra No. 130, 132, 133 and 138/1 is not matched with the uploaded Khasra No. 133, 130/1298, 132/1299, 138/1, 133/1240, 134, 1172/138 and 137/1211 on the 100 Rs/- Stamp paper. Khasra No. is mismatched. The institution is required to clarify the mismatched along with supporting documents.
 - vi. The institution is uploaded BCC with mentioning Khasra No. is 133, 130/1298, 132/1299, 138/1, 133/1240, 134, 1172/138 and 137/1211 which is not matched with the provided details in the land details column. The institution is required to upload Mutation Certificate/ Jamabandi and CLU in respect of Khasra No. 133, 130/1298, 132/1299, 138/1, 133/1240, 134, 1172/138 and 137/1211 which is issued by the Competent Government Authority. Multidisciplinary college name is Mahatma Gandhi College, Mandawar Road, Mahwa, Dausa and Teacher Training College name is MAHATMA GANDHI T.T. COLLEGE. Both college names mismatch. If we assume that the institution is conducting degree courses i.e. B.A.intake (720),B.Com. intake (120) B.Sc. intake (420),M.A. intake (300) M.Com. intake (40),M.Sc. intake (120) combined intake of 1720, the sufficiency of land and built-up area for 1720 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained since the institution has mentioned the total built-up area 5320.76 sq.mts. as per the BCC is uploaded by it.
 - vii. The institution has mentioned khasra No.130,132,133,138/1 in the land details column of online portal whereas the Khasra No.130, 132, 133 are mentioned in the NCTE Recognition order uploaded by the institution. The Khasra No.138/1 is not mentioned in the Recognition order. Further the Khasra No.130, 132 are not mentioned in the mutation certificate and CLU documents uploaded by the institution.
 - viii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - ix. The institution has expressed its intention to become a multidisciplinary institution through 'Merger', as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions.
 - x. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - xi. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - xii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into

		<p>multidisciplinary higher education institutions.</p> <p>xiii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.</p> <p>xiv. The institution has not uploaded documentary evidence confirming that 'Mahatma Gandhi T.T. College,' and 'Mahatma Gandhi College' are situated within the radius of 03 Kilometre's as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.</p> <p>xv. WRC committee noted that Multidisciplinary college name is Mahatma Gandhi College, Mandawar Road, Mahwa, Dausa and Teacher Training college name is MAHATMA GANDHI T.T. COLLEGE. Both college names mismatch.</p> <p>xvi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.</p> <p>xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.</p> <p>xviii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.</p> <p>xix. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1285 issued on dated 01/03/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.</p> <p>xx. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.</p> <p>xxi. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.</p> <p>xxii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.</p> <p>xxiii. "We Have Mentioned Latitude As 27.0587447 And Longituted As 76.9126354 In Our Proposal. The Said Latitude And Longitude Are Not Of Us. Please Find Herewith Screenshot Of Google Maps Showing Location Of Our Institute With Above Latitude And Longitude." The institution is required to upload the Latitude and Longitude.</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>	
4	2627202509162567	POONAMCHAND GUPTA VOCATIONAL COLLEGE KHANDWA, 33 CIVIL LINES, KHANDWA, MADHYA PRADESH-450001	Transition B.A. B.Ed / B.Sc. B.Ed
<u>Decision of WRC:</u>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <p>i. The institution has uploaded Building Plan in the Name of POONAMCHAND GUPTA VOCATIONAL COLLAGE ON BLOCK NO. 70 & PLOTNO. 17 AT CIVIL LINES KHANDWA, TOTAL PLOT AREA 23517.10 SQM and TOTAL B/UP AREA 954.40 SQM. and BLOCK NO. 73</p>			

& PLOT NO 0 BLOCK NO S & PLOT NO AT CIVIL LINES KHANDWA, TEH. KHANDWA. DIST.KHANDWA, TOTAL PLOT AREA EX, B/UP AREA 3237.36 SQ.SM. and TOTAL B/UP AREA 3784.00 SQ.SM. approved by the Sahayak Yantri and KaryaPalak Yantri, Nagar Palika Nigam. However, the institution has not mentioned earmarked Land area and Built up area for each course being run in the same premises along with approval letter issued by Govt. competent authority. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

- ii. In the column of Society/Trust/Company members information, the institution has filled information of Chairman/president/Secretary and treasurer with PAN & Aadhar no. only. It is required to mention all Society members with PAN & Aadhar No.
- iii. The institution is required to upload Mutation Certificate/ Jamabandi mentioning all Khasra No. issued by Govt. Competent Authority.
- iv. The website <https://www.pcgvc.in/> is not working to verify the compliance to provisions under Clause 7(14), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- v. The institution is required to upload Land Use Certificate for educational purpose mentioning all Khasra No. issued by Govt. Competent Authority. The institution has uploaded Conveyance Deed (Land Documents) for 30 years durations for commercial use which is not as per NCTE Regulations. The institution is required to upload the same.
- vi. The institution mentioned floor wise total built up area 4738.39 Sqm. which does not match with uploaded BCC. The institution is required to clarify the same.
- vii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- viii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of MADHYA PRADESH.
- ix. The institution has uploaded Conveyance Deed made on 01.11.2014 between Governor of Madhya Pradesh and The Nimar Educational Society Khandwa on lease for a term of 30 years commencing from 01st April 2013 to 31 March 2043 for the purpose of commercial use; details of lease land Block No. 70, Plot no. 14, area 20280 Sqm. and Block no.73, Plot No.1 area 3238 Sqm. The aforesaid both lands are different plot and for use of commercial purpose in place of educational purpose. The institution is required to clarify the same.
- x. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xi. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilets indicating the longitude and latitude with date of photograph.
- xii. The institution is required to upload the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- xiii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xiv. The institution is required to upload photograph of front view, rear view, multipurpose hall, library. Lab 1 Yes, Lab 2 & 3 No and playground, However, it is required to upload geotag photos clearly indicating the longitude and latitude with date of photograph.
- xv. The institution is required to upload Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents.
- xvi. WRC committee noted that institution is running B.Sc. (CS). The institution is conducting degree courses i.e. B.Com..390x3=1170, B.Sc. (CS) 180x3=540, BBA120x3=360, BCA 60x3=180, PGDCA 60x3=180. The sufficiency of 4738.40 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for Diploma in Elementary Education (D.El.Ed.). 2 units, B.Sc. B.Ed. Secondary (1 unit), and Bachelor of Education (B.Ed) degree 2 units course cannot be

- ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xvii. The institution has uploaded BCC issued by Executive Engineer, Municipal Corporation, Khandwa. As per BCC building consternation at Block 73, plot no. 1, Total Land area 3237.36 Sqmt. and Built up area is 3784.00 Sq.mt. issued on 15/06/2015 and Block No.70 & Plot No. 17, Total Land area 4645.0 Sqmt. and Built up area is 954.40 Sq.mt. issued on 15/06/2015. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xviii. The institution is required to upload LATEST Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xix. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. The certificate should be issued by government competent authority.
- xx. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

5	2627202509202985	SHRI MANSI GIRLS P.G. COLLEGE, UDAIPURWATI, JHUNJHUNU, RAJASTHAN NEAR CHUNGI NO.-03, GUDHA ROAD UDAIPURWATI, JHUNJHUNU, RAJASTHAN-333307	TRANSITION B.A B.ED / B.SC. B.ED
---	------------------	---	-------------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

6	2627202509233088	ADITYA COLLEGE RAMGARH PACHWARA, 00, RAMGARH PACHWARA, DAUSA, RAJASTHAN-303510	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and

documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. In reply to the Show Cause Notice, the institution has stated that it is planning to merge and has uploaded proof of the letter addressed to the Commissioner requesting for merger of institutions whereas, in the preliminary scrutiny it has stated that multidisciplinary course is offered by ITSELF and has not mentioned Merger. The formalities of merger as per NCTE guidelines is not completed by the institution.
- ii. The institution is required to upload the following MERGER formalities.
- iii. The institution has expressed its intention to become a multidisciplinary institution through 'Merger', as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions.
- iv. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- v. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vi. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- viii. The institution has not uploaded documentary evidence confirming that both the institutions are situated within the radius of 03 Kilometers as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions
- ix. The institution is required to upload Building Plan approved by the Competent Authority of State Government with legible signature and seal mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc.120x3= 360, PG DIPLOMA IN LIBRARY SCIENCE+ PG DIPLOMA IN YOGA 66, the sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), Diploma in Elementary Education (D.El.Ed.) 2 units and Bachelor of Education (B.Ed) degree 2 units course cannot be ascertained. The institution has mentioned the total built-up area 4580 sq.mts. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xi. The institution is mentioned the Khasra No. is 221/2 and 1010/131/2 Whereas the mentioned Khasra No. is 131/1/3, New Khasra No. is 1010/131 and 1010/131/2. The Khasra No. is mismatched. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xiii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xiv. The institution is required to upload the mutation certificate/ Jamabandi in respect of Khasra No. is 1010/131 and 1010/131/2 issued by government competent authority.

- xv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xvi. Land Title Certificate is uploaded by the institution instead of uploading registered land documents in the name of institution/Society. Registered land document in the name of institution/Society/Trust is not uploaded by the institution in the online portal. The institution has not uploaded Affidavit on Rs.100/- non-judicial stamp paper in prescribed format regarding land documents. The institution is required to upload the land documents as per NCTE norms.
- xvii. The institution is required to upload a certificate issued by the Competent Government Authority/Land Revenue Authority clearly indicating Khasra/Plot/Survey No. of the institution where upon its building has been constructed while mentioning total land and built-up area earmarked for all courses and demarcated for teacher education programme being run in the premises.
- xviii. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xix. As per the institution is uploaded BCC is not earmarked the Built-up and land area of Teacher education and Multidisciplinary Programme. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xx. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xxi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1613 issued on dated 15/09/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xxii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xxiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xxiv. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xxv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

7	2627202510013526	YADUVANSHI COLLEGE OF EDUCATION, SOHALI SOHALI, BUHANA ROAD SOHALI, BUHANA, BUHANA, JHUNJHUNU, RAJASTHAN-333515.	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has uploaded additional information on their website "https://jjtu.ac.in/" as per clause 7(14), 8(6), 10(3) of the NCTE Regulation 2014 and clause 2(C) of the NCTE Regulations.
- ii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- iii. The institution is required to upload the complete details of Society/Trust/Members with Aadhar and PAN number issued by the Competent Government Authority.
- iv. The Institution is required to upload information of all programme/courses run by institution in the campus and the institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University
- v. For confirming the institution's eligible for transition into ITEP course as it is Collaboration institution is required to upload the affiliation order of liberal arts, science and commerce all programmes run by them with approved intake capacity and present intake capacity as a Multi-Disciplinary Institution.
- vi. The institution is required to should provide proof that all khasara number i.e. Kh. No. 718/708, 454, 453 are a single plot, upload a proof issued by government competent authority. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot
- vii. The institution is required to upload Certified land documents in respect of Khasra No. 718/708 issued by the Competent Government Authority. The institution is required to upload an affidavit on Rs.100/- non-judicial stamp paper in NCTE prescribed proforma regarding land documents as per NCTE norms.
- viii. As per the institution is uploaded CLU At Khasra No. 453 land area 12100 sq.mts. and 718/708,454 land area is 34500 sq.mts total land area is 46600sq.mts. whereas the land details Column is mentioned the land area is 45500 sq.mts. The land area is mismatched. The institution is required to clarify the mismatched along with supportive documents.
- ix. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- x. (A) As per the mentioned land area in the in the land details column is 45500 sq.mts. (B) in the uploaded Building Plan land area is mentioned 24247 sq.mts. (C) in the column of BCC land area is mentioned 34500 sq.mts. (D) in the uploaded CLU land area is mentioned 46600 sq.mts. The land area is mismatched. Clarify the mismatched along with supportive documents.
- xi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xiii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xiv. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xv. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xvi. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xvii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.

- xviii. The institution has not uploaded documentary evidence that both institutions proposed for collaboration are affiliated with the same university.
- xix. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xx. The institution has not uploaded documentary evidence confirming that 'YADUVANSHI COLLEGE OF EDUCATION' and 'Bhura Ram Mahavidyalaya' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xxi. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

8	2627202509182791	MAHARAJA AGRASEN TEACHER TRAINING COLLEGE NAGAR, KHORKI ROAD, NAGAR, BHARATPUR, RAJASTHAN-321205	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per uploaded Building plan the built-up area is 8689.467 sq.mts. Whereas in the land details column in the online application the Built-up area is 6327.25 sq.mts. The Built-up area is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- iv. As per uploaded BCC the built-up area is 8689.467 sq.mts. Whereas in the land details column in the online application the Built-up area is 6327.25 sq.mts. The Built-up area is mismatched. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. Further the land is single plot is not mentioned in the BCC.
- v. The Institution is required to upload Not-for-Profit Certificate issued by issued by Competent Authority of State Government.
- vi. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph. The institution is required to upload geotag photos with different angles of front view,

- rear view, multipurpose hall, library, lab 1, lab 2, lab 3, Class Rooms, sports room and playground indicating the longitude and latitude with date of photograph
- vii. The institution is running Bachelor of Education (B.Ed) degree 4 units and 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree 2 units. Hence, to find the teaching staff position and salary statues of this institution, the institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- viii. Committee noted that, In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6327. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 600x3=1800, B.Sc.120x3=360. M.A.150x2=300,M.Sc. 30x2=60, The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 4 units, B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained. A building plan approved by the competent authority of the Government showing the demarcated land and built-up area reserved for each course conducted in the premises and teacher education programs including multi-disciplinary programs must be uploaded.
- ix. The name of the Multidisciplinary college name is Maharaja Agrasen Santokattar Mahavidyala, Nagar, Bharatpur, Alwar and Teacher training college name is Maharaja Agrasen Teacher Training College Nagar, Khorki Road, Nagar, Nagar, Bharatpur, Rajasthan-321205 college name is mismatch. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution. The institution is not uploaded Proof of being multidisciplinary institution either by merger or by collaboration.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

9	2627202509273381	MURLI SINGH YADAV MEMORIAL PRASHIKSHAN SANSTHAN, UDAIRAMSAR, KARNI COACH, BIKANER, BIKANER, BIKANER, RAJASTHAN-334402	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- ii. The institution is required to upload Mutation Certificate/ Jamabandi mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.

- iii. Certified copy registered land documents is uploaded by the institution without land related affidavit as per details filled in the online application portal. The land document does not mention plot No.1, 2, 3, 4, 5,6 & 895/1/1 as mentioned in the address of the institution in the online application. The institution is required to clarify the same.
- iv. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- v. As per the Fire safety Certificate No. LSG/BIKANER/FIRENOC/2025-26/25693 dated 17.12.2025, uploaded on the NCTE ITEP portal by the institution the name is "MURLI SINGH YADAV MEMORIAL PRASHIKSAHN SANSTHAN" whereas the on verification of this Fire Safety Certificate on the portal URL https://lsgonline.rajasthan.gov.in/track_application.aspx of Fire Safety Department, Government of Rajasthan the name is "ME AND YOU RESTAURANT, AND CAFE CAVE, AT BK KAUL, NAGAR, AJMER, AJMER, RAJASTHAN". It is apparent that the institution has forged the fire safety certificate. The institution is required to clarify regarding the same. and upload the proper documents regarding the same.
- vi. Even till the time of this scrutiny, the website of institution <https://www.murlisinghyadav.com/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- vii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate Sno. 3072 issued on dated 19/03/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The uploaded document is not proper. The institution is required to provide proof that all khasra number i.e. PLOT NO. 1,2,3,4,5,6 & 895/1/1 are in a single plot, upload a proof issued by government competent authority.
- ix. The uploaded documents are not proper, the institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- x. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xii. A geotagged photograph shows Some part of college is under repair
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xviii. Committee noted that, In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6265. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. $80 \times 3 = 240$, B.Sc. $70 \times 3 = 210$. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed)

degree 4 units, B.A. B.Ed. Secondary (2 unit), Middle (2 unit), B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit), course cannot be ascertained.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

10	2627202509293439	RUPI DEVI GIRLS COLLEGE MANDAL, , BHILWARA, RAJASTHAN-311403	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. BuildSafry/T.A./2024-25/4658 issued on dated 25/02/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- iii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iv. As per the uploaded BCC the land area is mentioned is 19569.629 sq.mts. and Built-up area is 3096.528 sq.mts. whereas the mentioned land area 31236 sq.mts. and Built-up area 4050 sq.mts. in the land details Column. The land area is mismatched. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- v. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vi. The institution is conducting degree courses i.e. B.A. 180x3=540. The sufficiency area 3096.528 sq.mts. of built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), Diploma in Elementary Education (D.El.Ed.) 2 units course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

<ul style="list-style-type: none"> ix. As per the affiliation order is uploaded by the institution conducting only B.A. programme. The institution is not running multi-disciplinary B.Sc. course in the field of sciences, or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution for B.Sc. B.Ed. course. x. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. xii. The geotagged photographs uploaded show that the Multipurpose Hall, Seminar hall and common hall is same and is not as per NCTE norms. There is no furniture in the multipurpose hall. there is no cement concrete ceiling instead there is placement of tin on roof. xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms. xiv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs. xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>

11	2627202509223043	PANDIT RAM SUNDAR SHUKLA SHIKSHA EVAM PRASHIKSHAN SANSTHAN PAHADIYA STREET/ ROAD 1, RAIPUR KARCHULIYAN, REWA, MADHYA PRADESH-486114	TRANSITION B.A B.ED / B.SC. B.ED
----	------------------	---	----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

12	2627202509273396	VIVEKANAND VIDYA ASHRAM COLLEGE (B.A.B.ED/B.SC.BED. INTEGRATED), KATAR CHHOTI KATAR SH-20, NOKHA-JAIPUR ROAD, BIDASAR, CHURU, RAJASTHAN-331517	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded Fire safety Certificate Plot area is mentioned 2529 sq.mts. whereas the mentioned land details column land area is mentioned 17710 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- ii. The institution is required to upload Certified land documents mentioning all Khasra no. issued by the Competent Government Authority.
- iii. The institution website " <http://www.vivekanandkatar.org>" is not operational at the time of scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution is conducting degree courses i.e. B.A. 160x3=480, B.Sc.140x3=420, M.A. 40x2=80, M.Sc. 40x2=80. The sufficiency 3750 sq.mts. of built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. required to upload the new recognition order 1 unit, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- v. Details of mutation certificate of land (Jamabandi) for Khasra Nos. 504/500, 505/500 and 568/488 has been uploaded by the institution. Survey SH-20 (as mentioned in the land details of the institution). The institution is required to clarify the same. and upload the mutation of Survey SH-20.
- vi. The institution is required to upload Land Use Certificate (CLU) of Survey SH-20 as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1442 issued on dated 26/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- x. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final

Show Cause Notice.			
13	2627202509162489	SW. MOOLCHAND MEENA TT COLLEGE RAJOLI, KORAKA KI JHUPDIYA, NEAR SDM COURT, GANGAPUR ROAD, LALSOT, LALSOT, DAUSA, RAJASTHAN- 303503	Transition B.A. B.Ed / B.Sc. B.Ed
<u>Decision of WRC:</u>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> i. As per the uploaded fire safety certificate on the Fire NOC portal plot area is 543 sq.mts. whereas the uploaded land area in the land details column is 9112.32 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. ii. The website https://mcmtcollege.net/ of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. iii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority. iv. As per the institution is mentioned in the online application land details column Khasra No. is 295/173 (173/2), 1646 Whereas the uploaded CLU is mentioned Khasra No. 294/173, 295/173, 1644, 1643 and 1646. The Khasra No. is mismatched. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. v. As per the Building Plan and BCC is uploaded by the institution is mentioned the land area is 18255 sq.mts. Built-up area 4123.00 sq.mts.. whereas the mention land area in the land details column is 9112.32 sq.mts. Built-up area 3610.22 sq.mts. The land and Built-up area is mismatched. This is required to upload BCC and Building Plan. vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes vii. The institution is required to upload the proper legible certified land documents copy issued by government competent authority. The institution is required to upload the Land related affidavit on Rs.100/- non-judicial stamp paper in NCTE prescribed proforma as per details filled in the online application portal. viii. The institution is required to upload Mutation Certificate/Jamabandi in respect Khasra/Plot/Survey No. 295/173, 173/2, 1646 issued by Competent Authority of State Government. ix. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances in respect Khasra/Plot/Survey No. 295/173, 173/2, 1646 issued by Competent Government Authority. x. The institution has expressed its intention to become a multidisciplinary institution through 'Merger', as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions. 			

- xi. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xii. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xiii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xiv. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xv. The institution has not uploaded documentary evidence confirming that 'Sw. Moolchand Meena T.T. College' and 'Sw. Moolchand Meena Mahavidhyalaya' are situated within the radius of 03 Kilometre's as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xvi. The geotagged photo uploaded does not show the applicant college name on the building.
- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xviii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xx. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xxi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms
- xxii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xxiii. the uploaded document is not proper. The institution is required to provide proof that all khasara numbers i.e. KHASRA NO 294/173,295/173,1646 , are in a single plot, upload a proof issued by government competent authority.
- xxiv. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 74 issued on dated 01/04/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xxv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3610. The name of multidisciplinary institution is Sw. Moolchand Meena Mahavidhyalaya and the name of applicant institution is Sw. Moolchand Meena Tt College Rajoli, the name of both institution mismatched. If we assume that, the institution is conducting degree courses i.e. B.A. 120x3=360, B.Sc.60x3=180,. M.Sc 150x2=300, the sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 4 units, Diploma in Elementary Education (D.El.Ed.). 1 unit, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

14	2627202510013546	KOTHARI MAHILA MAHAVIDYALAY MANDRELLA, JHUNJHUNU MANDRELLA, MANDRELLA WARD NO. 15, CHIRAWA,	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	---	-------------------------------------

		CHIRAWA, JHUNJHUNU, RAJASTHAN-333025	
Decision of WRC:			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			
<ol style="list-style-type: none"> i. The institution has the total built up area of 3000 sqm which is not sufficient for existing Degree college and proposed ITEP course. ii. The institution is required to upload Exemption Certificate (12A) issued by Competent Authority of Government. iii. As per the BCC uploaded the institution has mentioned the total built-up area 3000 sq.mts. earmarked for teacher education programme. No built area is earmarked for the courses other than teacher education programme. iv. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format v. The uploaded BCC is not proper. The BCC is signed by Sarpanch. The institution has not uploaded proper Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. vi. The institution website " https://www.kotharicollege.in/ " is not operational at the time of Scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. vii. The institution is conducting degree courses i.e. B.A. intake (60x3=180), B.Sc. intake (60x3=180), M.Sc. intake (40x2=80) combined intake of 440. and 50 intake for B.Sc. B.Ed Secondary (1 unit) the institution has mentioned the total built-up area 3000 sq.mts. This built-up area is not sufficient to run the above courses. viii. The uploaded building plan is not proper. The Sarpanch approved the building plan. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes ix. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms. x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. xi. The geotagged photo is not uploaded in this answer. But the photo was uploaded in the previous answer. From the geotag photographs, it is clear that the construction of some parts of the building has not been completed. 			
<p>Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.</p>			
15	2627202510043661	MAITREYEE GIRLS TEACHER TRAINING COLLEGE RIYAN BADI RIYAN BADI, SATHANA KALLAN ROAD, RIYAN BADI, RIYAN BADI, NAGAUR, RAJASTHAN-341513	Transition B.A. B.Ed / B.Sc. B.Ed
Decision of WRC:			

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has expressed its intention to become a multidisciplinary institution through 'Merger', as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iv. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- v. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vi. The institution has not uploaded documentary evidence confirming that 'Maitreyee Girls Teacher Training College' and 'Maitreyee Girls College' are situated within the radius of 03 Kilometre's as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vii. The Institution is required to upload information of all programme/courses run by institution in the campus and the institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University
- viii. For confirming the institution's eligible for transition into ITEP course as it is Collaboration institution is required to upload the affiliation order of liberal arts, science and commerce all programmes run by them with approved intake capacity and present intake capacity as a Multi-Disciplinary Institution
- ix. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- x. The institution is required to uploaded certified copy of Land documents in respect of Khasra No.1664/1648,2002/1664 issued by the Competent Government Authority.
- xi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xii. The institution website "maitreyeerian.com" is not operational at the time of scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xiii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiv. The institution is mentioned the plot area mentioned on the portal of Rajasthan Government is 4053 sq. mts. whereas the institution has mentioned its total Built-up area 8031.78 sq. mts. Both land area are mismatch. The details of Fire Safety Certificate No. 64244 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

- xv. Address of the Institution is filled on the portal and mentioned Kh. No. 1664/1648,2002/1664 but in the uploaded recognition order for B.A.B.Ed./B.Sc.B.Ed. issued by NCTE reflected Survey No. 1664/1648, both khasra/survey nos. do not match.
- xvi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. EEN/2024-25/2869 issued on dated 10/01/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xvii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xviii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- xx. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xxi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xxii. The name of the institution does not appear at the given geographic location with latitude (26.5517383) and longitude (74.257855) coordinates provided in the online portal. However, in its reply of SCN, TEI has mentioned two different coordinates regarding latitude (26.55153) and longitude (74.25765) with screenshot of google location map showing name of TEI, which is not acceptable.
- xxiii. The uploaded BCC is not proper. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xxiv. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xxv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

16	2627202509132259	ADARSH MAHAVIDYALAYA, KUCHAMAN CITY, STATION ROAD, KUCHAMAN CITY, KUCHAMAN CITY, NAGPUR, RAJASTHAN-341508	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload the latest affiliation order of running courses issued by university. the conducting degree courses i.e. B.A. 240x3=720, B.Com. 80x3=240, B.Sc.240x3= 720, M.A.

- 40x2=80, M.Sc. 130x2=260. The sufficiency of land area 4711.58 sq.mts. for the above courses with of multidisciplinary courses and intake. for B.A. B.Ed. Secondary (1unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4568. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 240x3=720, B.Com. 80x3=240, B.Sc.240x3= 720, M.A. 40x2=80, M.Sc. 130x2=260. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained
 - iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - iv. The institution has uploaded copy of online portal of Mutation certificate and show Kh. No. 2982/548 in portal without name. The institution is required to clarify the same and upload all Khasra Numbers proper Mutation certificate issued by government competent authority
 - v. The institution also uploaded Certificate dated 10.10.2024 issued by Commissioner Nagar Parishad Khuchman City, regarding Kh. No. 2982/548 of Lease Deed No. 1690/09, 1692/09 ? 1691/09 land for education purpose. The institution is required to clarify the same and upload all Khasra Numbers certified Land documents issued by government competent authority.
 - vi. The institution website " <http://www.adarshpgcollege.co.in/> " is not operational at the time of scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - vii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
 - viii. The geotagged photo uploaded does not show the applicant college name on the building.
 - ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
 - xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
 - xii. Fire certificate is expired on 06-03-2026. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
 - xiii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
 - xiv. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. सा.नि.वि./2024-25/31 issued on dated 14/10/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
 - xv. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
 - xvi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>			
17	2627202509152388	MAHARISHI CENTRE FOR EDUCATIONAL EXCELLENCE LAMBAKHEDA BHOPAL, BAIRASIA ROAD, HUZUR, BHOPAL, BHOPAL, MADHYA PRADESH-462038	TRANSITION B.A B.ED / B.SC. B.ED
<p><u>Decision of WRC:</u></p> <p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:</p> <p>Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.</p>			
18	2627202509152300	SCHOOL OF EDUCATION, CAREER POINT UNIVERSITY, KOTA ALANIYA, KOTA, NH-52, OPPOSITE ALANIYA MATA MANDIR, LADPURA, KOTA, KOTA, RAJASTHAN-325003	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority. As per the uploaded BCC institution is mentioned the location of the land of the institution is in a different plot. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. The University is required to upload the Not-for-Profit Certificate issued by government competent authority. The University is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. 			

- v. Khasra No.318,319,320,320/345, 321, 322, 323 mentioned in uploaded CLU dated 17-05-2010 (Area 13.23 hectare and 15-03-2014 (Area 3.61 hectare) issued by District Collector, Kota and completion certificate by Architect is not reflected in the address/land details of TEI as filled in the transition application portal.
- vi. Affidavit related to Land details dated 10-02-2026 is uploaded. Khasra No.318,319,320,320/345, 321, 322, 323 mentioned therein is not mentioned in the address/land details of online transition application.
- vii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 451 issued on dated 03/06/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The uploaded documents are not proper. The University is required to provide proof that all khasara number i.e. 262/361/284/286/1/291/92/93/94/97/98/99/300/300/1/301/303/ 358/ 304/05/06/07/08/ 09/ 12/13/ 14/15/16/17, are in a single plot, upload a proof issued by government competent authority.
- ix. The uploaded document is not proper. The University is required to upload the Not-for-Profit Certificate issued by government competent authority.
- x. Even till the time of this scrutiny, the website of University <https://cpur.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The University is required to update the website as per NCTE regulations.
- xi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xiv. The University is conducting the so many courses as per their website, diploma courses, i.e. D.Pharma., Polytechnic Diploma in Engineering, P.G. Diploma Post Graduate Diploma in Management (PGDM), P.G. Diploma in Computer Application, integrated Courses i.e. BBA+LLB., B.A.+LLB, Undergraduate B.Com., B.P.T, B.Pharma, B.Sc., B.Tech. B.Lib. BA. BBA, BBA Specialization in Data Analytics and Visualization, BHA, BCA, B.Sc. (Hons) Agriculture, B.Sc. Nutrition and Dietetics, M.Tech, LLB,LLM, M. Pharma, M.Sc., MBA (HR, Marketing, Finance) MBA Banking & Finance, M.Lib, MHA, MA MCA, MPT, M.PH. The University is required to upload the sanctioned/ approved admission capacity of all courses registered on the online portal. University uploaded the approved intake capacity of i.e. B.A. 60x3=180, M.A. M.A. 60x2=120, B.Sc.240x3=720, M.Sc. 200x2=400 B.Com. 60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- xv. The name of applicant Department is not reflected in the geotagged photo uploaded.
- xvi. In the geotag photo uploaded, the applicant Department could not show the seating capacity of the library reading room for the course.
- xvii. The University is running so many courses, the applicant Department could not show Multipurpose Hall, Seminar hall for the applicant course.
- xviii. The University is running so many courses, the applicant Department could not show Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs for the applicant course.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

19	2627202510043681	ASTHA MAHAVIDHYALAYA ITAWA, ITAWA, ITAWA, KOTA, RAJASTHAN-325004	Transition B.A. B.Ed / B.Sc. B.Ed
<u>Decision of WRC:</u>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			
<ol style="list-style-type: none"> i. The website of TEI is functional. The institution has not updated and maintained its website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. ii. Latest NEC dated 28.01.2026 issued by Tahasildar Pipalda, Kota is uploaded mentioning Khasra no.1007(area-3200 sq.mts.)+khasra no.2567 (area-7200 sq.mts.)+1005 (area 1400 sq.mts.), Total area 11800 sq.mts. Copy of Recognition order dated 08.02.2017 (filled in the portal) for existing TE programme for 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree is not uploaded, instead a copy of order 12.06.2017 is uploaded related with change of name of institution to Astha Mahavidyalaya, wherein mentioned that TEI is running B.A.B.Ed./B.Sc.B.Ed. course at Plot No.1007, whereas two more plot/khasra no.1005,2567 are mentioned in the online transition application portal. The institution is required to clarify the same and upload the documents/evidence regarding the same. iii. TEI has not uploaded Affidavit on Rs.100/- non-judicial stamp paper in prescribed format regarding land documents, instead it has uploaded affidavit/ undertaking dated 27-01-2026 by the management mentioning that three khasra nos.1007, 2567, 1005 of land are used for educational purpose and in its explanation mentions that "documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises IS ATTACHED". iv. The geotagged photographs uploaded show that the rooms on the second floor do not have cement concrete ceilings but tin ceilings.. v. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority vi. Not-for-Profit Certificate issued by government competent authority (Registrar of Societies, Dist. Bundi) dated 29-01-2026 is uploaded. Address of society at Plot no.E-10 mentioned therein whereas in the online application portal, Plot No.E-11 is mentioned. Both plot nos. mismatch. vii. As per the institution is mentioned the land area in the land details column is 11800 sq.mts. Whereas the Fire safety certificate on the fire safety portal is 6750 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track application.aspx. viii. TEI has uploaded buiding plan of ASTHA MAHAVIDHYALAYA showing crossed portion for B.A. and B.Sc. and plain portion of plan for Teacher Education. G.F.+F.F.+S.F.-Total land area 11800 sq.mts. Total Built up area 7754.55 sq.mts. Plan is certified by Adhishashi Adhikari, Nagar Palika, Itawa (without date) and Draftsman (without date). Signature of owner is left blank. Total land area and total built up area earmarked for all running courses and demarcated land area and built-up area for teacher education programme including multidisciplinary programmes is not reflected in the uploaded building plan. Additional Khasra nos. 2567, 1005 is reflected in the plan, which is not mentioned in the recognition order. ix. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total 			

		land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes	
		x. Date of inspection of building by engineer/architect is not mentioned in the uploaded BCC. Building Completion Certificate is prepared and certified by Kanisht Abhiyanta, Nagar Palika, Itawa (without date). Khasra No.1007, 2567, 1005, Total land area of institution 11800 Sq.mts. total built up area of Institution 7754.55 (built up area for TE programme-6750.23 sq.mts.) Name of course is not mentioned in the BCC. Date of registration of land 3 I .03.2023, 24.06.2006, 04.01.20 I 7. Govt. certified documentary evidence regarding three khasra at single plot is not uploaded. Signature of authorized representative of the management of the institution is not reflected on the uploaded BCC.	
		xi. A geotagged photograph shows part of the building left unrepaired.	
		xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.	
		xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.	
		xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.	
		xv. Relevant screenshot of google map geographic loation in reference to point of SCN is not uploaded. A copy of building plan is uploaded.	
		xvi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 113 issued on dated 18/07/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority	
		xvii. The institution is conducting degree courses i.e. B.A.intake (600), B.Sc. (Bio) intake (80), B.Sc.(Maths) intake (80) combined intake of 720. The sufficiency of land and built-up area for 720 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained since the institution has mentioned the total built-up area 6750.23 sq.mts.	
		xviii. The institution is required to upload Mutation Certificate/Jamabandi in respect of Khasra No. 1007, 2567 issued by Competent Authority of State Government.	
		xix. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.	
		xx. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.	
		Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.	
20	2627202509243182	DAIPURIA MAHAVIDHALAYA MEHGAON, 00, BHIND, MADHYA PRADESH-477557	Transition B.A. B.Ed / B.Sc. B.Ed
<u>Decision of WRC:</u>			
In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:			

- i. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1630/2025 issued on dated 15/09/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- ii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. As per the affiliation order is uploaded by the institution name of the institution is mentioned "DEOPURIA COLLEGE" Whereas the mentioned institution name in the online application "DAIPURIA MAHAVIDHALAYA". The name of the institution is mismatched. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Reg1012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution. Clarify the mismatched along with supportive documents.
- iv. The institution is required to upload the proper and clear Land Use certificate. The institution is required to upload Land Use Certificate (CLU) as per Madhya Pradesh while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- v. The uploaded documents are not proper. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- vi. The website <http://daipuricollege.com> is not working to verify the compliance of conditions stipulated under Clause 7(14), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The uploaded document is blank. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- viii. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- ix. As per the institution is uploaded fire safety without mentioning the land area. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- x. The institution is required to upload Mutation Certificate/ Jamabandi issued by Competent Authority of State Government.
- xi. As per the institution is uploaded BCC is not earmarked land and Built-up area for the teacher education programme and multi-disciplinary. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xii. The institution has uploaded blank page. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms

xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

21	2627202509243174	DEPARTMENT OF EDUCATION, MAHARAJ VINAYAK GLOBAL UNIVERSITY DHAND, JAIPUR-DELHI NATIONAL HIGHWAY NO. 11-C, AMER, JAIPUR, RAJASTHAN-302028	TRANSITION B.A B.ED / B.SC. B.ED
----	------------------	--	----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

22	2627202509172746	SANDIPANI ACADEMY ACHHOTI, KUMHARI- AHIWARA ROAD, DHAMDHA, ACHHOTI, MURMUNDA, DURG, CHATTISGARH-490036	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. It cannot be ascertained from the certificate issued by the institution that the land is converted for the educational purpose. The institution is required to upload Land Use Certificate (CLU) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iii. As per the institution is uploaded Building plan is mentioned the Built-up area is 9735 sq.mts. Whereas the uploaded mentioned land area in the land details column is 7475. It cannot be ascertained institutions conduct Teacher education, Nursing programme and multi-disciplinary programme in the mentioned land and Built-up area. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

23	2627202510023570	KHOJ MAHAVIDYALAYA VIDHANI, GONER ROAD, SANGANER, JAIPUR, JAIPUR, RAJASTHAN-303905	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	-------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Building Completion Certificate uploaded by the institution is not approved by any Government Authority.
- ii. The institution has not uploaded the latest Non Encumbrance Certificate issued by the Competent Revenue Authority.
- iii. On the same land where the ITEP course is proposed, the society is also running Khoj TT College offering B.Ed (2 Units) and Shiksha Shastri (2 Units) course.
- iv. The land area of 5400 sqm and built up area of 4409 sqm is not sufficient for running B.Ed (2 Units), Shiksha Shastri (2 Units), Degree College and proposed ITEP course and multidisciplinary courses.
- v. The uploaded certificate is not proper. Up-Sarpanch is not the competent authority. The institution is not upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. issued by Government competent authority.
- vi. Even till the time of this scrutiny, the website of institution <http://www.mjfspm.org/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
- viii. The uploaded list of teaching staff is not in the prescribed format of NCTE and teaching staff is not be as per NCTE norms.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- x. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

24	2627202509283421	SHRI KALYAN COLLEGE RENWAL MANJI, JAIPUR-BHILWARA MEGHA HIGHWAY, MADHORAJPURA, JAIPUR, JAIPUR, RAJASTHAN-303904	TRANSITION B.A B.ED / B.SC. B.ED
----	------------------	--	-------------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

25	2627202509152323	JAI BABA AMARNATH T T COLLEGE BHAINSAWA, 412, MASTER JI KI DHANI, JOBNER, JOBNER, JAIPUR, RAJASTHAN-303123	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the Fire Safety Certificate uploaded the land area of the institution has been mentioned as 4438 sqm which is not sufficient for running the existing Degree course and proposed ITEP courses. As per the institution is mentioned the land area in the land details column is 8000 sq.mts. Whereas the Fire safety certificate on the fire safety portal is 4438 sq.mts. The land area is mismatched. The institution has not uploaded total land Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- ii. The institution has allocated the land area of 2000 sqm for the Degree course which is not sufficient as per Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- iii. The Committee noted that the name of the applicant institution i.e. Jai Baba Amarnath T T College, Dhainsawa, Village Master Ji Ke Dhani, Tehsil Phulera, Jaipur, which does not match with the name of multidisciplinary institution i.e. Jai Baba Amarnath Mahavidhyalaya, 412 Master Ji ki Dhani Jaipur. There is mismatch in the name of applicant institution.
- iv. The institution has proposed for Merger between both the institutions. The proposal for Merger is required to be approved by the State Government and concerned affiliating body.
- v. The staff list uploaded for B.A.B.Ed./B.Sc.B.Ed. course is not approved by the affiliating body.
- vi. Committee check the website of institution i.e. <https://tt.jbamcollege.in/>. The website of institution <https://tt.jbamcollege.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date
- vii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

26	2627202509253246	SHRI JAGDISHPRASAD JHABARMAL TIBREWALA UNIVERSITY CHUDELA, JHUNJHUNU-CHURU ROAD, MALSISAR, JHUNJHUNU, JHUNJHUNU, RAJASTHAN- 333001	TRANSITION B.A. B.ED / B.SC.B.ED
<p>Decision of WRC:</p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> As per the Fire Safety Certificate uploaded, the Plot Area is mentioned only as 880 sqm, which is less than required even for the proposed ITEP course. The University is running different courses, demarcated land and built up area for all the existing courses and proposed ITEP course is not submitted /uploaded. The University has not uploaded the Not-for-Profit Certificate issued by Government competent authority. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 63055. The University is running the Engineering college, Institute of Computer Science & IT, Institute of Commerce and Management, Institute of Science, Institute of Languages, Institute of Law, Institute of Allied Health Sciences, Institute of Pharmacy, Fine, Art Physical Education, Institute of Arts, Home Science, Homoeopathy College, hence University is required to upload the all Courses approved intake capacity and admitted intake capacity of each course. Then, the sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The Khasra number and the built-up area in the BCC and the Khasra number and built up area in the application do not match, The uploaded building plan is not proper. The University has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes Committee check the website of University i.e. https://tt.jbamcollege.in/. at that time the message displayed “This www.jjtu.ac.in page can’t be found No webpage was found for the web address: https://www.jjtu.ac.in/uploads/2025/Mandatory/1-Mandatory-Affidavit.pdf%202. HTTP ERROR 404” The website of institution https://tt.jbamcollege.in/ has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date. The uploaded list of teaching staff is not in the prescribed format of NCTE and teaching staff is not be as per NCTE norms. The statement sheet prepared by the University itself has been uploaded, it cannot be ascertained from the uploaded statement that the salary is being paid as per Central/State Govt. <p>.Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.</p>			
27	2627202509182780	SARASWATI SHIKSHAN SANSTHAN, JAISINGHWAS JAISINGHWAS, LOTIA ROAD, SURAJGARH, SURAJGARH, JHUNJHUNU, RAJASTHAN-333029	TRANSITION B.A B.ED / B.SC. B.ED

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

28	2627202509243181	SMT. GOMATI DEVI P.G. COLLEGE BARAGAON, SH37, COLLEGE STAND GUDHA ROAD, BARAGAON, UDAIPURWATI, JHUNJHUNU, JHUNJHUNU, RAJASTHAN-333021	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	---	-------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Revenue Authority.
- ii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- iii. The institution has not uploaded the Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iv. The institution has not uploaded the Fire safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan.
- v. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- vi. As per the BCC, the total built up area of the institution is 5890.40 sqm and the institution in response to Final SCN has stated that it has earmarked 6256 sqm of built up area for ITEP course.
- vii. The uploaded list of teaching staff is not in the prescribed format of NCTE and teaching staff is not be as per NCTE norms.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- ix. Committee check the website of Institution i.e. <https://www.smtgomatidevipgcollege.com>. The website of institution <https://www.smtgomatidevipgcollege.com> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.

- x. As per the uploaded building plan, the land area is 6065 sq.mts. and built-up area is 4319 sq.mts. As per the CLU uploaded by the institution, the land area is 21640 sq.mts. As per the BCC uploaded by the institution, the land area is 11300 sq.mts. The land area is mismatch among the documents uploaded by the institution.
- xi. As per the building Plan uploaded by the institution Khasra No. is 1196,1197, 1198 and 1203 whereas the institution has mentioned in the land details Column Khasra No.358, 1198 and 1203. The Khasra Nos. are mismatch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes
- xii. Mutation certificate of Khasra No 358 has not uploaded.
- xiii. the institution has NOT uploaded certified land documents mentioning all the Khasra Nos. 1196, 1197, 1198 and 1203 but institution has uploaded Fard Mouka Report dated 13.02.2026 of Patwari, Patwar Halka Hasalsar, Tahsil Gada Goudji, Jhujhunu, Rajasthan certified that mentioning khasra no, 1196, 1197, 1198 and 1203 is a single plot.
- xiv. The institution is conducting degree courses i.e. B.Com. 60x3=180,B.A.240x3 (720), B.Sc. 240x3 (720), M.A.(Geo & Pol Sci) 80x2=160, M.Sc.(Chem., Physics, Botany, Zoology)40x4x2=320. The sufficiency of land area and built-up area for the above courses with combined 2100 intake of multidisciplinary courses and 100 intake for B.A.B.Ed./B.Sc. B.Ed. course cannot be ascertained since the institution has mentioned the total built-up area 5990.40 sq.mts.. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for course cannot be ascertained

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

29	2627202509283409	SIDDHARTH COLLEGE OF EDUCATION BILWA, TONK ROAD, SANGANER, JAIPUR, JAIPUR, RAJASTHAN-302022	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	---	-------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ii. As per the online application name is SIDDHARTH COLLEGE OF EDUCATION whereas the institution uploaded the affiliation/state Government order in the name of GAURAV COLLEGE OF EDUCATION. The name is mismatch.
- iii. The institution is not a Multi disciplinary institution as it is not running the course in the field of liberal arts or humanities or social sciences or commerce or mathematics.
- iv. Committee check the website of institution i.e. <https://www.scedjaipur.in/>. The website of institution <https://www.scedjaipur.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.

- v. As per the Fire Safety Certificate uploaded on the website of the Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan, the status of fire safety certificate has been mentioned as Not issued.
at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

30	2627202509162506	SHRI AGRASEN SNATKOTTAR SHIKSHA MAHAVIDYALAYA, KESHAV VIDYAPEETH, JAMDOLI, JAIPUR JAMDOLI, KESHAV VIDYAPEETH, JAIPUR EAST, JAIPUR, JAIPUR, RAJASTHAN-302031	TRANSITION B.A B.ED / B.SC. B.ED
----	------------------	---	----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

31	2627202509213020	MAHARAJA AGERSAIN COLLEGE BHADRA, HANUMANGARH, RAJASTHAN-335501	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. In response to point of final SCN, the institution has uploaded the previously submitted building plan in reply of first SCN is again uploaded. Deficiency mentioned in this point is persisting.
- ii. The has mentioned the total built-up area 4058 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for Degree college. The institution has submitted the reply with no documentary proof / evidence so as to prove its claim.
- iii. Faculty list comprising 1+15 for B.A.B.Ed./B.Sc.B.Ed. (2025-2026 session) countersigned dated 09.02.2026 by Up-Registrar, Maharaja Ganga Singh Vishwavidyalaya, Bikaner is uploaded, whereas the same list is not found uploaded on their website, List of faculty uploaded therein is different.
- iv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- v. In response to deficiency for CLU, the institution has submitted the reply with no documentary proof / evidence so as to prove its claim.

- vi. The website homepage does not display a full building/ infrastructure of the institution where teacher education programme is running, only front view is displayed.
- vii. In response to SCN, the institution has mentioned the latitude and longitude coordinates i.e. 29.10182, 75.15996 as per attachment shows the name of institution, whereas geographic location mentioned in application with latitude 29.1017417 and longitude 75.15984. Both mismatch.
- viii. The institution is conducting degree courses i.e. B.A. 400x3=1200, B.Sc. 120x3= 360. B.Com. 120x3=360, M.A. 40x2=80. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), the institution has mentioned the total built-up area 4058 sq.mts. The built area of building available at the institute are not sufficient to conduct multidisciplinary programme and teacher education programme.
- ix. Committee check the website of institution i.e <https://www.mapgcbhadra.org> The website of institution <https://www.mapgcbhadra.org> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.
- x. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

32	2627202509142299	SADGURU INSTITUTE OF EDUCATION MUHANA, RATLYA ROAD, SANGANER, JAIPUR, JAIPUR, RAJASTHAN-302029	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the Mutation Certificate issued by the Competent Revenue Authority.
- ii. The institution has the total land area of 5133.33 sqm which is not sufficient for the existing B.Ed (2 Units), Degree College and proposed ITEP Course, as per the norms of NCTE and the policy of the State Govt of Rajasthan.
- iii. The institution has NOT uploaded Exemption Certificate (12A) issued by Income Tax Department instead of that they uploaded Income Tax Return (Assessment year 2025-2026).
- iv. The institution in response to final SCN has stated that it desires to do collaboration with the nearby institute and has uploaded the NOC from the affiliating body. The approval of State Govt of Rajasthan for collaboration has not been obtained.
- v. The institution has not uploaded the latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- vi. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- vii. TEI has not upload legible copy of mutation certificate of land, obtain from Revenue Records of the State Govt. of Rajasthan in favour of Society/institution.

- viii. The institution has claimed that they constructed new extension of building. But the institution has not uploaded Building Plan approved by the government Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. the institution has NOT uploaded documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises issued by government competent authority.
- x. Committee check the website of institution i.e <http://www.sadguruinstitute.org/> he website of institution <http://www.sadguruinstitute.org/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

33	2627202509172690	RAJ SHREE MAHAVIDHYALAYA SANCHORE(RAJ.) SANCHORE, MOTI NAGAR BADSAM ROAD SANCHORE, DIST. SANCHORE, JALLORE, RAJASTHAN-343041	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- In response to SCN that other school courses run in the same building, the institution has simply stated that no other school is operated in the campus without any documentary evidence / proof to the effect.
- As per the BCC uploaded the institution has mentioned the total built-up area 3256sq.mts. earmarked for teacher education programme. No built area is earmarked for the courses other than teacher education programme.
- The institution has the total land area of 5250 sqm which is not sufficient for the existing Degree College and proposed ITEP Course, as per the norms of NCTE and the policy of the State Govt of Rajasthan.
- The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
- The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- The institution is conducting degree courses i.e. B.A. unit-4, BSc. unit-1, M.A unit-1+1=2, combined intake cannot be ascertained as denomination is of the unit is not mentioned and the teacher education B.A.B.Ed. Secondary (1 unit) B.Sc.B.Ed. Secondary (1 unit). institution has mentioned the total built-up area 3256 sq.mts. This built up area is not sufficient to run the multidisciplinary and teacher education programme.

- vii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- viii. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- x. Committee check the website of institution i.e. <https://rajshreecollegesanchor.com> the website of institution <https://rajshreecollegesanchor.com> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

34	2627202510043678	SHRI KRISHNA TEACHER TRAINING COLLEGE MANOHARPUR, , SHAHPURA, MANOHARPUR, JAIPUR, RAJASTHAN-303104	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has uploaded the NOC for Merger from University of Rajasthan, but has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The institution is conducting Multidisciplinary programme and teacher education programme in a same premises. Institution is running multidisciplinary programme i.e. B.A. intake (400x3)1200, BSc. intake (210x3) 630, M.A. intake (100x2)200, combined intake of 2030. for B.A.B.Ed. Secondary (2 unit), Middle (2 unit) / B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit) $8 \times 50 = 400 \times 4 = 1600$ the institution has mentioned the total built-up area 4508 sq.mts. This built-up area is not sufficient to run the above courses.
- iii. The institution is running multidisciplinary programme and teacher education programme in the same premises. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- v. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- vii. Committee check the website of institution, the website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.			
35	2627202509162560	BD MEMORIAL KALYAN SANSTHAN NIWARU ROAD, JMS NAGAR, JHOTWARA, JAIPUR, JAIPUR, RAJASTHAN-302012	TRANSITION B.A. B.ED / B.SC.B.ED
Decision of WRC:			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			
<ol style="list-style-type: none"> i. The institution has not uploaded the Not-for-Profit Certificate issued by Government competent authority. ii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. iii. The institution website "https://bdmemorialcollege.org/" is not operational at the time of Scrutiny The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. iv. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format v. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. vi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. vii. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms. viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale 			
Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993			
36	2627202509152326	SAYALA COLLEGE SAYALA, , SAYALA, SAYALA, JALLORE, RAJASTHAN-343002	TRANSITION B.A. B.ED / B.SC.B.ED
Decision of WRC:			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			

- i. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area"
- ii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- iii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- iv. View the uploaded photo of the library's reading room. There is no space for students to move around. The reading room size is very small. There is no gap between the 2 readers. There cannot be such a reading room.
- v. View the uploaded photo of the multipurpose hall. multipurpose hall is not proper and as per NCTE norms. And the furniture has inadequate in the multi-purpose hall.
- vi. Committee check the website of institution i.e. <http://www.sayalacollege.in/> at that time the message displayed "This site can't be reached Check if there is a typo in www.sayalacollege.in." The website of institution <http://www.sayalacollege.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.
- vii. Vide Reply Serial No. 2 and Photograph No. 17 after Preliminary Scrutiny, it is clearly seen that some parts of the building have not been completed.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

37	2627202509263340	NAVRANG SHIKSHAK PRASHIKSHAN MAHAVIDHALAY MAID, VIRATNAGAR, VIRATNAGAR, JAIPUR, RAJASTHAN-303003	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the Fire Safety Certificate uploaded the land area of the institution has been mentioned as 1000 sqm which is not sufficient for running the existing Degree course and proposed ITEP courses.
- ii. The uploaded BCC is not proper. The BCC is signed by Sarpanch. The following column are bank i.e. Registered in the office of Sub-Registrar with address..... Date of registration of land..... year of construction.....total built up area of the institutionland area earmarked for particular teacher training programme along with the course. The institution has not uploaded proper Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iii. Committee check the website of institution i.e. <https://www.navarangttcollege.com/> the website of institution <https://www.navarangttcollege.com/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time still this date.

- iv. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vi. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vii. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 240x3=720, B.Sc.60x3= 180,M.A. 160x2=320. And intake for Bachelor of Education (B.Ed) degree. 2 units., 100x2=200 B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400 the institution has mentioned the total built-up area 4123 sq.mts. This built-up area is not sufficient to run the above courses.
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
- xii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. The institution is required to upload the same.
- xiii. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms.
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

38	2627202509152387	HARMAL PANCHAKROSHI SHIKSHAN MANDALS GANPAT PARSEKAR COLLEGE OF EDUCATION, HARMAL, VIDYA SANKUL, BHOM PLATEAU, PERNEM, GOA (NORTH), GOA-403524	TRANSITION B.A. B.ED / B.SC.B.ED
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Letter of Intent under Clause 7(13) of NCTE Regulations, 2014 be issued to the institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) Programme through online ITEP application portal.

39	2627202509303499	INDIRA COLLEGE DUNGARI DUNGARI, DUNGARI, CHITALWANA, SANCHORE, JALLORE, RAJASTHAN-343041	TRANSITION B.A B.ED / B.SC. B.ED
<p><u>Decision of WRC:</u></p> <p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:</p> <p>Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.</p>			
40	2627202509223030	TAGORE COLLEGE DULANIA ROAD KAJRA DULANIA ROAD, SURAJGARH, JHUNJHUNU, RAJASTHAN-333030	TRANSITION B.A B.ED / B.SC. B.ED
<p><u>Decision of WRC:</u></p> <p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:</p> <p>Visiting Team be constituted for inspection of the Institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list yearwise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.</p>			

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)
अध्यक्ष