
Re: Forwarding of final minutes of 454 (Part-I) WRC Meeting held on 11th March 2026 - reg.

From Shailesh Zala <shaileshzala@yahoo.co.in>

Date Thu 26-Mar-26 12:41 PM

To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Tue, Mar 24, 2026 at 6:04 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached herewith final minutes of 454 (Part-1) WRC Meeting held on 11th March 2026 for your consideration and approval, please.

Rashmi Shukla
RD, WRC

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 454वीं (भाग- I) बैठक 11 मार्च, 2026 आभासी मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य प्रतिनिधि बैठक में उपस्थित थे:-

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	आभासी 11 मार्च, 2026
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	आभासी 11 मार्च, 2026
3.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	आभासी 11 मार्च, 2026
4.	डॉ. करणम पुष्पनाधाम	सदस्य	आभासी 11 मार्च, 2026
5.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य	आभासी 11 मार्च, 2026
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत 11 मार्च, 2026

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
2.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
3.	राज्य सरकार के प्रतिनिधि	गोवा
4.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
5.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
6.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
7.	राज्य सरकार के प्रतिनिधि	गुजरात
8.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
9.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
10.	राज्य सरकार के प्रतिनिधि	राजस्थान

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application	Name and address	Programme
1	2627202509303520	SN COLLEGE OF EDUCATION, DHOLPUR, GOVT ITI ROAD, RAJASTHAN-328001	Transition B.A. B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Committee noted that the name of the applicant institution i.e. S.N. College of Education does not match with the name of the institution i.e. S.N. College Of science mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. As per the uploaded letter of affiliation for multi-disciplinary programme the name institution is S.N. College Of science. There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- ii. Uploaded NEC does not have stamp of Government Officer. The Institute must upload the latest Non-Encumbrance Certificate (NEC) issued by the Government Competent Authority. of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification.
- iii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 27 issued on dated 23/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- iv. The name of the institution could not be located in the geographic location address provided by the institution. The institution is required to upload the documents/evidence regarding the same.
- v. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority
- vi. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- vii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it
- viii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
- ix. B.A. 180x3=540, B.Sc.120x3=360. B.Com. 60x3=180 BCA 60x3=180 M.A.240x2=480 total is strength is 1740 for other than teacher education courses. and for teacher education courses intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1unit), Middle (1 unit)

	<p>200x4=800 the institution has mentioned the total built-up area 6080 sq.mts. This built-up area is not sufficient to run the above courses.</p> <p>x. Uploaded geotagged photos are not properly captured by the photographer. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.</p> <p>xi. As per the Fire NOC on the fire safety portal land area is mentioned 1488 sq.mts. Whereas the mentioned land area in the land details 6891.8 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.</p> <p>xii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.</p> <p>xiii. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government Or upload the Government Decision (GR) exempting from mutation (jamabandi).</p> <p>xiv. The institution website www.sncedho.com is not operational at the time of Scrutiny The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.</p>		
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>			
2	2627202509293446	R S MEMORIAL KANYA MAHAVIDYALAYA RAMPURA BERI, RAJGARH, CHURU, RAJASTHAN-331301	Transition B.A. B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. SPL-1 issued on dated 26/05/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- iv. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the

		<p>website as per NCTE regulations. The Institution is required to upload the category of Institution in the institution details.</p> <p>v. The Committee noted that the name of the applicant institution i.e. R S Memorial Kanya Mahavidyalaya does not match with the name of the institution i.e. R S Memorial Girls College mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.</p> <p>vi. A geotagged photograph shows some part of the building left unrepaired.</p> <p>vii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.</p> <p>viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.</p> <p>ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.</p> <p>x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.</p> <p>xi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.</p> <p>xii. The institution has not uploaded the latest Non Encumbrance Certificate issued by the Competent Revenue Authority</p> <p>xiii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.</p> <p>xiv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.</p> <p>xv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.</p> <p>xvi. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.70x3=210. The sufficiency of 3498.46 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf.</p> <p>xvii. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms</p> <p>xviii. As the bank statement is not uploaded by the institution, it cannot be ascertained whether the institution is paying salary as per central/state government norms. The institution is required to uploaded the bank statement of teaching staff to verify it</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>	
3	2627202509303523	SHRI HARI SHIKSHAK PRASHIKSHAN SANSTHAN HANUMANGARH ROAD,	Transition B.A. B.Ed / B.Sc. B.Ed

		SARDARSHAHAR, CHURU, RAJASTHAN-331403	
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> i. The Committee noted that the name of the applicant institution i.e. “SHRI HARI SHIKSHAK PRASHIKSHAN SANSTHAN” does not match with the name of the institution i.e. “SHRI HARI COLLEGE” mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution. ii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 1781 issued on dated 25/09/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority iii. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms. iv. As the bank statement is not uploaded by the institution, it cannot be ascertained whether the institution is paying salary as per central/state government norms. The institution is required to uploaded the bank statement of teaching staff to verify it v. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all in respect of Khasra/Plot/Survey No. 296/589/296 issued by Competent Authority of State Government. vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility. vii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms. ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate. x. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time. xi. The institution has uploaded the Not-for-Profit Certificate issued by government competent authority. xii. As per the institution is uploaded CLU in respect of Khasra No. 463, 464,465 Whereas the mentioned Khasra NO. is mentioned land details Column is 296/589/296. The Khasra No. is mismatched. xiii. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.70x3=210. M.A.240x2=720 The sufficiency of 4007 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit),course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf. xiv. As per the land area in fire Noc on the Fire NOC portal is 4412 sq.mts. whereas the land area in the land details in land area 5922.77 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable 			

	<p>on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx</p> <p>xv. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.</p> <p>xvi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.</p> <p>xvii. As per the uploaded BCC single plot is not mentioned. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>
--	--

4	2627202509192895	PITAMBARA COLLEGE OF EDUCATION SITAPUR, NH-75 GWALIOR ROAD, DATIA, DATIA, MADHYA PRADESH-475685	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. As per the uploaded BCC CONNECTING PLOTS AT SURVEY NO. 598/1, 599/1, 608 SITAPUR DIST. DATIA. The institution is required to upload Building Completion Certificate in the prescribed format of NCTE (17 points) mentioning all the Khasra Nos., Total land area/Built-Up area issued by the Competent Authority of State Government.
- v. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 60x3=180, B.Sc.60x3=180. =360. And intake for Bachelor of Education (B.Ed) degree. 2 units., 100x2=200, Diploma in Elementary Education (D.El.Ed.). 10x2=200, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400 Total students strength of teacher education programme is 800, the institution has mentioned the total built-up area 4022 sq.mts. This built-up area is not sufficient to run the above courses.
- vi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

- vii. The Institute must upload the latest Non-Encumbrance Certificate (NEC) issued by the Government Competent Authority. of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- viii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- ix. The institute must upload the Mutation Certificate issued by government competent authority. During online inspection/verification the uploaded Mutation Certificate can be easily rotated 360 degrees and it will be easy to verify.
- x. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it..
- xii. The name of applicant College is not reflected in the geotagged photo uploaded
- xiii. Library and reading room related facilities are not visible in the uploaded geotagged photographs
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvii. The uploaded geotagged photographs show that the various labs are not in good condition.
- xviii. Built Up area mentioned in the Affidavit (in sq m) 4022 Sq. Mt. and in the BCC built up area embarked for particular teacher training programme is 4849 Sq. Mt. both area are mismatched.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

5	2627202509192913	THAKUR FERAN SINGH EDUCATION COLLEGE GANESHGANJ SHAHPUR, SAGAR, MADHYA PRADESH-470669.	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Mutation Certificate issued by Competent Authority of State Government.
- ii. on the Geolocation -Geographic location, Name of the Institution does not appear in Google Maps google map.
- iii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- iv. The name of applicant College is not reflected in the geotagged photo uploaded
- v. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

- vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- vii. Library and reading room related facilities are not visible in the uploaded geotagged photographs
- viii. The uploaded geotagged photographs show that the labs are not in good condition
- ix. Multipurpose Hall and related facilities are not visible in the uploaded geotagged photographs
- x. The institution has mentioned in the portal Online Fire Safety Certificate No. Nil dated 22/09/2025. The institution is required to upload Fire Safety Certificate issued by the Fire Safety Department, Government of Madhya Pradesh.
- xi. The institution is conducting degree courses i.e. B.A. intake (50), B.Sc. intake (30) mentioned combined intake of 80. The sufficiency of land and built-up area for 80 intake of multidisciplinary courses and 50 intake for B.A.B.Ed. / B.Sc. B.Ed. and 50 intake for D.El.Ed. Course cannot be ascertained since the institution has mentioned the total built-up area 4070 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- xii. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xiii. The institution is required to upload the proper Not-for-Profit Certificate issued by government competent authority.
- xiv. Even till the time of this scrutiny, the website of institution HTTP://TFSEDUCOLLEGE.ORG/ has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- xvi. The uploaded list of teaching staff is not in the prescribed format of NCTE and teaching staff is not be as per NCTE norms.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it.
- xviii. The institution has not uploaded the latest Non Encumbrance Certificate issued by the Competent Revenue Authority
- xix. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

6	2627202509172679	RAJDHANI COLLEGE, PALSANA ROAD KHANDELA, SIKAR, RAJASTHAN-332709	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the mentioned land area in the land details column is 2356/1, 2356/2, 2355, 3267, 3268,3287 and 3288 whereas the Khasra No. is mentioned in the recognition order is 2356/1 and 2356/2. The Khasra No. is mismatched.

- ii. The institution website WWW.RAJDHANICOLLEGEKHANDLA.COM is not operational at the time of Scrutiny The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution is required to upload Mutation Certificate/ Jamabandi mentioning all Khasra No. issued by Competent Authority of State Government.
- iv. In the Land details land area mentioned 7172.85 sq.mts. whereas in the fire safety mention 1050 sq. mts. Both the land area is mismatch. Also, the fire safety is expired on 28.01.2026. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- v. As per the uploaded BCC is mentioned different Plots. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- vi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The institution has not uploaded the BCC. It has simply submitted the representation alongwith Building Plan. On perusal of the building plan, the built-up area mentioned does not tallies with the BCC uploaded with the application form / original application.
- viii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 720 issued on dated 06/06/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- ix. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 300x3=900, B.Sc.180=540. M.A.120x2=240, M.Sc. 200x2=400. Total strength of multidisciplinary programme's students are 2080 And intake for Bachelor of Education (B.Ed) degree. 1 units., 50x2=100 B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400 the institution has mentioned the total built-up area 7173 sq.mts. This built-up area is not sufficient to run the above courses.
- x. The institution uploaded teaching staff list, but it has not in the prescribed format of NCTE and as per NCTE norms.
- xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.
- xii. The name of applicant College is not reflected in the geotagged photo uploaded.
- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiv. Library and reading room related facilities are not visible in the uploaded geotagged photographs.
- xv. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library,

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

7	2627202509162471	SHRI AATM VALLABH JAIN GIRLS (P.G.) COLLEGE, HANUMAN GARH ROAD SRI GANGANAGAR, RAJASTHAN-335001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- iii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- iv. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Area (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- v. The institution is required to upload Mutation Certificate issued by Competent Authority of State Government.
- vi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- vii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. As per the reply uploaded it appears that the institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built-up area"
- ix. As the institution is running many courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (???? ?????????? ????) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- x. As per the uploaded Fire safety certificate uploaded on the fire NOC portal 6880 sq.mts. Whereas the land details column is mentioned the land area is 15885.75 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiv. The institution is conducting degree courses as per the order dated: 27.09.2025 i.e. M.SC PHYSICS (M.SC PHYSICS) intake (30), M.Sc. BOTANY (M.Sc. BOTANY) intake (20), M.A. ENGLISH (M.A. ENGLISH) intake (40), M.A. SOCIOLOGY (M.A. SOCIOLOGY) intake (40), M.COM. ACCOUNTANCY AND BUSSINESS STATISTICS (M.COM. ACCOUNTANCY AND BUSSINESS STATISTICS) intake (80), M.COM. BUSINESS ADMINISTRATION (M.COM. BUSINESS ADMINISTRATION) intake (40), BACHELOR OF BUSINESS ADMINISTRATION - BATCH 2024 ONWARDS (B.B.A. - Batch 2024 onwards) intake (40), BACHELOR OF

<p>COMMERCE (B.Com) intake (40), M.Sc. ZOOLOGY (M.Sc. ZOOLOGY) intake (20), M.A. GEOGRAPHY (M.A. GEOGRAPHY) intake (40), BACHELOR OF BUSINESS ADMINISTRATION (BBA) intake (30), BACHELOR OF ARTS - BATCH 2024 ONWARDS (B.?. - Batch 2024 onwards) intake (220), BACHELOR OF COMPUTER APPLICATION (BCA) intake (60), BACHELOR OF ARTS (B.A) intake (60), BACHELOR OF COMMERCE BATCH 2024 ONWARDS (B,COM - Batch 2024 onwards) intake (240), BACHELOR OF COMPUTER APPLICATION-BATCH 2024 ONWARDS (B.C.A. - Batch 2024 onwards) intake (120), BACHELOR OF SCIENCE-BATCH 2024 ONWARDS (B.SC.-Batch 2024 onwards) intake (210), M.A. MATHEMATICS (M.A. MATHEMATICS) intake (30), M.SC COMPUTER SCIENCE (M.SC COMPUTER SCIENCE) intake (40), M.SC MATHEMATICS (M,SC MATHEMATICS) intake (30), M.SC CHEMISTRY (M.SC CHEMISTRY) intake (20), BACHELOR OF SCIENCE (B.Sc) intake (40), A, HISTORY (M.A. HISTORY) intake (40) combined intake of 1520. 100 intake for B.A.B.Ed. / B.Sc.B.Ed. since the institution has mentioned the total built-up area 6879.75 sq.mts. This built-up area is not sufficient to run the above courses.</p> <p>xv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it.</p> <p>xvi. The institute must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>			
8	2627202509172700	SANT SRI PRANNATH PARNAMI PG COLLEGE PADAMPUR, TWENTY-THREE BB JAITSAR ROAD, PADAMPUR, SRI GANGANAGAR, RAJASTHAN-335041	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <p>Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.</p>			
9	2627202509162495	MAA BHARTI PG COLLEGE, LADPURA, SECTOR NO. 8, MAHAVEER NAGAR-III, RAGBARI ROAD, KOTA, RAJASTHAN-324006	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and</p>			

documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Building safety certificate dated 18.09.2025 signed by Adhishashi Abhiyanta and Sahayak Abhiyanta, PWD without official seal and in complete format. In the top of document, details of office is not mentioned. The address mentioned therein mismatch with recognition order and transition application.
- ii. The website <https://www.maabhartipgcollegekota.com/> of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. Regarding uploading of information of all programme/courses run by institution in the campus, a copy of NOC dated 07.02.2026 by University of Kota is uploaded, address mentioned mismatch with recognition order.
- iv. The institution is required to upload the latest affiliation order mentioned approved intake.
- v. The institution is conducting degree courses i.e. B.A. 160x3=480, B.Sc.320x3= 960, BCA 120x3=360M.Sc. (Botany, Chemistry, Mathematics, Physics, Zoology 160x2=320. The sufficiency of land 3971.60 sq.mts. area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- vi. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan is available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vii. As per land details, mutation, CLU, NEC, Building Plan and BCC on the portal, total land area 3971.60 whereas in the uploaded land related affidavit, total land area 6207.60 sq.mts. Both land area mismatch. As per land affidavit, permission obtained to use land for educational purpose vide letter dated 09.02.2026 whereas in CLU column, a copy of certificate dated 26.09.2014 Up-Aawasan Aayukt, Kota is uploaded.
- viii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- ix. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

10	2627202509182819	DR. RADHAKRISHANAN INTEGRATED COLLEGE, KUCHAMAN CITY, NAGAU, RAJASTHAN-341508	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and

documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per the uploaded Fire safety certificate uploaded on the fire NOC portal 2483sq.mts. Whereas the land details column is mentioned the land area is 6793 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://sgonline.rajasthan.gov.in/track_application.aspx.
- iii. The Committee noted that the name of the applicant institution i.e. "DR. RADHAKRISHANAN INTEGRATED COLLEGE" does not match with the name of the institution i.e. "Dr. Radhakrishna College" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iv. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 612s issued on dated 27/06/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- vi. The institution has upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government. Dated -10.06.2024. Latest NEC required.
- vii. The institution is required to upload certified copy of registered land documents duly Mentioning all khasra no issued by the Competent Revenue Authority.
- viii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ix. As the institution is running the various courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (???? ????????????) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- x. In the land details Column Built-up area is mentioned 4331.64 sq.mts. whereas in the BCC Column Built-up area is mentioned 8983.29 sq.mts. The Built-up area is mismatch.
- xi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution.
- xii. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it
- xiv. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xviii. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 80x3=240, B.Sc.140x3= 420,. Total strength of multidisciplinary students are 660. And intake for Bachelor of Education (B.Ed) degree. 2 units., 100x2=200 B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400 the institution has mentioned the total built-up area 4332 sq.mts. This built-up area is not sufficient to run the above courses.
- xix. The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal The institution is required to clarify the same
- xx. The institution has mentioned different Khasra No, in the online application. (A) column of address Khasra No. 00 is mentioned, (B) in the Column of Land detail Khasra No is mentioned 1127/440,1161/440 and (c) Column of Building Plan is Khasra No. is 00. The Khasra no. does not match. The institution is required to clarify the same.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

11	2627202510053711	SETH SUSHIL KUMAR BIHANI SD SHIKSHA MAHAVIDYALYAY, NATIONAL HIGHWAY NO 62, SRI GANGANAGAR, RAJASTHAN-335001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. The Committee noted that the name of the applicant institution i.e. "SETH SUSHIL KUMAR BIHANI SD SHIKSHA MAHAVIDYALYAY" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme and multidisciplinary Institution name is "Seth G.L. Bihani S.D. P.G. College" does not match the name There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iii. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification
- iv. The website of the institution is now functional. The website is to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- vi. The institution has mentioned in the land details Column its land area 9110 sq.mts. and built-up area 7056 sq.mts. In the NEC Column land area is mentioned 61990 sq.mts., in the Building Plan column land area mentioned is 4405.85 sq.mts. and in the BCC column land area mentioned is 4405 sq.mts. The land area is mismatch in all the Columns in online application.
- vii. The reply uploaded by the institution is not acceptable in view of following (1) the floor area mentioned in the present BCC is less than the earlier BCC, which is not possible (2) the institution is required to mention the date of additional construction in the BCC.
- viii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. As the institution is running the various courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for (Niji Mahavidyalaya Niti निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- x. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 64 issued on dated 05/06/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xi. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. B.Sc. B.Com. B.B.A. B.C.A. B.Sc. (Biotechnology) LL.B. B.Pharm D.Pharm Postgraduate Programmes: M.Com. M.Sc. M.C.A. LL.M. Teacher Education Programmes: D.El.Ed. 1 unit, B.Ed., 2 units, B.A. B.Ed. Secondary (4 unit), Middle (4 unit) & B.Sc. B.Ed. Secondary (4 unit), Middle (4 unit) Integrated Teacher Education Programme (ITEP) the institution has mentioned the total built-up area 7056 sq.mts. This built-up area is not sufficient to run the above courses.
- xii. The institute must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it
- xiv. The institution is required to uploaded Mutation certificate/Jamabandi issued by the Government Competent Authority.
- xv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

12	2627202509182834	SHREE TEGORE INTEGRATED COLLEGE JHALARA ROAD, KUCHAMAN CITY, NAGAUR, RAJASTHAN-341508	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and

documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- ii. The Committee noted that the name of the Multidisciplinary Institution is i.e. “Shri Tagore Mahavidyalaya” does not match with the name of the applicant institution i.e. “SHREE TEGORE INTEGRATED COLLEGE” mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iii. In support of CLU, the institution has uploaded the Lease Deed, which is unregistered. The institution is required to upload the Certified copy of registered lease deed.
- iv. The Uploaded Building Plan is not legible. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The website of the institution is now functional. The website is to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- vii. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification.
- viii. The institution is to require to upload Mutation certificate/Jamabandi in respect of all Khasra No. and before uploading the institution should highlight its Khasara Number issued by the Government Competent Authority.
- ix. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority
- x. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 23 issued on dated 08/04/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xi. The institution is required to upload Documentary evidence /proof that all plot Nos i.e. 205,207,208, 209,210,211,212,214, 215, 256, 257, 258, 259, 260, 261, 278, 825, 826,827,2515/262,2529/25 are in a single plot. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification.
- xii. The name of applicant College is not reflected in the geotagged photo uploaded
- xiii. A geotagged photograph shows some part of the building left unrepaired
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. The institute must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE.
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it.
- xix. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

13	2627202509202954	SRI GURU NANAK KHALSA PG COLLEGE VILLAGE FIVE Z, HINDUMALKOT ROAD, SRI GANGANAGAR, RAJASTHAN-335001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Committee noted that the name of the applicant institution i.e. "Sri Guru Nanak Khalsa Pg College" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme and multidisciplinary Institution name is "S. G. N. Khalsa College," does not match the name. There is mismatch in the name of applicant institution and Multidisciplinary Institution. .
- ii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- iii. The institution is to require to upload Mutation certificate/Jamabandi in respect of all Khasra No. and before uploading the institution should highlight its Khasara Number issued by the Government Competent Authority.
- iv. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- v. The website is to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- vii. The institution has not uploaded certified copy of registered land documents duly issued by the Competent Revenue Authority.
- viii. As the institution is running the various courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the

- Guidelines issued by the Government of Rajasthan for (Niji Mahavidyalaya Niti निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ix. As per the BCC uploaded, the institution has earmarked 1858 sqm of land area and 1157 sqm of built-up area for ITEP course, which is not sufficient as per provisions of NCTE Regulations.
 - x. The institution is require to upload Land Use Certificate (CLU) in respect of Khasra No. 64 as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
 - xi. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 60 issued on dated 28/05/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
 - xii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification
 - xiii. Even till the time of this scrutiny, the website of institution <https://sgnkc.edu.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations
 - xiv. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
 - xv. The name of applicant College is not reflected in the geotagged photo uploaded.
 - xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xvii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
 - xviii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - xix. in the application form in the land details. Built Up area mentioned in the Affidavit (in sq m) 12373.9 and in the BCC built up area mentioned 10322. there is a mismatch in the built up area.
 - xx. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B M.A. intake (120), BA. intake (450), BSc intake (450), BBA intake (40), B.Com intake (200), BCA intake (200), MA/MSc maths intake (80), M.Sc. Chem. intake (60), M.Sc. Botany. intake (35), M.Sc. Zoology intake (40), M.Sc. Physics intake (40), MSc Computer intake (60), MA Geographic intake (40), MA (Eng) intake (40), MA Pol Science.intake (40), MA Sociology intake (40), M.Com intake abst (40), M.Com. BM intake (40), MA Punjabi intake (40). combined intake of 1935. Teacher Education Programmes: B.A. B.Ed. Secondary (1 unit), & B.Sc. B.Ed. Secondary (1 unit), Integrated Teacher Education Programme (ITEP) the institution has mentioned the total built-up area 12374 sq.mts. This built-up area is not sufficient to run the above courses.
 - xxi. The institute must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE.
 - xxii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

14	2627202510013529	SARDAR PATEL TEACHER TRAINING COLLEGE, DHOD ROAD, DANTARAMGARH, LOSAL, SIKAR, RAJASTHAN-332025.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- ii. In lieu of CLU, the institution has uploaded the Lease Deed from nagarpalika, which is unregistered. The institution is required to upload the registered copy of Lease Deed. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
- iii. The Committee noted that the name of the Multidisciplinary institution is i.e. "Sardar Patel P.G. College" does not match with the name of the applicant institution i.e. "SARDAR PATEL TEACHER TRAINING COLLEGE" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iv. The institution has uploaded Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents. This is required to upload the certified land document in respect of Khasra No.1626/1 issued by the Competent Government Authority. But the land area and Total Build Up Area Is mismatched from the portal Details.
- v. The website of the institution is now functional. The website is to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification.
- vii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. The name of the Multidisciplinary college Sardar Patel P.G. College, and name of Teacher Training College is SARDAR PATEL TEACHER TRAINING COLLEGE'. Both college names mismatch. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. intake (500), BSc. intake (180), M.A. intake (240), MSc intake (120), combined intake of 1040. 100 intake for B.A.B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit). the institution has mentioned the total built-up area 3367.19 sq.mts. This built-up area is not sufficient to run the above courses.

<p>ix. The institute must upload the legible list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE.</p> <p>x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it.</p> <p>xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time</p> <p>xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms</p> <p>xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs</p>	<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>		
<p>15</p>	<p>2627202509182810</p>	<p>SAINT SOLDIER MAHILA MAHAVIDYALAYA, CIVIL LINE ROAD TAL KATORA CHOURAHA, TONK, RAJASTHAN-304001</p>	<p>Transition B.A. B.Ed / B.Sc. B.Ed</p>
<p><u>Decision of WRC:</u></p>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			
<p>i. The details of Fire Safety Certificate No. 46445 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. However, the plot area mentioned on the portal of Rajasthan Government is 11051 sq. mts. whereas the institution has mentioned its total land area 4723.55 sq. mts.</p> <p>ii. Institution has uploaded the documents in which total land area is mentioned as 4000 sq.m and total built-up area is 4723.55 sq.m. Institution is conducting degree courses i.e. B.A. 120x3=360, B.Com. 80x3=240, B.Sc. 140x3=420, M.A, English, Geography 40x2=80 M.Sc. Physics, Mats, Botnay, Zoology, Chemistry 130x3=390. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit), courses cannot be ascertained. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan is available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf.</p> <p>iii. In lieu of CLU, the institution has uploaded the Lease Deed, which is unregistered. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.</p> <p>iv. As per the records of NCTE, the instituion is also running the B.Ed (2 Units), and D.El.Ed (1 Unit), whcih has not been mentioned in the online portal. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built-up area"</p> <p>v. The Institution is required to upload the Mutation certificate/ Jamabandi mentioning all Khasra No. issued by Government competent authority, verifiable on the portal Government of Rajasthan.</p>			

- vi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- vii. The website of institution is required to update and maintain in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- viii. The institute must upload the legible list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it
- x. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 596 issued on dated 16/05/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xi. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

16	2627202509253264	SANSKAR COLLEGE DANTA, JEEN MATA BYEPASS ROAD, DANTARAMGARH, SIKAR, SIKAR, RAJASTHAN-332702.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The fire safety certificate mentioned by the institution has been expired on 14.01.2026. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. However, the plot area mentioned on the portal of Rajasthan Government is 7300sq. mts. whereas the institution has mentioned its total land area 11200 sq. mts.
- ii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iii. The website of the institution is now functional. The website is to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

- iv. As per the building plan and BCC uploaded, the institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built-up area"
- v. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The Committee noted that the name of the applicant institution i.e. "Sanskar College" does not match with the name of the institution i.e. "Sanskar Girls College" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- vii. This is required to upload the Certified land document mentioning all Khasra No. issued by the Competent Government Authority.
- viii. The institution has upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area earmarked for each course being run in the premises and the demarcated land area but the total built-up area is Mismatched with portal Details institution pleas Clarify this.
- ix. The institution is required to upload Documentary evidence /proof that all plot Nos i.e. 2593/1296,2594/1296,2595/1296,2596/1296,1296/1 are in a single plot. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xiv. As the bank statement is not uploaded by the institution, it cannot be ascertained whether the institution is paying salary as per central/state government norms The institution is required to uploaded the bank statement of teaching staff to verify it.
- xv. The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal. The institution is required to upload the legible documents regarding the same.
- xvi. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 2341 issued on dated 21/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xvii. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B A. intake (120x3),360 , BSc intake (120x3) 360. combined intake of 720. Teacher Education Programmes: B.A. B.Ed. Secondary (1 unit), Middle (1 unit) & B.Sc. B.Ed. Secondary (1 unit), Middle (1unit) 200x4=800 Integrated Teacher Education Programme (ITEP) the institution has mentioned the total built-up area 3604.08 sq.mts. This built-up area is not sufficient to run the above courses

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

17	2627202510043654	VINAYAK COLLEGE LAXMANGARH, VINAYAK PATH, SIKAR, RAJASTHAN-332311.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. As per the mentioned land area in the land details Column is 4882.06 sq.mts. Whereas the Plot area is mentioned in uploaded Fire NOC in fire safety portal is 358 sq.mts. The address mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of https://lsgonline.rajasthan.gov.in/track_application.aspx.
- iii. The institution has mentioned Khasra Nos.1482/946 & 1539/946 in the address column of the online application, whereas in the NRC Recognition Order uploaded by the institution, only Khasra No. 1539/946 is mentioned. The institution is required to clarify the same.
- iv. In lieu of mutation certificate the institution has uploaded the Lease Deed from Nagarpalika which is unregistered. The institution is required to upload Mutation Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- v. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. As per the BCC uploaded the institution has the total land area of 4210 sqm and built-up area of 34100 sq.ft out of which 3100 sqm of land and 2267.67 of Built-up area has been earmarked for teacher education programme. The same institution is also running the B.Ed (2 units) and D.El.Ed (2 Units) on the same land, which has not been mentioned in the Portal. Taking this into account, the land and built-up area of the institution is not sufficient for the existing Degree college, B.Ed and D.El.Ed courses.
- viii. The institution is required uploaded Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents.
- ix. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- x. The institution has not submitted any reply to this observation of WRC. instead has simply uploaded the BCC. *“The institution has uploaded the building completion certificate mentioning the land area as 3262 sqm and built-up area as 2541.96 sqm approved in 2014 for Khasra No. 1539/946 and the building completed in 2014. The same is not acceptable in view of the fact that during inspection for initial recognition in 2018, the institution has submitted the building completion certificate for Khasra No. 1482/945 mentioning the land area as 9100 sqm and built-up area as 2916.89 sqm and the building completed in 2007. Moreover, the floor wise area mentioned in the both the building completion certificates are different. The institution has shifted to the new building without approval from NCTE. The institution is required to upload latest Building Completion Certificate (BCC) in the*

prescribed format of NCTE (17 points) mentioning all the Khasra No. issued by the Competent Government Authority for all the courses being conducted in the premises.”

- xi. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

18	2627202509162616	MEKALSUTA COLLEGE DINDORI, WARD NO 01, DINDORI, MADHYA PRADESH-481880	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has uploaded Affidavit of Authorization letter in the name of Shri Er. Anurag Bilaiya, Director of the institution dated 25.09.2025 but Designation of Authorized Person is Director this is a mismatch with the Secretary mentioned in the portal. The institution is required to clarify the same and upload the documents/evidence regarding the same.
- ii. As per the uploaded fire safety dated 04, July 2023 which is expired on 04.July 2024. The institution is required to upload Fire Safety Certificate by the competent Govt authority.
- iii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) mentioning ALL Khasra No. issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority
- iv. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- v. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- vi. The institution uploaded certificate form Tahasildar. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- vii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- ix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- x. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xi. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.
- xiii. can the District Office Commandant Home Guard) MP is competent authority Building Safety Certificate? The institution is required to upload Building Safety Certificate in adherence of safety

	<p>guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.</p> <p>xiv. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 100x3=300, B.Com 60x3=180, B.Sc.100x3=300. M.A.60x2=120,M.Com 60x2=120, M.Sc. 60x2=120. combined intake of 1140. Teacher Education Programmes: (D.El.Ed.) 1 Units, 50x2= 100 Bachelor of Education (B.Ed) degree 1 50x2= 100, B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) 100x4=400 Integrated Teacher Education Programme (ITEP) the institution has mentioned the total built-up area 5919.49sq.mts. This built-up area is not sufficient to run the above courses.</p> <p>xv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.</p>
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>	

19	2627202509172770	KANKU VIJAY COLLEGE OF EDUCATION UTWAN, KHAIRWA ROAD, PALI, RAJASTHAN- 306401.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

20	2627202509273370	APC COLLEGE PRATAPGARH, NEEMUCH ROAD, PRATAPGARH, RAJASTHAN-312605.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Institution has uploaded the building plan of Kh. No. 32/374 and 32/376 in which the total land area and total built-up area is mentioned but the area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes is not mentioned.
- ii. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc. 70x3= 210, B.Com 80x3= 240, BBA 40x3=120, BCA 40x3=120 PGDCA 30x2=60, M.A. Geography 40x2=80. The sufficiency

- of land of 4067 sq.mts. area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit) course cannot be ascertained. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan is available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- iii. The institution is required to upload Mutation Certificate/ Jamabandi mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government
 - iv. The institution is required to upload updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - v. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
 - vi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
 - vii. The institution is conducting APC SR SEC School, degree courses i.e. B.A. 80x3=240, B.Sc. 70x3=210, B.Com 80x3= 240, BBA 40x3=120, BCA 40x3=120 PGDCA 30x2=60, M.A. Geography 40x2=80. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit) course cannot be ascertained.
 - viii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
 - ix. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. EE/PWD-III=PTG/576 issued on dated 6/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
 - x. The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - xi. The uploaded documents are not proper. The institution is required to upload Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
 - xii. The institution uploaded teaching staff list, but it has not in the prescribed format of NCTE and as per NCTE norms.
 - xiii. the institution has not uploaded the bank statement, it cannot be ascertained whether the institution is paying salary as per Central/State Govt norms. The institution is required to uploaded the bank statement of teaching staff to verify it.
 - xiv. The name of APC SR SEC School is reflected in the uploaded geotagged photo.
 - xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
 - xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
 - xvii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xviii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

21	2627202510043674	A.N. B. ED. COLLEGE RAMU KA BAS, JAIPUR ROAD, SIKAR, RAJASTHAN-332021	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded the Praman patra Khasra No. is mentioned 1269/1230, 1231/1013 and 631/604 Whereas the mentioned Khasra No. in the land details Column is 1231/1013 and 1230/1013. The Khasra No. is mismatched.
- ii. The institution is required to upload Certified land documents in respect of all Khasra No. issued by the Competent Government Authority. Also required to upload affidavit in regarding land.
- iii. The institution is required to upload Mutation Certificate/ Jamabandi mentioning all Khasra No. issued by the Competent Government Authority.
- iv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The institution is required to upload updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. As per the uploaded CLU is 1231/1013, 1230/1013 and 631/604 Whereas the uploaded Praman Patra is mentioned the Khasra No. is 1269/1230, 1231/1013 and 631/604. The Khasra No. is mismatched . The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- viii. As per the mentioned land area in the land details Column is 3500 sq.mts. Whereas the Fire safety certificate on the Fire safety portal is 3300. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- ix. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2(2) or 4.3(1) of the NCTE Guidelines for Multidisciplinary Institutions.
- x. The institution has not uploaded documentary evidence confirming that 'A. N. College' and 'A. N. B. Ed. College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xi. The proposal for merger / collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.2(2) or 4.3(1) of the NCTE Guidelines for Multidisciplinary Institutions.
- xii. The institution has not uploaded documentary evidence that both institutions proposed for collaboration are affiliated with the same university.
- xiii. For confirming the institution's eligible for transition into ITEP course as it is Collaboration institution is required to upload the affiliation order of liberal arts, science and commerce all programmes run by them with approved intake and present intake capacity as a Multi-Disciplinary Institution.

xiv.	The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to uploaded
xv.	A board with the name of the college is seen to be put up temporarily. This board can be removed at any time
xvi.	The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
xvii.	The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
xviii.	The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
xix.	Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
xx.	The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. this letter should be issued by government competent authority.
xxi.	It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to uploaded the bank statement of teaching staff to verify it
xxii.	The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>	

22	2627202509162601	GYAN SAGAR COLLEGE OF EDUCATION, NH 26 NARSINGHPUR ROAD SIRONJA SAGAR, MADHYA PRADESH-470001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- As per the uploaded affiliated order No. क्रमांक / RALVV-२२८ / अकादमिक / 2025 dated 03.07.2025 is only running B.Sc. courses. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- The institution is required to upload land use Certificate for Educational Purpose for all mentioning Khasra No. issued by the Competent Government Authority.
- The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- The institution is required to upload Latest Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh.

- vi. The uploaded building plan is not proper. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- vii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xii. the uploaded documents are not proper. The Institution is required to upload information of all programme/courses run by institution in the campus and The institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. s Institution is required to upload Documents issued by government competent authority.
- xiii. The institution has not uploaded land Mutation Certificate (Jamabandi), The instanton is required to upload the Mutation (Jamabandi) certificate of all Khasra No. issued by government competent authority.
- xiv. see the uploaded Non-Encumbrance Certificate-read the column No 6 and 7 of each certificate and clarify regarding the same. And then upload LATEST Non-Encumbrance Certificate issued by the Competent Government Authority while mentioning all the Khasra nos. and plot area. issued by the Competent Government Authority while mentioning all the Khasra nos. and plot area.
- xv. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 235 issued on dated 16/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xvi. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xvii. the institution has not uploaded the bank statement, it cannot be ascertained whether the institution is paying salary as per Central/State Govt norms. The institution is required to uploaded the bank statement of teaching staff to verify it.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

23	2627202509162486	ADARSH SHIKSHAK PRASHIKSHAN MAHAVIDYALAY, DEU, TH-KHINVSAR, DIST-NAGAUR (RAJ.) KHINVSAR, NAGAUR, RAJASTHAN-341001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and

documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. TEI has uploaded approved building plan by Sahayak Engineer, PWD, and J.E. (without date) showing total land area 12626.17 sq.mts. total built up area 3494.73 sq.mts. Name of courses running in the campus is not reflected in the building plan. As per filled information in the portal, the institution applied for merger with institution running Multidisciplinary courses. In the multidisciplinary course column, it has uploaded copy of affiliation letters for MD courses. Information provided is contradictory. The earmarked land area and built-up area for Teacher Education programme and demarcated land area and built-up area for multidisciplinary programmes (as per portal information of MD courses) are not reflected in the uploaded building plan.
- ii. As per online application, name and address of TEI "ADARSH SHIKSHAK PRASHIKSHAN MAHAVIDYALAY, DEU, KHASRA NO.1146/372, 372, VPO-DEU, TH/ TALUKA - KHINVSAR, DIST-NAGAUR (RAJ.) 341001" whereas name and address of TEI as per fire safety certificate "ADARSH SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA, 0, PHALODI ROAD, DEU, , NAGAUR, RAJASTHAN" with plot area 12626 sq.mts. valid up to 05.10.2027. Address of TEI mismatch with transition application.
- iii. As per recognition order followed by corrigendum dated 30.05.2017, name and address of TEI is "Aadrsh Shikshan Prashikshan Mahavidyalaya, Deu, Village- Deu, Street/Road- Deu Phanta, Tehsil/Taluka- Khimsar, Town/City- Deu, District:- Nagaur, State- Rajasthan, Pin Code- 341001" whereas as per online application, Adarsh shikshak prashikshan mahavidyalay, deu, Khasra no.1146/372, 372, Street/Road- VPO-DEU, TH/ Taluka - Khinvsar, DIST-Nagaur (RAJ.) 341001. Street/road and Taluka mismatch. Dates of registration of land as per BCC is 26.11.2007 and 14.11.2019 which mismatch with information as per land details. Date of registration 14.11.2019 is after grant of recognition to B.A.B.Ed/B.Sc.B.Ed. course. Total land area and total built up area earmarked for different TE courses and demarcated area for multidisciplinary programmes is not reflected in BCC. The evidence of Govt. dept. regarding single plot of Khasra 1146/372, 372 as per BCC is required. BCC is prepared by regd. Engineer and Sahayak Abhiyanta, PWD (without date).
- iv. As per online application, website address of TEI is [HTTP://WWW.ADARSHBEDCOLLEGEDEU.IN/](http://WWW.ADARSHBEDCOLLEGEDEU.IN/) whereas in response to point of SCN mentioned Website address www.adarshbedcollegedeu.com Both website address mismatch. Information in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time has not been uploaded on their newly created website.
- v. Building safety certificate dated 23.09.2025 issued by Executive Engineer, PWD is uploaded which is valid up to 22.09.2026 and mentioned in the note that for specification regarding Room Size and Nos their office is not responsible.
- vi. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions..
- vii. TEI filled the designation of authorized representative Mandeep Singh Rathore as Director in the online portal, whereas his name is shown in society member list as Secretary/President and in the land affidavit as "President" of Society. Both information contradictory. As per land affidavit date of permission taken from Govt. to run the institution for educational purpose vide letter No. 08/89-95 Dated 6.1.2010, 2016/464 dated 5.4.2017, 2020/5228 dated 17.09.2020 whereas same information mentioned in the portal for BCC and CLU is dated 28.02.2024. Both information are contradictory. Land registration (201901467003620 dated 22.11.2019) mentioned in the affidavit is after the date of grant of recognition to B.A.B.Ed./B.Sc.B.Ed. course.
- viii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. Document uploaded is not opening.
- ix. TEI submits explanation "That copy of latest N.E.C. issued by Tehsildar, Khinvsar, Distt.-Nagaur (Raj.) is attached." However, uploaded document is not opening.
- x. The institution has not uploaded documentary evidence confirming that 'ADARSH SHIKSHAK

<p>PRASHIKSHAN MAHAVIDYALAY' and 'ADARSH MAHAVIDYALAY' are situated within the radius of 03 Kilometre's as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.</p> <p>xi. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.</p> <p>xii. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.</p> <p>xiii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.</p> <p>xiv. As the bank statement is not uploaded by the institution, it cannot be ascertained whether the institution is paying salary as per central/state government norms The institution is required to uploaded the bank statement of teaching staff to verify it.</p> <p>xv. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.</p> <p>xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.</p> <p>xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate</p> <p>xviii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.</p> <p>xix. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>			
24	2627202510043655	SHREE ASHAPURA COLLEGE, SADRI, DESURI, PALI, RAJASTHAN-306702	Transition B.A. B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. The institution is required to upload updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution is required to upload legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution is required to upload LATEST Non-Encumbrance Certificate issued by the Competent Government Authority.

- v. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- vi. The institution is required to upload the Mutation Certificate/Jamabandi issued by the Competent Government Authority.
- Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

25	2627202509162483	JAIN VISHVA BHARATI INSTITUTE, LADNUN, NAGAUR, RAJASTHAN-341306	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website <https://www.maabhartipgcollegekota.com/> of Deemed University has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The Deemed University is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iii. Deemed University has uploaded fire safety certificate valid up to 02.04.2026 with approved plot area 9712 sq.mts. whereas in the land details mentioned total land area 21853 sq.mts. Both land area mismatch. Address of Deemed University mentioned in fire safety certificate mismatch with address mentioned in the transition application portal.
- iv. Building plan uploaded certified by Sahayak Abhiyanta showing ground floor 40821 sq.ft. (total land area 21853 sq.mts. total built up area 7601.80 sq.mts. (Entry1 for B.A., B.Com, and B.SC. and Entry2 for M.Ed./B.Ed./B.A.B.Ed./B.Sc.B.Ed. Also uploaded first floor plan certified by Sahayak Abhiyanta showing 41009.29 sq.ft. (total land area 21853 sq.mts. total built up area 7601.80 sq.mts. and its purpose for use is not reflected.
- v. The Deemed University must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE
- vi. It cannot be ascertained from the account statement uploaded by the Deemed University that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.
- vii. Deemed University Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 1442 issued on dated 26/02/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The Deemed University is required to upload the legible Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- ix. The Deemed University has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- x. The Deemed University has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority

- xi. The name of applicant Institution is not reflected in the geotagged photo uploaded.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvi. The Deemed University has not uploaded the latest information regarding approved intake of all courses. As per the website of Deemed University they are running so many courses i.e. Prakrit and Jain Agam, Jainology and Comparative Religion and Philosophy, Non-violence, Peace and Conflict Management, Science of Living, Preksha Meditation and Yoga, Bachelor of Arts, BSW B.Com., B.Ed. PGDCA to MCA M.Sc. in Computer Application, MSW,, M.Phil. in Prakrit and Jain Agam, M.Phil. in Jainology and Comparative Religion & Philosophy, DMLT 6 months courses 3 month certificate course, 14 Correspondence courses and Ph.D. programme. The Deemed University uploaded the information of these courses i.e. B.A. 75x3=225, B.Com. 50x3=150, B.Sc.50x3= 150, M.A. 170x2=340. and for teacher education i.e. Bachelor of Education (B.Ed) degree. 4 units, Master of Education(M.Ed.) degree. 1 unit, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), the institution has mentioned the total built-up area 7601.80 sq.mts. This built-up area is not sufficient to run the above courses.
- xvii. The Deemed University is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

26	2627202509162516	LZEBRA GIRLS COLLEGE , SHIVPURA, KOTA, SYDNEY STREET, LADPURA, KOTA, KOTA, RAJASTHAN-324010	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. TEI has uploaded fire safety certificate in the name of “LZEBRA GIRLS COLLEGE, CAMPUS 31, SIDNEY STREET, SHIVPURA RAWATBHATA ROAD, KOTA, RAJASTHAN” valid up to 08.02.2028 with approved plot area 3982 sq.mts. In land details, land area mentioned 5537.90 sq.mts. Both land area mismatch. The address mentioned in online portal is Khasra No. 55,56,57,91/1, STREET/ROAD- SYDNEY STREET, VILLAGE- SHIVPURA, KOTA, P.O. RTU KOTA, TALUKA LADPURA, DIST. KOTA, RAJASTHAN – 324010 which mismatch with address in the fire NOC.
- ii. The website www.lzebracollege.in of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. In the uploaded building plan certified by Adhishashi Abhiyanta, PWD (10.02.2025), complete address of the TEI as per portal is not mentioned. Total land area (Block B + C)= 5538.79 Sqmt. Total

- built up area - 5246.32 Sqmt. As mentioned, this plan is for both teacher education and multidisciplinary programme(s). Total land area and total built up area earmarked for teacher education courses and demarcated land area and built-up area for multidisciplinary courses is not reflected in the building plan. Very small font used for showing size and specification of different rooms in the uploaded plan.
- iv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
 - v. Address of TEI mentioned in the recognition order dated 02.05.2017 mismatch with address mentioned in the uploaded building safety certificate dated 11.02.2026 certified by Adhishashi Abhiyanta, PWD Division, Nagar Khad- Kota. The name of issuing office in the top of the certificate is not reflected.
 - vi. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
 - vii. As mentioned in the uploaded land related affidavit dated 07.02.2026, Total land area 5538.795 Sqmt. Total built up area 5246.32 Sqmt. Date of first registration 29.07.2015 Plot Block-B. The date of second registration 09.09.2019 Plot Block-C (after grant of recognition to B.A.B.Ed./B.Sc.B.Ed.). Permission has been obtained for educational purpose vide letter dated 10.04.2015 i.e. prior to registration 29.07.2015. As per portal, date of CLU for education purpose is 05.10.2018. Both the dates of CLU mismatch.
 - viii. Address of institution for B.A.B.Ed./B.Sc.B.Ed. mentioned in the letter of affiliation dated 12.09.2025 for session 2024-2025 issued by University of Kota does not match with address mentioned in the recognition order for B.A.B.Ed./B.Sc.B.Ed. issued by NCTE. A copy of letter dated 07.05.2018 uploaded by TEI stating that Lzebra College(not recognized by NCTE) applied to WRC (NCTE) for change of name from Lzebra Girls College to Lzebra College, which is not considerable. From the letter of affiliation dated 12.09.2025, it is understood that institution itself shifted to a new location/address without prior approval of NCTE and now wish to run ITEP programme in the same location and address, which is also not considerable.
 - ix. The Committee noted that the name of the applicant institution i.e. "Lzebra Girls College" does not match with the name of the institution i.e. "Lzebra College" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
 - x. The name of multi-disciplinary institution is Lzebra College and the name of applicant institution is Lzebra Girls College; the name of both institutions mismatch. If we assume that, the institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.210x3=630, M.Sc. 150x2=300, the sufficiency of built-up area 4477.68 sq.mts. for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained.
 - xi. The name of applicant College is not reflected in the geotagged photo uploaded.
 - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
 - xiv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
 - xv. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 2098 issued on dated 11/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster

	<p>Management Authority issued by Competent Government Authority.</p> <p>xvi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.</p> <p>xvii. The Institution is required to upload legible Registered copy of Sale Deed. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.</p> <p>xviii. As the bank statement is not uploaded by the institution, it cannot be ascertained whether the institution is paying salary as per central/state government norms The institution is required to uploaded the bank statement of teaching staff to verify it.</p> <p>xix. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.</p> <p>xx. The name of multi-disciplinary institution is Lzebra College and the name of applicant institution is Lzebra Girls College; the name of both institutions mismatch. both the institutions are running in the same premises. and they are running degree courses i.e. B.A. 80x3=240, B.Sc.210x3=630, M.Sc. 150x2=300, and the teacher education programme i.e. B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) the institution has mentioned the total built-up area 4477.68 sq.mts. This built-up area is not sufficient to run the above courses</p> <p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>
--	--

27	2627202509162570	VIJAY SINGH PATHIK COLLEGE, BANWARIPUR MODE, NEAR BRIDGE, HINDAUN CITY, SHRI MAHAVEER JI, KARALI, RAJASTHAN-322220	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant Institution is “Vijay Singh Pathik College” and name of multidisciplinary Institution is “Vijay Singh Pathik Mahavidyalaya”. The names are mismatched.
- ii. Affidavit related with land dated 24.02.2026 submitted is not by authorized representative as per online portal and same is not in prescribed proforma. As per address on the portal, Khasra No.28,29,30 (1147/28, 1149/29, 30) STREET/ROAD- NEAR BRIDGE, SHRI MAHAVEER JI VILLAGE BANWARIPUR MODE, P.O. SHRI MAHAVEER JI TAL/CITY- SHRI MAHAVEER JI, HINDAUN CITY DIST KARALI, RAJASTHAN 322220, whereas in land affidavit mentioned Khasra No.28(1147/28), 29 (1149/29),30, 31, 38, 39. Additional khasra no.31,38, 39 (not as per portal) is mentioned in the affidavit. Information regarding permission obtained from Govt. Authority to use the land for educational purpose is not mentioned in the affidavit. As per land details in the portal, total land area 5700 sq.mts., total built up area 4210.51 SQ.MTS. whereas in affidavit mentioned Total land area 12800 sq.mts. Total Built up area (not mentioned).
- iii. Additional khasra no.31(0.20 hectare)+ Kh. No.38(0.27 hectare)+Kh.no.39 (0.24 hectare) which are not mentioned in address as per portal is reflected in the land use certificate dated 23.02.2026 and 24.02.2026 by Tahasildar.

- iv. Certificate dated 24.02.2026 by Patwari and Tahasildar is uploaded showing that all the Khasra Nos. are in building situated at the same place. Additional khasra no.31(0.20 hectare)+ Kh. No.38(0.27 hectare)+Kh.no.39 (0.24 hectare) which are not mentioned in address as per portal is reflected in the certificate dated 24.02.2026 by Tahasildar and patwari.
- v. TEI has uploaded new building plan certified by sahayak abhiyanta (without date) with total land area 12800 sq.mtr. Total built up area 4881.19 sq. mtr. and mentioning additional khasra nos. 31,38,39 (not as per portal). Name of course, Pin code is not mentioned, address as per portal is mismatch in the uploaded plan. As per information in application portal, TEI itself running multidisciplinary courses in the name of Vijay Singh Pathik Mahavidyalaya, Shri Mahaveer Ji, Dist. Karauli, Pin-322224 as per approval of intake for B.A. and M.A. courses vide letter dated 31.03.2023 of University of Kota uploaded previously in the online portal under multidisciplinary category. Name of institution applied for transition is "Vijay Singh Pathik College having pin code-322220", Pin code of both institutions are different. It has proved that both TEI and MDI are at two different locations.
- vi. Certificate dated 24.02.2026 by Patwari and Tahasildar is uploaded showing that all the Khasra Nos. are in building situated at the same place. Additional khasra no.31(0.20 hectare)+ Kh. No.38(0.27 hectare)+Kh.no.39 (0.24 hectare) which are not mentioned in address as per portal is reflected in the certificate dated 24.02.2026 by Tahasildar and patwari. The letter dated 31.03.2023 issued by University of Kota in the name of Vijay Singh Pathik Mahavidyalaya, Shri Mahaveer Ji, Dist. Karauli, Pin-322224 regarding approval of intake for B.A. and M.A. courses proves that MDI courses are in a different location than B.A.B.Ed./B.Sc.B.Ed. course, which establishes the fact that the institution is not running multidisciplinary and teacher education programme/ courses in the same campus/premises.
- vii. Latest NEC dated 30.02.2026 by Up-Panjiyak is uploaded. Additional khasra no.31(0.20 hectare)+ Kh. No.38(0.27 hectare)+Kh.no.39 (0.24 hectare) are mentioned therein, which are not mentioned in the address of TEI as per online transition application portal.
- viii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations
- ix. As per explanation, new certified copy of land documents making necessary correction of society name therein is not uploaded.
- x. Complete address with pin code of TEI and Society is not reflected in the uploaded BCC. As filled in top paragraph of uploaded BCC, Sunita Singh, Secretary of society (who is not authorized representative as per online transition application) has personally inspected the land and building (without date) as per registered land documents, whereas signed by regd. Company (Bhomleram Associates), Hindaun City (without date), which is contradictory. BCC is certified by Sahayak Abhiyanta, PWD (without date). Additional khasra no. 31, 38, 39 mentioned which is not as per address of TEI. Total built up area of institution is not mentioned. Total land area of institution 12800 sq.mts. (area 11000 sq.mts. earmarked for B.A.B.Ed./B.Sc.B.Ed.) (Built up area 4540 sq.ft. for ITEP). Year of construction of building is shown as 2019 in BCC, whereas recognition was granted to B.A.B.Ed./B.Sc.B.Ed. vide order dated 02.05.2017. Type of ownership shown in BCC as Secretary of Samiti/society.
- xi. In support of Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government, a copy of Certificate dated 24.02.2026 by Patwari and Tahasildar is uploaded showing that all the Khasra Nos. are in building situated at the same place. Additional khasra no.31(0.20 hectare)+ Kh. No.38(0.27 hectare)+Kh.no.39 (0.24 hectare) which are not mentioned in address as per portal is reflected in the certificate dated 24.02.2026 by Tahasildar and patwari. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government
- xii. The institute must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and the teaching staff should be as per the rules of NCTE.
- xiii. The contiguity of different plot/khasra nos. with approved site plan by the competent govt. authority is not uploaded.

- xiv. Certificate dated 24.02.2026 by Patwari and Tahasildar uploading showing that all the Khasra Nos. are in building situated at the same place. Additional khasra no.31(0.20 hectare)+ Kh. No.38(0.27 hectare)+Kh.no.39 (0.24 hectare) which are not mentioned in address as per portal is reflected in the certificate dated 24.02.2026 by Tahasildar and patwari.
- xv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xvi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xvii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it.
- xix. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 1654 issued on dated 26/08s/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xx. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. the letter should be issued by government competent authority along with the office stamp. The NCTE WRC committee reserves the right to send this certificate to the same office for verification.
- xxi. The name of applicant College is not reflected in the geotagged photo uploaded.
- xxii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xxiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xxiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xxv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

28	2627202509293480	CAREER COLLEGE, BISSAU ROAD, CHURU, CHURU, RAJASTHAN-331001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Committee noted that the name of the applicant institution i.e. "CAREER COLLEGE" does not match with the name of the Multidisciplinary institution i.e. "Career PG Mahavidyalya," There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated

- 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- ii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
 - iii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
 - iv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - v. The institution must upload the legible list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
 - vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it
 - vii. The institution has uploaded Mutation (Jamabandi) Certificate and land documents. The institution has not uploaded Mutation Certificate for Khasra No. 2161/2155 issued by Competent Authority.
 - viii. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
 - ix. The institution is conducting degree courses B.A. 320x3=960, B.Sc. 210X3= 630,M.A. 20x2=40, M.Sc 120X2=240 combined intake of 2080. The sufficiency of land and built-up area for 2080 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. and 100 intake course cannot be ascertained. Since the institution has mentioned the total built-up area 3975.86 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (Niji Mahavidyalaya Niti निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
 - x. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
 - xi. Uploaded NEC is old. The institution is required to upload the latest Non Encumbrance Certificate issued by the Competent Revenue Authority
 - xii. The name of applicant College is not reflected in the geotagged photo uploaded.
 - xiii. A geotagged photograph shows some part of the building left unrepaired.
 - xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
 - xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
 - xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

29	2627202509152454	SAINATH INSTITUTION MURAWAL, BILAHARI, RITHI, MADHYA PRADESH-483501	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> The institution has uploaded Fire Safety Certificated in the Name of SAINATH INSTITUTION (RUN BY SHRI HOSPITAL EDUCATIONAL & SPORTS SOCIETY) issued by the JABALPUR Collector/Fire Officer, JABALPUR Division, KATNI Madhya Pradesh dated 18.02.2025 for the period 17/02/2025 to 16.02.2026. The institution has not uploaded the valid Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh The institution uploaded old NEC. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances. Till this date, the website of the institution is not functional. and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes the uploaded documents are not proper. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. <p>In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.</p>			
30	2627202509303506	BABY HAPPY MODERN DEGREE COLLEGE BY PASS ROAD, HANUMANGARH JUNCTION,HANUMANGARH, RAJASTHAN- 335512	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <p>Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to</p>			

assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

31	2627202509182806	SHRI ANAND MAHAVIDHYALAYA HARDWAR, MAIN ROAD, LUVKUSH NAGAR, CHHATARPUR, MADHYA PRADESH-471515	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the decision of WRC, Final Show Cause Notice (SCN) was issued to the institution vide letter No. F.No.NCTE/WRC/2627202509182806/MADHYA PRADESH/ 2025/ SCN dated 27.02.2026 with a request to upload its reply along with all requisite supporting documents within 07 days from the date of issue of the Final Show Cause Notice (SCN). No reply has been uploaded by the institution on this portal in response the WRC Final Show Cause Notice (SCN) within the stipulated time of 07 days.
- ii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- iv. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- v. As per the uploaded affiliated order No. क्रमांक / अकादमिक / निरंतरता/ A156/1/2025 dated 23.04.2025 is only running B.Sc. courses. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- vi. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. As per the uploaded fire safety certificate dated 16.11.2023 is expired. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- viii. The institution is conducting degree courses i.e. B.Sc.60x3= 180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 2 units, B.Sc. B.Ed. Secondary (2 unit), course cannot be ascertained.
- ix. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- x. ii. The institution has uploaded Building Plan Total Land area 43594 sq.ft. and Total Built up area 43754 sq.ft. but Khasra No., Name of the Institution / Society, Class room area & Multipurpose area not readable and the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes not mentioned. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multidisciplinary programmes

- xi. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. Letter issued by government competent authority.
- xii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same
- xiii. The uploaded CLU is not proper. The institution is required to upload Land Use Certificate (CLU) mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xiv. As per the Recognition order uploaded by the institution Khasra 195/2/2, 195/1/1/1 are mentioned whereas in the column of address in online transition application, institution has mentioned only Khasra No. 195/1/1/1. The khasra No. 195/2/2 has not been mentioned and its land document are not uploaded. The institution is required to upload the same.
- xv. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 912/??/2025-26 15/07/2025 issued by Executive Engineer, PWD, II sawai Madhopur valid up to 3 years from the date of issued. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority. upload the documents/evidence regarding the same. viii. The institution has uploaded Non-Encumbrance Certificate in the name of Shri Vimla Ram Shiksha Prasar Samiti, Khasra No. 195/1/1/3 dated 29.12.2015 issued by the Sub Registrar. The institution has not uploaded latest, The institution is required to upload the latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvi. The institution has uploaded Non-Encumbrance Certificate in the name of Shri Vimla Ram Shiksha Prasar Samiti, Khasra No. 195/1/1/3 dated 29.12.2015 issued by the Sub Registrar. The institution has not uploaded latest, The institution is required to upload the latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvii. The institution has upload the Mentioning Geographic Location Latitude 24.8371509 Longitude 79.5218269 checked on google map and seems to be institution name is not shown at the marked location.
- xviii. The institution has uploaded Certificate from a Chartered Accountant in the name of Shri Vimla Ram Shiksha Prasar Samiti dated 25.01.2025. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xix. The geotagged photograph does not show the name of college on the college building.
- xx. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xxi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xxii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xxiii. The institution is having total built-up area is 4064. The institution is conducting degree courses i.e. B.Sc.60x3= 180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 2 units, B.Sc. B.Ed. Secondary (2 unit), course cannot be ascertained.
- xxiv. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. The Institution is required to upload the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xxv. Bank statement has not been uploaded by the institution. It cannot be ascertained whether the Institute teachers are being paid the salary as per Central/State Govt

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

32	2627202509253228	SHRI RAMPRASAD BOHARA COLLEGE BUHANA, PALOTA ROAD, JHUNJHUNU, RAJASTHAN-333502	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <p>Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.</p>			
33	2627202509303508	SHRI GOVIND SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA JHUNJHUNU ROAD, BISSAU, JHUNJHUNU, RAJASTHAN- 331027	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> Till this time of verification, the website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The uploaded document is irrelevant/not proper. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority. TEI has uploaded fire safety certificate in the name of "SHRI GOVIND SHIKSHAN PRASHIKSHAN MAHAVIDYALAYA SAMITI" valid up to 13-05-2027 with approved plot area 2348 sq.mts. In land details, land area mentioned 13600 sq.mts. Both land area mismatch. The application institution applied on line for Collaboration with reference to Multidisciplinary programme and institution upload the letter of Merger. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The uploaded document is irrelevant. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the approved letter regarding the same. the uploaded NEC is old. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority. 			

- viii. The name of applicant College is not reflected in the geotagged photo uploaded
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- x. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xi. The institution has not uploaded university approved teaching staff- list in the prescribed format of NCTE and as per NCTE norms.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xiii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format
- xiv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. Institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.) 1 units. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained. Note :- Institution mentioned that applicant institution and collaboration institution both are run in same premises. they are running B.A. 120x3=360 and B.Sc. 60x3=180. in the Land Details-Built Up area mentioned in the Affidavit (in sq m) 5009, This built-up area is not sufficient to run the above courses

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

34	2627202509273382	NORANG RAM DAYANAND DHUKIA COLLEGE JHUNJHUNU, MALSISAR ROAD, JHUNJHUNU, RAJASTHAN-333001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree. recognition order of NCTE has not uploaded in the online application. committee couldnot ascertain that the Norang Ram Dayanand Dhukila college is running any B.A. B.Ed./ B.Sc. B.Ed programme.
- ii. According to the letter uploaded by the Trust, the Trust Also is running the B.P.Ed. and M.P.Ed. course. However, the Trust has not mentioned these courses in the 'Existing Teacher Education Program' section of the online application.
- iii. As per the website the name of college is Norangram Dayanand Dhukia T.T. College,
- iv. website of institution <https://www.nrdttcollege.com/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution has not uploaded Mutation (Jamabandi) of plot no 637/23 Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government
- vi. The geotagged photo uploaded does not show the applicant college name on the building

- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- x. TEI has uploaded fire safety certificate in the name of “NORANG RAM DAYANAND DHUKIA SHIKSHAN SANSTHAN” valid up to 11-08-2027 with approved plot area 4500 sq.mts. In land details, land area mentioned 21126.35 sq.mts. Both land area mismatch.
- xi. The institution has not uploaded the proper Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xii. The institution has not uploaded university approved teaching staff- list in the prescribed format of NCTE and as per NCTE norms.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xv. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xvi. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The intuition is required to upload the certificate issued by the government of Rajasthan..
- xvii. The uploaded document is irrelevant. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the approved letter regarding the same.

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

35	2627202509243194	RAMA DEVI MAHILA T.T. COLLEGE HARNATHPURA, MANDAWA, JHUNJHUNU, RAJASTHAN-333041	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- ii. Bachelor of Education (B.Ed) degree 4 units, Master of Education(M.Ed) degree 1 unit,. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained

- iii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- iv. The uploaded documents are irrelevant. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- v. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- vi. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- vii. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- viii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- x. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
- xi. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

36	2627202509233106	R.K.J.K. BARASIA P.G. COLLEGE, SURAJGARH CHIRAWA ROAD, JHUNJHUNU, RAJASTHAN-333029	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The organization uploaded irrelevant documents in its reply. The proposal for Merger/ collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions
- ii. The institution has NOT uploaded Mutation (Jamabandi) Certificate of land for all khasra no. obtain from Revenue Records of the State Govt. of Rajasthan.
- iii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

- iv. The Merger and applicant institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 240x3=720, B.Com. 120x3=360, B.Sc.180x3=540. M.A.120x2=240, M.Com. 80x2=160, M.Sc. 80x2=160 total student strength is 2180. and teacher education programme i.e. B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), 100x4=400. in the Land Details-Built Up area mentioned in the Affidavit (in sq m) 5477, This built-up area is not sufficient to run the above courses.
- v. till this date, the website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- vi. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- viii. in its reply institution uploaded many documents to prove, but the institution has NOT uploaded certified copy of registered land documents for mentioning khasra no. 835, 1383/835 and 836.
- ix. in the compliance of Building Safety Certificate, institution uploaded old certificate again.
- x. Institution uploaded a certificate issued by Tahsildar, this certificate is not proper. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xi. Institution uploaded a certificate issued by Tahsildar, this certificate is not proper The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institution.
- xii. The name of applicant College is not reflected in the geotagged photo uploaded
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The uploaded Land Use Certificate (CLU) is not in prescribed format of Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xv. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xvi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

37	2627202509273402	SARASWATI GIRLS COLLEGE, SHAHPURA, MANOHARPUR JAIPUR, RAJASTHAN-303104	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Committee noted in the meeting that, the name of the applicant institution i.e. Saraswati Girls College” does not match with the name of the Multidisciplinary institution i.e. “Saraswati Mahila Mahavidhyalaya,” mentioned in the affiliation order. Land Details-Built Up area mentioned in the Affidavit (in sq m) 3043.77 institution is running multidisciplinary programme, i.e. B.A. 300x3=900, B.Sc.(Bio) 60x3= 180, B.Sc. (Math) 60x3=180, M.A. (Geo, Hin, Pol Sci)160x2=320 total students capacity =1580 and teacher education programme i.e. B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit). 100x4=400 This built-up area is not sufficient to run the above courses.
- ii. TEI has uploaded fire safety certificate in the name of “SHRI BALAJI SHIKSHA SAMITI ” valid up to 30-09-2027 with approved plot area 3044 sq.mt. In land details, land area mentioned 8291 sq.mts. Both land area mismatch.
- iii. The institution has not uploaded the specific Exemption Certificate (12A) issued by Competent Government Authority.
- iv. The institution uploaded the photograph of playground, they could not show the sports facility through geotagged photograph.
- v. As per the uploaded register pages they are paying Rs.22000/- to the teaching staff. Institution is not paying the salary as per the Central/State Government pay scale.
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vii. The uploaded Land Use Certificate (CLU) not in prescribed format of Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. The uploaded geotagged photographs show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The institution has not uploaded university approved teaching staff- list in the prescribed format of NCTE and as per NCTE norms
- xi. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- xii. Electricity connection number, telephone connection number and water connection number are not mentioned in the uploaded BCC.
- xiii. In order to comply with the building safety certificate, the organization re-uploaded the old certificate.

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

38	2627202510023575	VIVEKANAND COLLEGE TIGARIYA, BUS STAND KALU KA BAS, CHOMU, JAIPUR, RAJASTHAN-303804	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

39	2627202509273373	LAXMI COLLEGE OF EDUCATION SHAHPURA, LAXMI NAGAR, VILLAGE BIDARA, JAIPUR, RAJASTHAN-303103	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

1. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
2. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
3. TEI has uploaded fire safety certificate in the name of "BD MEMORIAL KALYAN SANSTHAN " valid up to 12.JAN.2028 with approved plot area 2626 sq.mts. In land details, land area mentioned 30000 sq.mts. Both land area mismatch
4. In place of the subject on the building safety certificate, Khasra No. 1037, 1039/2, 1040 were further written in pen. And the same certificate dated 15.12.2025 issued by Assistant Engineer, Public Works Department, Sub-Division- Shahpura, Jaipur was resubmitted.
5. From the uploaded documents i.e. bank statement it cannot be ascertained that salary is being paid as per the Central/State Government pay scale by the institution.
6. Old documents have been re-uploaded. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
7. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
8. The institution has uploaded Form No 10 AC. The institution has not uploaded the specific Not-for-Profit Certificate issued by government competent authority.
9. Even till the time of this scrutiny, the website of institution "www.laxmicollegeofeducation.com" has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
10. Letter issued by Govt Competent Authority is not uploaded for "all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises."
11. The Committee noted in the meeting that, the name of the applicant institution i.e. "LAXMI COLLEGE OF EDUCATION" does not match with the name of the Multidisciplinary institution i.e. "LAXMI MAHAVIDYALAYA" mentioned in the affiliation order. Land Details-Built Up area mentioned in the Affidavit (in sq m) 3219 institution is running multidisciplinary programme, i.e. B.A. 60x3=180, B.Sc.60x3= 180, and teacher education programme i.e. B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit). This built-up area is not sufficient to run the above courses.
12. old geotagged photograph shows part of the building left unrepaired.

13. Institution uploaded the same photograph, The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
14. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

In view of the above, the WRC decided that the application of the institution for transition of existing B.A. B.Ed./ BSc. B.Ed. into ITEP be refused.

40	2627202509162557	MAHAVIR MAHAVIDYALAYA, KOLHAPUR (AUTONOMOUS), NEAR NEW PALACE, KOLHAPUR, VAISHALI PARISAR, BHAUSINGJI ROAD, KARVIR, MAHARASHTRA-416003	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintain their website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The Institution has uploaded information of all programme/courses run by institution in the campus with approved intake capacity, but the institution has uploaded list issued by the Shivaji University without seal and signature.
- iii. The institution is required uploaded Building Completion Certificate in the prescribed format of NCTE (17 points) mentioning all the Khasra Nos. issued by the Competent Authority of State Government.
- iv. The institution is required to upload Mutation certificate and the notarized translation copy of Mutation certificate issued by government competent authority.
- v. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The institution mentioned the land details area 213000 sq.mts. and built-up area 4953.27 sq.mts. whereas in the Land use column mentioned area is 0.00sq.mts. and Building Plan mentioned area is 9421.04 sq.mts. The land area is mismatch
- viii. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Com. 240x3=720, B.Sc.120x3=360, BACHELOR OF VOCATION 150x3=450, M.Sc. 40x2=80, M.A. 50x2=100. As per website of this institution, B.A. Vocation printing and publishing, B.Voc. agricultural, B.Voc. automobile and other courses are run in the premises, thus combined intake of 2430. The sufficiency of land and built-up area for 2430 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. 2 units course cannot be ascertained since the institution mentioned the total built-up area 4953.27sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- ix. The institution is required to upload Land Use Certificate (CLU) mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- x. As per the uploaded Affidavit Built-up area is 8043 sq.mts. whereas the mentioned land details in the land details column are 4953.27 sq.mts. The Built-up area is mismatched. The institution is required to upload the proper certified land document mentioning all Khasra No. issued by the Competent Government Authority. The institution is required to upload Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents.
- xi. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xii. The uploaded documents are not proper, the institution is required uploaded Building Completion Certificate in the prescribed format of NCTE (17 points) mentioning all the Khasra Nos. issued by the Competent Authority of State Government.
- xiii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xiv. The institution is required to upload the geotag photos one by one online and properly with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xv. The institution is required to upload geotag photos one by one online with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilets indicating the longitude and latitude with date of photograph.
- xvi. The institution is required to upload Mutation certificate issued by government competent authority.
- xvii. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Com. 240x3=720, B.Sc.120x3=360, BACHELOR OF VOCATION 150x3=450, M.Sc. 40x2=80, M.A. 50x2=100. As per website of this institution, B.A. Vocation printing and publishing, B.Voc. agricultural, B.Voc. automobile and other courses are run in the premises, thus combined intake of 2430. The sufficiency of land and built-up area for 2430 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. 2 units course cannot be ascertained since the institution mentioned the total built-up area 4953.27sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- xviii. The institution is required to upload the proper certified land document mentioning all Khasra No. issued by the Competent Government Authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

41	2627202509172693	D.A.V. TEACHER'S TRAINING COLLEGE, BALMIKI BASTI, BEHIND RAILWAY STATION, RAISINGHNAGAR, SRI GANGANAGAR, RAJASTHAN-335051	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. No reply of first SCN dated 13.02.2026 is uploaded by the institution and stipulated time period of 15 days has already been exhausted. Matter be placed for consideration of WRC
- ii. The website of the institution is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time.

- The institution is required to update the website as per NCTE regulations. The institution is required to update the website as per NCTE regulations.
- iii. The Institution is required to upload the category of Institution in the institution details.
 - iv. In the address, only words "Balmiki Basti, Behind Railway Station" filled in the portal is not mentioned in the recognition order for B.A. B.Ed./ B.Sc. B.Ed course. The institution is required to clarify the same and upload the documents/evidence regarding the same.
 - v. Authorization letter is NOT uploaded on the stamp paper as per admissible government rate. The Institution is required to upload the Authorization letter on the stamp paper as per admissible government rate.
 - vi. The institution is required to upload the Noc of affiliating body no. F-07() MGSUB/ACAD./2017/14283 DATED 02/03/24 dated 20/12/2017 as mentioned in the portal. The institution is required to clarify the same why they upload the old NOC
 - vii. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
 - viii. In the column of Society/Trust/Company members information, the institution has filled information of Chairman/president/Secretary and treasurer with PAN & Aadhar no. only, It is required to mentioned all Society members with PAN & Aadhar No
 - ix. The Institution is required to upload information of all programme/courses run by institution in the campus and The institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University. The institution is required to upload Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. . Institution is required to upload Documents issued by government competent authority.
 - x. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot
 - xi. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.70x3=210. M.A.240x2=720 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained.
 - xii. Different certified registered land documents (27.07.2007, 18.04.2019, 07.05.2020, 2001.2023) are uploaded, plot/khasra no. as per portal do not match as per land document. The institution is required to upload certified land documents showing Plot No.WARD NO.24 ARYA SAMAJ RAISINGHNAGAR as per portal and the land affidavit showing details of total area, total built up area, mode of possession, land for educational purpose and other details in NCTE prescribed proforma. The institution is required to upload the legible land documents copy. The institution is required to upload the Land related affidavit as per details filled in the online application portal.
 - xiii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
 - xiv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
 - xv. The institution is required to upload Mutation Certificate/Jamabandi issued by Competent Authority of State Government.
 - xvi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - xvii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank

- statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- xviii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xix. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xx. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xxi. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

COURT CASE

1	APW04503/123113	Late Chabutai Dahake College of Education, Adarsha Shikshan Sansthas at Post Wai, Tah. Karanja(Lad), Washim, Maharashtra-444105	B.Ed.
---	-----------------	---	-------

Decision of WRC:

On careful perusal of the original file of the institution along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, directions of Hon'ble Court were carefully considered by the WRC, NCTE and the Committee observed as under:

The Hon'ble Court in the matter of the institution has disposed of the writ petition 1568/2026 vide order dated 4.2.2026 as under: -

*“6. In view of the above, it is directed that the respondents shall hear the petitioner and dispose of the representation expeditiously and not later than 6 weeks from today.
7. The petition is disposed of in the aforesaid terms.”*

The Committee observed Online inspection was conducted to the institution on 10.1.2018 and the visiting team report was received by WRC on 17.1.2018.

The visiting team report was placed before 292nd meeting of WRC held on 15-17, May 2018 wherein the committee has decided as under:-

“The case file was seen. The VT report perused. But the CD could not be viewed as it was defective. Institution be asked to send another CD and/or pendrive.”

The decision of WRC was communicated to the institution on 24.5.2018. The institution vide letters dated 24.5.2018, 27.11.2018 & 25.11.2019 has submitted the CD along with pendrive However the CD and the pendrive are not functional. Further, there was no correspondence is available in the file for having taken decision in the matter of shifting of premises. On going through the CD & Pendrive it is seen that neither the Pen Drive nor the CD is functional.

The Committee considered the entire matter and noted that the earlier inspection of the institution for shifting of premises was conducted in 2018 i.e. approx. eight years back and moreover the CD / Pen Drive submitted by the institution are not functional. Hence, the WRC decided that fresh inspection for shifting of premises be conducted through online mode as per NCTE Regulations and VT Policy of NCTE.

The WRC also decided that the institution be directed to submit relevant documents (in soft copy) for causing re-inspection for shifting of premises within 15 days.

CASE REMANDED BACK BY THE APPELLATE AUTHORITY

1.	OAPW0149/213025	AEC Training College of Center, Panchmarhi, Distrit Hoshangabad, Madhya Pradesh	B.Ed. (One Unit)
----	-----------------	--	------------------

Decision of WRC:

“The file of the institution along with other related documents, NCTE Act, 1993, Rules, Regulations, SOP, guidelines issued from time to time were placed before the Western Regional Committee and the Committee observed the following: -

- (i) The institution was granted recognition for B.Ed. course of one-year duration with an annual intake of 40 students vide order dated 10.01.2001 followed by revised recognition order dated 04.10.2016 for B.Ed. course of two-year duration with annual intake of 50 students (1 units).
- (ii) The recognition of the institution was withdrawn by WRC vide Order No. NCTE/ 2025/ WRC/PAR/ORDER/OAPW0149/213025/6120-25 dated 31.05.2025.
- (iii) The institution filed an appeal under Section 18 of the NCTE Act 1993 before the Council and the Appellate Authority vide its Order dated 15.12.2025 concluded to set aside the impugned order dated 31.05.2025 and remanded back the case to Western Regional Committee for fresh consideration in accordance with the directions to re-examine the submission of PAR by the institution and consider the documentary evidence furnished with the appeal in accordance with the provisions of the NCTE Regulations 2014 and guidelines issued from time to time.

“In view of the above, the Committee considered the facts and documents related to the case and decided to restore the recognition granted to the institution for B.Ed of two-year duration with an annual intake of 50 students (One Unit). However, the said Institution is also directed to submit the documents provided along with the appeal for scrutiny and verification by the Western Regional Committee, within fifteen (15) days of receipt of the restoration order. The order be issued accordingly.

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)
अध्यक्ष