

---

**Re: FINAL MINUTES OF 455 (PART-IV) OF WRC HELD ON 23 TO 25 MARCH 2026**

---

**From** Shailesh Zala <shaileshzala@yahoo.co.in>

**Date** Fri 03-Apr-26 9:37 AM

**To** Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Thu, Apr 2, 2026 at 3:02 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the final minutes of 455 Meeting (Part-IV) of WRC held on 23-25 March 2026 for consideration and approval please.

Thanks and regards  
Rashmi Shukla  
Regional Director - WRC

-----

For more information or query, Please revert on the same mail <[wrc@ncte-india.org](mailto:wrc@ncte-india.org)>.

**Warm Regards**  
**Western Regional Committee**  
**NCTE**  
**Dwarka**  
**New Delhi**

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 455वीं (भाग-IV) बैठक 23 से 25 मार्च, 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित थे:

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत
3.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत (23- 24 मार्च, 2026)
4.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत
5.	डॉ. वीराल बी जादव	गुजरात राज्य सरकार के प्रतिनिधि	आभाशी (23 मार्च, 2026)
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य
3.	डॉ. करणम पुष्पनाधाम	सदस्य (25 मार्च, 2026)
4.	राज्य सरकार के प्रतिनिधि	गोवा
5.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
6.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
7.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
8.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
9.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
10.	राज्य सरकार के प्रतिनिधि	राजस्थान
11.	राज्य सरकार के प्रतिनिधि	गुजरात (24-25 मार्च, 2026)

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application	Name and address	Programme
1	2627202509263332	SANSKAR BALIKA P.G. COLLEGE, PALSANA, GOVATI ROAD, DANTARAMGARH, PALSANA, SIKAR, RAJASTHAN-332402	Transition B.A. B.Ed / B.Sc. B.Ed

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Exemption Certificate (12A) issued by Income Tax Department.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3905.29. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc.60x3= 180, M.A. 40x2=80. The sufficiency of 3905.29 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained.
- iii. The institution website " <http://www.sanskarpgcollege.co>" is not operational at the time of scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution is required to upload the Mutation Certificate/Jamabandi issued the Competent Government Authority.
- v. The details of Fire Safety Certificate No. 37033 dated 06/02/2025 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). However, the institution has mentioned the date of issue of the Fire Safety Certificate plot area mentioned on the portal of Rajasthan Government is 945 sq. mts. whereas the institution has mentioned its total land area 11100 sq. mts. The institution is required to clarify the same.
- vi. Committee noted that, the institution has uploaded the Building Completion Certificate, which mentions a total land area of 11,100 sq. mtrs. and a built-up area of 42,021 sq. ft. However, the land area earmarked specifically for Teacher Training Programmes is not indicated. The institution has shown the entire built-up area of 42,021 sq. ft. as earmarked for Teacher Training Programmes. As per the land and building documents uploaded by the institution, the total built-up area is 3,905 sq. mtrs. If the entire built-up area is earmarked for Teacher Training Courses, it is unclear where the institution is conducting its Multi-Disciplinary Courses.
- vii. Uploaded teaching staff list is not as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.
- ix. Committee noted that, the institution has uploaded the Samparivartan Aadesh dated 01/04/2010 issued by the Competent Authority for the District Collector, Sikar. The order mentions Khasra No. 1402/3 with a land area of 0.30 hectare, designated for residential use. However, Khasra No. 6219/6204 is not mentioned in the CLU. There is also a mismatch between the land area indicated in the CLU and the land area stated in the affidavit and on the online portal. Furthermore, the land use has not been recorded for educational purposes.

- x. Committee noted that, The institution has uploaded the building plan approved by Assistant Engineer Public Work Department. The Khasra No. 1402/3 with a land area of 3000 sq. mts. is mentioned therein. However, Khasra No. 6219/6204 is not mentioned in the Plan. There is also a mismatch between the land area indicated in the Plan and the land area stated in the affidavit and on the online portal. The institution is required to upload earmarked land and built-up area for each course, the demarcated land area and built-up area for teacher education programmes in the building plan. The institution is required to clarify the same.
- xi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no.569 issued on dated 9/7/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Aresse (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xvii. The uploaded geotagged photographs show that the laboratory, library and other laboratories are not in good condition.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

2	2627202509293441	ARAVALI TEACHER TRAINING COLLEGE CHAMUNDA MATA ROAD DEBARI, BEHIND PATWAR TRAINING CENTRE AIRPORT ROAD, GIRWA, UDAIPUR, RAJASTHAN-313024	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- ii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The institution is required to upload certified land documents issued by the Competent Government authority in respect of Khasra No, 4090/1 and 5594/4090 for the land measuring 5400 sq.mts.

- iv. As per the uploaded BCC is mentioned only one Khasra No. 4090 sq.mts. not approved by the Competent Government Authority. Whereas the Khasra No. is mentioned in the land details 4090/1, 5594/4090. The Khasra No. is mismatched.
- v. The institution needs to update and maintain the website WWW.ARAVALITTC.ORG in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vii. The institution is required to upload Not-for-Profit Certificate issued by government competent authority.
- viii. The name of the institution mentioned in the affiliation order for multi-disciplinary course uploaded by the institution is 'ARAVALI SHIKSHAN MAHAVIDYALAYA' whereas the name of applicant institution is 'ARAVALI TEACHER TRAINING COLLEGE'. The names of institution mismatch. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- ix. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.70x3= 210. The sufficiency of 4057.90 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 4 units B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- x. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xv. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xvi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xvii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1152 issued on dated 30/11/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xviii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xix. Uploaded teaching staff list is not as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms
- xx. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

3	2627202509273388	BHUPAL NOBLES UNIVERSITY UDAIPUR, OLD STATION ROAD, GIRWA, UDAIPUR, UDAIPUR, RAJASTHAN-313001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The applicant university name is Bhupal Nobles University. Bhupal Nobles University, is not running 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree. This Bhupal Nobles University, is not eligible for transition.
- ii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- iii. As per the uploaded fire safety certificate is mentioned the land area is "1000 sq.mts. in the name of BNPGE COLLEGE AND PHY EDU UDAIPUR" Whereas in the land details is mentioned "88100 sq.mts. in the name of BHUPAL NOBLES' UNIVERSITY The Khasra No. is mismatched. The University is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://sgonline.rajasthan.gov.in/track\\_application.aspx](https://sgonline.rajasthan.gov.in/track_application.aspx).
- iv. The University is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- v. The instituton has mentioned the land details column Khasra No. is 2440, 2440/2610, 2240/2612, 2441. Whereas the uploaded NCTE recognition order is mentioned the Khasra No. is 2240, 2441 & 2610. The Khasra No. is mismatched.
- vi. The website WWW.BNUNIVERSITY.AC.IN of university has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The uploaded document is not proper. The University is required to provide proof that all khasara number i.e. 2440,2441/2610,2241/2612,2442 are in a single plot, upload a proof issued by government competent authority.
- viii. College plot numbers S No.F.14/2025-26/1380 dated 8/9/2025 and other things are not mentioned in the Uploaded building safety certificate. The institution has not upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- ix. University has uploaded the English version of the land documents in which KH. No. are not mentioned and Institution has not uploaded the complete documents of land. Kh. No. are mismatch with the application documents like land use certificate and details filled in Non-encumbrance certificate. The institution is required to upload Certified Land Document mentioning all Khasra No. issued by the Competent Government Authority.
- x. The University is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xi. Library and reading room related facilities are not visible in the uploaded geotagged photographs.

- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiv. The University is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. Uploaded teaching staff list is not as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms.
- xvi. Uploaded teaching staff list is not as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms.
- xvii. Committee noted that, As per the website, the University is conducting degree courses i.e. Faculty of Agriculture, Faculty of Management and Commerce, Faculty of Physical Education, Faculty of Law, Faculty of Social Science and Humanities, faculty of Science, Faculty of Pharmacy, faculty of Management. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Faculty of Education, Bachelor of Education (B.Ed) degree., B.A. B.Ed. Secondary (2 unit), Middle (2 unit) B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit) course cannot be ascertained.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

4	2627202509253260	LAXMI BAI MAHILA MAHAVIDYALAYA SADARPURA, SADARPURA ROAD, MALPURA, MALPURA, TONK, RAJASTHAN-304502	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- iv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- v. **Computer** labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- vi. The uploaded geotagged photographs show that the laboratory, library and other laboratories are not in good condition.
- vii. As per uploaded building plan it shows that, they have only 4 classrooms for B.A. B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit).
- viii. As per uploaded building plan institution is having 25x15=375 sq ft staff room for for B.A. B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit).

- ix. Committee noted that, In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4071.11. Institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.60x180. B.Com. 80x3=240 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- x. College plot numbers Ref No. Sep/182 dated 22/9/2025 and other things are not mentioned in the Uploaded building safety certificate. The institution has not upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xi. The Uploaded teaching staff list is not approved by concern university as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.
- xiii. The University is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

5	2627202509152313	SARASWATI SHIKSHAN SADAN PG COLLEGE UDYOG VIHAR, SRI GANGANAGAR, 11 LNP HANUMANGARH ROAD, SRI GANGANAGAR, RAJASTHAN-335002	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Committee noted that, the institution is running B.Sc. (Medical) course. This B.Sc. (Medical) course is different form B.Sc. (Math) and B.Sc.(Bio).
- ii. The name of applicant institution Saraswati Shishan Sadan P.G. College and the name of multidisciplinary institution is Saraswati Shishan Sadan P.G. Mahavidyalya name of both institutions are mismatched
- iii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. The details of Fire Safety Certificate No. 62155 dated 29.01.2026 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). However, the Fire Safety Certificate is valid upto 28.01.2028 and the plot area mentioned on the portal of Rajasthan Government is 9110 sq. mts. whereas the institution has mentioned its total land area 11710 sq. mts. The land area is mismatched.
- v. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.

- vi. Committee noted that, according to the institution's website i.e [WWW.SSSADAN.COM](http://WWW.SSSADAN.COM) Of The trust is running B.Ed. programme also, name is Women Teacher's Training College. This programme is hide by the trust in online application
- vii. Committee noted that, as per the website of institution it shows that, P.G.College, W.T.T. College, Agriculture College, Convent school is running by the trust. Institution is required to upload the information regarding the same.
- viii. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.70x3=210. M.A.40x2=80 The sufficiency of 3050 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ix. Teaching staff list is not signed by Registrar/competent authority. The institution is required to upload the proper teaching staff list as per as per NCTE norms.
- x. The institution is disbursing salary between Rs 30,000 to Rs 2,839 to its employees. This salary is not paid as per the Central/State Government pay scale.
- xi. The University is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xiii. College plot numbers S No.2516 dated 19/2/2026 and other things are not mentioned in the Uploaded building safety certificate. The institution has not upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xiv. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

6	2627202509162535	LOKMANYA TILAK COLLEGE OF TEACHER EDUCATION, CHORAHA, MAVLI, DABOK, UDAIPUR, RAJASTHAN-313022.	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Aresse (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. The Plot/Khasra No. 798 as mentioned in the NRC recognition Order is not mentioned in the CLU uploaded by the institution.
- iii. The institution has not uploaded LATEST Non-Encumbrance Certificate mentioning the Plot/Khasra, Order issued by issued by the Competent Govt. Authority. The institution is required to upload the same.
- iv. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- v. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- vi. The website of the institution is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time.
- vii. The institution has not uploaded certified copy of land documents in respect of Plot/Khasra No. 798 issued by Competent Government Authority.
- viii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- ix. The institution is required to upload the legible land documents copy of all Khasara Numbers. The institution is required to upload the Land related affidavit as per details filled in the online application portal.
- x. When did the applicant institution merge with in this Deemed University? It is mandatory to upload the related documents from the organization.
- xi. Has the applicant institution sought permission from NCTE to merge all teacher Education programs with the Deemed university? It is mandatory to upload the related documents from the organization. Affiliation of affiliated university and university seems to have been changed by the institution. The institute is required to upload the NCTE order in this regard.
- xii. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- xiii. The name of the applicant institution does not appear at the latitude and longitude coordinates provided in the online portal.
- xiv. College plot numbers No.1269 dated 9/1/2026 and other things are not mentioned in the Uploaded building safety certificate. The institution has not upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xv. In the premises of institution, they running so many courses. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. In the premises of institution, they running so many courses The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvii. The name of the applicant institution does not appear at the latitude and longitude coordinates provided in the online portal
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it

- xix. The institute must appoint a separate teaching faculty for each course. Uploaded teaching staff list is not as per NCTE norms. The institute is required to upload the list of teaching staff for all teacher education programs run by the institute as per NCTE norms.
- xx. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 37550.25. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/ premises i.e. Faculty of Computer Science & Information Technology, Faculty of Engineering & Technology, Faculty of Agriculture Faculty of Management Studies, Faculty of Medicine, Faculty of Law, Faculty of Science, Faculty of Social Science, Faculty of Humanities, Faculty of Earth Science, Faculty of Commerce, and research programme and other chairs and other courses The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Faculty of Education, Diploma in Elementary Education (D.El.Ed.) D Bachelor of Education (B.Ed) degree 6 units, Master of Education(M.Ed) degree. B.Ed. M.Ed (3 Year Integrated) and B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

7	2627202509162621	SURATGARH P.G. COLLEGE, SURATGARH, N.H. NO. 62, SURATGARH, SURATGARH, SRI GANGANAGAR, RAJASTHAN-335804	Transition B.A. B.Ed / B.Sc. B.Ed.
---	------------------	--	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- iii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iv. The institution is required to uploaded Certified land documents and lease deed in respect of Khasra No. 318/2 and 318/3 issued by the Competent Government Authority.
- v. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- vi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. As per the uploaded NEC land area is mentioned 4710 sq.yard. whereas the mentioned in the land details column is 8920 sq.mts. The land area is mismatched. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- viii. As per the uploaded Building Plan land area is mentioned 4710 sq.mts. whereas the mentioned in the land details column is 8920 sq.mts. The land area is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of

- institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
  - x. As per the uploaded Building Plan land area is mentioned 4710 sq.mts. whereas the mentioned in the land details column is 8920 sq.mts. The land area is mismatched. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
  - xi. The details of Fire Safety Certificate No. 55458 dated 04.10.2025 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). However, the Fire Safety Certificate is valid upto 03.10.2027 and the plot area mentioned on the portal of Rajasthan Government is 5914 sq. mts. whereas the institution has mentioned its total land area 8920 sq. mts.
  - xii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4893. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 400x3=1200, B.Sc.210x3=630. B.Com. 160x3=140, M.A.40x2=80, M.Sc. 40x2=80, M.Com. 40x2=80 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained
  - xiii. Committee noted that Institution has uploaded the Patta vilekh of the land on the name of SURATGARH EDUCATIONAL AND SOCIAL WELFARE TRUST in which Kh. No. is not mentioned and the area of the land is also mismatch with the mentioned area in the portal. Institution needs to upload the documents of total land 8920 sq.m. of Kh. No. 318/3 . The institution is required to upload the legible land documents copy.
  - xiv. The uploaded document is no proper. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot
  - xv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it
  - xvi. Teaching staff list is not signed by Registrar/competent authority. The institution is required to upload the proper teaching staff list as per as per NCTE norms
  - xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xviii. Library and reading room related facilities are not visible in the uploaded geotagged photographs
  - xix. ICT related facilities are not visible in the uploaded geotagged photographs.
  - xx. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

8	2627202509172638	MAHALA TEACHER'S TRAINING INSTITUTE REENGUS, KHATU ROAD (KHATUSHYAM JI ROAD), REENGUS, SIKAR, RAJASTHAN-332404	Transition B.A. B.Ed / B.Sc. B.Ed.
---	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded fire safety certificate on fire NOC portal is mentioned land area 23100 sq.mts. Whereas the land area is mentioned in the land details column is 24190 sq.mts. The land area is mismatched. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- ii. The website is not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The two applications (2627202509152311 and 2627202509172638) having identical name i.e. 'Mahala Teacher's Training Institute', and identical address i.e. Khatushyam Ji Road, Reengus, Sikar, Rajasthan-332404, for transition to ITEP have been received and both the institutions intend to collaborate with a single institution namely 'Mahala College' which is violation of Clause 4.3 (d) of NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions which is as under: "The collaborating Multidisciplinary HEI shall be allowed to collaborate with only one NCTE recognized Stand-alone TEI for this purpose."
- iv. The same society is running two colleges viz Application No 2627202509152311 and 2627202509172638 on the same land.
- v. The institution has not uploaded Not-for-profit Certificate approved by the Competent Authority.
- vi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- vii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The uploaded geotagged photographs show that furniture is not available in the multi-purpose hall
- xi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority..
- xii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993**

9	2627202509192920	SAMBAL COLLEGE OF EDUCATION, SHIVSINGHPURA, NAWALGARH ROAD, SIKAR, SIKAR, RAJASTHAN-332001.	Transition B.A. B.Ed / B.Sc. B.Ed.
---	------------------	---	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The Institution is required to upload the same.
- ii. The BCC is uploaded by the institution is approved by the Sarpanch Gram panchayat Shivsinghpura. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iii. TEI is required to upload the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. Institution has not uploaded the Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). vide certificate No. 57330 which is valid upto 27.09.2027 but the the plot area mentioned on the portal of Rajasthan Government is 9100 sq. mts. whereas the institution has mentioned its total land area 8000 sq. mts.
- v. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vii. The website is not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- viii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. Committee noted that in a same building the applicant college name Sambal College Of Education and another college name Sambal Mahavidyalay is reflecting. It was noticed by the committee that both the applicant college named 'Sambal College of Education' and the other college 'Sambal Mahavidyalaya' are existing in the same building.
- xi. Institution has uploaded the letter from the office of Assistant Engineer mentioning that the total distance between both the institutions is 0 KM which is signed by the Assistant Engineer. The institution is conducting degree courses in the same premises i.e. B.A.180x3=540, B.Sc.240x3=720,.PGDYT 40X2=80. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 4units, Innovative Shiksha Shastri (Sanskrit) 2units Diploma in Elementary Education (D.El.Ed.) 1 unit, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- xii. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- xiii. The uploaded list of teaching staff is not duly countersigned by its affiliating body and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale,

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

10	2627202509253229	SHIV MAHAVIDYALAYA, SAROLI, SAROLI MOD, DOONI, SAROLI, TONK, RAJASTHAN-304802	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course**

11	2627202510043659	SAINT SOLDIER MAHILA T.T. COLLEGE TONK, CIVIL LINE ROAD TAL KATORA CHOURAHA, TONK, RAJASTHAN-304001	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded certified copy of registered land documents duly issued by the Competent Revenue Authority.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- vii. Institution has submitted the affidavit of Kh. No. 3091, 3094 instead of land documents. Total land area 4000 sq.m. and total built-up area 5628.62 sq.m. is mentioned in the affidavit. Institution has also uploaded a certificate from the society in which Kh. No. 3091, 3093, 3094 is mentioned for the total land area of 11051.51 sq.m. The land area is mismatched. A lease deed is also uploaded by the institution however, the Kh. No. is not mentioned on it. The sufficiency of land and built-up area for courses 100 intake for B.A.B.Ed. / B.Sc. B.Ed. and 200 intake of B.Ed. and 50 intake of D.El.Ed course cannot be ascertained.
- viii. A flex banner with the name of the college is seen to be put up temporarily. This flex banner can be removed at any time.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show furniture in the multipurpose hall is inadequate.
- xi. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xii. The uploaded list of teaching staff is not duly countersigned by its affiliating body and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xiv. The institution is conducting Teacher Education courses i.e. Bachelor of Education (B.Ed) degree 4 units, Diploma in Elementary Education (D.El.Ed.) 1 unit. The sufficiency of land area and built-up area for the above courses and intake for B.A. B.Ed. Secondary (1unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

12	2627202509202955	BARJI DEVI MAHILA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA, KUDALI, NALA KA BALJI PIPRALI ROAD, SIKAR, RAJASTHAN-332024	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. TEI has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The Institution is required to update the same.
- iv. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).

- v. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vi. TEI has not uploaded the distance certificate issued by competent authority confirming that 'Barji Devi Mahila Shikshak Prashikshan Mahavidyalaya' and 'J.R. College', are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- viii. The uploaded teaching staff is not in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- x. The uploaded letter is NOC. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- xi. Committee noted that, The institution has uploaded land documents with khasra no.700 whereas khasra no.1173/700 mentioned in online portal.
- xii. A flex banner with the name of the college is seen to be put up temporarily. This flex banner can be removed at any time<sup>v</sup>
- xiii. The photos of the multi-purpose hall are not geotagged.
- xiv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xv. playgrounds and sports facility related facilities are not visible in the uploaded geotagged photographs

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

13	2627202509233101	THE ANKUR B.ED. COLLEGE TELOIN KA TALAB, NATHDWARA, KANWA BASTI, NATHDWARA, RAJASMAND, RAJASTHAN-313301	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. TEI is required to upload the same.
- ii. TEI has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The website has not been functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

- v. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- vi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. TEI is required to upload the same.
- vii. A geotagged photograph shows parts of the toilet and bathroom ceiling left unrepaired.
- viii. The date and year are not given in the uploaded Teaching staff/ faculty list. Also the signature of the Vidyapeeth authority does not seem correct and not in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- x. The institution has not uplodged geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

14	2627202509172699	RANA PRATAP MAHILA TEACHER TRAINING COLLEGE, BHINDER, NEAR PATROL PUMP, UDAIPUR, RAJASTHAN-313603	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institution.
- ii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iv. The website of the institution is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time.
- v. Authorization letter is NOT uploaded on the stamp paper as per admissible government rate.
- vi. Copy of NOC issued vide affiliating body letter No. MLSU/AFFI/B.A.B.ED-B.SC.B.ED/Affi./MLSU/2025-26/2523 dated 19/06/2025 as mentioned in the online application portal is not uploaded.
- vii. The institution has not uploaded the Not for Profit Certificate issued by the Govt. Competent Government Authority.
- viii. The institution has not uploaded Exemption Certificate (12A) issued by Income Tax Department.
- ix. The institution has not mentioned/uploaded the complete information of all members of Society/Trust on the portal.
- x. As per the has uploaded affiliation Order. However, the institution has not uploaded latest affiliation order for multidisciplinary course.

- xi. The institution has not provided the details of students admitted to the ongoing programmes countersigned by the affiliating body, and the required supporting documents have not been uploaded.
- xii. The institution is required to should provide proof that all khasara number i.e. Kh. No. 255,256,260,262,265,266,268,269,271,272,273 are a single plot, upload a proof issued by government competent authority. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot.
- xiii. The Institution is required to upload information of all programme/courses run by institution in the campus and the institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University
- xiv. For confirming the institution's eligible for transition into ITEP course as it is Collaboration institution is required to upload the affiliation order of liberal arts, science and commerce all programmes run by them with approved intake capacity and present intake capacity as a Multi-Disciplinary Institution
- xv. The institution has not uploaded land details Affidavit Rs. 100/- in prescribed format showing information filled online transition application portal.
- xvi. The institution is required to upload Mutation Certificate issued by Competent Authority of State Government.
- xvii. The institution is required to upload Land Use Certificate (CLU) issued by Competent Authority of State Government.
- xviii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xix. As per given geographic location, name of institution is mismatch with the Rana Pratap Mahila Teacher Training College on the google map.
- xx. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xxi. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xxii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff
- xxiii. On verification of information filled by institution in the online portal, Fire safety certificate bearing letter no.LSG/BHINDER/FIRENOC/2025-26/51205 Fire NOC (not issued) and status - rejected is shown in the online portal Fire Dept. Govt. of Rajasthan. The institution is required to upload valid Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- xxiv. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- xxv. The institution has not uploaded geotag photos of institution building Front view, Rear View, Multipurpose Hall, Library, Lab 1, Lab 2, Lab 3 and playground with date of photographs from different angles.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

15	2627202509162545	JAMNA GIRLS B.ED. COLLEGE, JEEVANPURA, SURERA, DANTARAMGARH, SIKAR, RAJASTHAN-332742	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The institution has not uploaded documentary evidence confirming that 'JAMNA GIRLS B.ED. COLLEGE' and 'JAMNA COLLEGE' are situated within the radius of 03 Kilometre's as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iv. The website of the institution is not functional. The website has not be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution has not uploaded the Exemption Certificate (12A) issued by Principal Commissioner of Income Tax.
- vi. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vii. Computer lab is available but ICT related facilities are not visible in the uploaded geotagged photographs.
- viii. In the geotagged photo uploaded, the name of applicant College Jamna Girls B.Ed. College' and name of multidisciplinary college Jamna College are reflected on any the same building
- ix. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5505.91. the applicant institution and Merger institution are running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 60x3=180, B.Sc.60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 4 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained
- x. The geotagged photographs uploaded show that the Library reading room the furniture are not available as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multidisciplinary programmes.
- xiii. The institute has uploaded the information of the teaching staff. The designation of the University Officer is not under seal. Therefore, the committee cannot say with certainty whether the given approval to the teaching staff profile is genuine or not.

- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

16	2627202509182790	VIVEKANAND GIRL TEACHER TRAINING COLLEGE, PALPUR, HARSOLI, BIBIRANI, ALWAR, RAJASTHAN-301702	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The website is not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not uploaded Building Plan with seal and signature of the competent Government Authority.
- iv. The institution has not uploaded Building Completion Certificate with seal and signature of the competent Government Authority.
- v. The total land of the institution is 3161 sqm only which is not sufficient for the existing B.Ed (2 units) and proposed ITEP course.
- vi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. The BCC is uploaded by the institution is approved by the Sarpanch Gram panchayat Patan Ahir. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises
- viii. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- ix. The constructed ramp appears to be temporary.
  - x. Uploaded teaching staff list is not as per NCTE norms. The institute has not uploaded the list of teaching staff for all teacher education programs run by the institute as per NCTE norms.
  - xi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
  - xii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
  - xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

xvii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

17	2627202510033640	RAGHUKUL TEACHER TRAINING COLLEGE RAGHUVIRPURA, CHITOR ROAD, BUNDI, BUNDI, BUNDI, RAJASTHAN-323001.	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload documentary evidence confirming that 'Raghukul Teacher Training College' and 'Patan Girls College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions, the documents should be issued by the competent authority of the Government.
- ii. The website has not be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- iv. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The institution is required to upload the Not-for-Profit Certificate issued by Government competent authority; it should be underlined/highlighted.
- vi. The institution has not uploaded a certificate to the effect that the proposal for collaboration between the institutions has been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. In the Land details, area mentioned 12636 sq.mts. whereas in the fire safety portal land area is mentioned 19702sq. mts. Both the land area is mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- viii. The institution has not uploaded Certified Land document in respect of Khasra No. 343/200,345/197.
- ix. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. and Converted land area issued by Competent Government Authority.
- xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.

- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xvi. The uploaded letter is NOC. The institution has not uploaded a certificate to the effect that the proposal for collaboration between the institutions has been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xvii. Uploaded teaching staff list is not as per NCTE norms. The institute has not uploaded the list of teaching staff for all teacher education programs run by the institute as per NCTE norms
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xix. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993..**

18	2627202510043687	SHREE MISHRI LAL DUBEY MAHILA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA AJGARI, AJMER ROAD, KEKRI, AJMER, RAJASTHAN-305404	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the same.
- iii. The institution is uploaded fire safety is expired on 11.03.2026. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx)
- iv. The Khasra No. is mismatch. The institution has not uploaded Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents. The institution has not uploaded Certified Land document in respect of Khasra No. 282, 707/282.
- v. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- vi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- vii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. In the land details Column, Total land area is mentioned 18527 sq.mts. and built-up area is 5574.1824 sq.mts. whereas in the Building Plan and BCC, total land area is mentioned 16121.8733sq.mts. The land area is mismatch. The institution is required to clarify the same and upload the proper evidence/documents regarding the same.
- ix. The institution has not latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) in respect of Khasra No. 282, 707/282 issued by the Competent Government Authority for all the courses being conducted in the premises.
- x. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5574.18. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.) 1 units. Shiksha Shastri (Sanskrit) 2units The sufficiency of land and built-up area for the above courses with of and intake for applied course B.A. B.Ed. Secondary (2 unit), Middle (2 unit), B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit), course cannot be ascertained.
- xi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
- xiii. The institution has not uploaded the Mutation certificate of 707/282.
- xiv. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xviii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xix. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xx. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xxi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

19	2627202509233132	SARASWATI COLLEGE OF TEACHERS TRAINING, DAUSA, AGRA BYPASS ROAD, DAUSA, RAJASTHAN-303303	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is conducting Teacher Education degree courses i.e. Bachelor of Education (B.Ed) degree 2 unit, Diploma in Elementary Education (D.El.Ed.) 3 units. The sufficiency of built-up 4218.52 area for the above courses with of and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- ii. The website has not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution has not uploaded Certified Land document in respect of Khasra No. 13/3.
- v. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- vi. In support of Change of Land Use and Mutation Certificate, the institution has uploaded the Patta issued by Nagarpalika, which is only for 3000+6347 sq. ft = 10347 sq. ft. which is not sufficient for running the ITEP course.
- vii. The institution has not uploaded Mutation Certificate issued by Competent Authority of State Government.
- viii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ix. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- x. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xi. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- xiii. Committee noted that, the uploaded Khasra No. is mismatch.
- xiv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
- xv. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded
- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xviii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

xix. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

20	2627202509162540	AMRITUM TEACHER TRAINING COLLEGE BATAWADI, BORINA ROAD, ANTA, BARAN, RAJASTHAN-325205	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload copy of Not-for-Profit Certificate issued by the concerned govt. competent authority.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. As per the affiliation order is uploaded by the institution is only conducting B.A. Programme. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iv. The website of the institution is not functional. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. As per the fire NOC portal, the Plot area is mentioned 17000 sq.mts. whereas the institution has mentioned on transition application portal its land area 6400 sq.mts. The land area is mismatch.
- vi. Committee noted that, On perusal of the construction documents regarding the construction area of the Institute, it was found that there is no construction area of 54489.98 square meters in possession of the Institute.
- vii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- viii. Committee noted that, The Institution has concealed the actual built-up area of construction of the building. The organization has no construction of 54489.98 sq. meters. The institution is conducting Teacher Education degree courses i.e. Bachelor of Education (B.Ed) degree 2 units,. Diploma in Elementary Education (D.El.Ed.) 1 unit. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- ix. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The uploaded geotagged photographs show that furniture is not available in the multi-purpose hall.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

- xiv. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- xv. Ramp related facilities are not visible in the uploaded geotagged photographs.
- xvi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

21	2627202509243217	GURUKUL TEACHER INSTITUTE KEKRI, BEAWAR ROAD, AJMER, RAJASTHAN- 305404	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- v. As per the Building Plan is uploaded total land area is not mentioned 8800 sq.mts. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. As per the uploaded BCC is mentioned land area is 4800 sq.mts. whereas the land area is mentioned in the land column is 8800 sq.mts. The land area is mismatched.
- vii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- viii. The institution is conducting B.A. 80x3=240 and many teacher education programme in the same premises i.e. Bachelor of Education (B.Ed) degree 4Units 200x2= 400. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed.

- Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. NCTE WRC Committee noted that Multidisciplinary institution is not running any science programme.
- ix. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
  - x. A geotagged photograph shows some part of the building left unrepaired.
  - xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
  - xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xiv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
  - xv. The institution is uploaded BCC mentioned Khasra No. 1588 whereas the institution mentioned in the land details Khasra No. is 9410/1588. The khasra No. is mismatch. The earmarked area for all teacher education programme is not mentioned in the BCC uploaded by the institution. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) mentioning all Khasra No. issued by the Competent Government Authority for all the courses being conducted in the premises.
  - xvi. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
  - xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
  - xviii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
  - xix. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
  - xx. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority..

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

22	2627202509182861	SHAILDEVI MAHAVIDYALAYA ANDA, JANJGIRI ROAD, DURG, DURG, DURG, CHATTISGARH-491221	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintain the website [WWW.SHAILDEVI.COM](http://WWW.SHAILDEVI.COM) in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

- ii. Committee noted that In the online application in the address column Khasra No.763/2 is mentioned whereas in the Recognition order in BA., BSc.B.Ed. course uploaded by the institution is Khasra No. 763. The Khasra no. is mismatch,
- iii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Chhattisgarh verifiable on the official portal of the Fire Department, Government of Chhattisgarh.
- iv. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vi. As per the uploaded BCC land area is 29200 sq.mts. Whereas the mentioned land area in the land details Column is 8300 sq.mts. The land area is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programme.
- vii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6370.57. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 60x3=180, B.Com. 60x3=180, B.Sc.120x3=360. B.C.A. 30x3=90, B.IIB & ISC 40x3= 120, M.Com 20x2=40 M.Sc. 20x2= 40, M.S.W. 40x2=80, M.Sc. cs 20x2=40 other courses PGDCA, PG Diploma. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Diploma in Elementary Education (D.El.Ed.). 2 Bachelor of Education (B.Ed) degree 2 units, B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- viii. The uploaded NOC is different. The institution is required to upload the NOC of affiliating body 2151/Academic/Annual Affiliation/NG-32/2024 dated 12/12/2024 as mentioned in the portal. The institution is required to clarify the same.
- ix. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- x. The uploaded building plan is not proper. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xi. The institution is running so many teacher education programmes in the same premises to check the human resources, the institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff
- xii. The uploaded building safety certificate is for 16/05/2025 to 31.3.2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xiii. The geotagged photographs uploaded show that the college does not have proper Ramp for each floor.
- xiv. Institution is running so many courses. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient for all running courses and for teacher education courses as per NCTE norms,
- xv. Institution is running so many courses. The geotagged photographs uploaded show that the Multipurpose Hall is not sufficient for all running courses and for teacher education courses as per NCTE norms, and furniture in the multipurpose hall is inadequate

- xvi. Institution is running so many courses. The geotagged photographs uploaded show that the Computer labs and ICT related facilities are not sufficient for all running courses and for teacher education courses as per NCTE norms.
- xvii. Committee noted that, The institution has uploaded affidavit on Rs.100/- non-judicial stamp paper in the name of Dr. K.N. Mishra, Principal of the institution dated 03.10.2025; but institution has filed in the Portal Mr. Rajan Kumar Dubey, Chairman it is mis-match with the declaration. The institution is required to clarify the same.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993 thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

23	2627202509132221	SWAMI VIVEKANAND MAHAVIDYALAYA JANAKPUR, PANNA, MADHYA PRADESH- 488001.	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution is required to upload the Affidavit on Rs. 100/- non-judicial stamp paper in prescribed format regarding land documents as per details filled in the online application portal.
- iv. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- v. The institution has uploaded Building Plan in the Name of SWAMI VIVEKANAND MAHAVIDYALA, JANAKPUR, PANNA (College Building First Floor Unit IV), Khasra No. not mentioned, Total Land area 1 H. and Built-up area 4000 sq.mt. and College Building G.F. Unit III Ground Floor Built up area 2000 sq.mt. issued by Sachiv and Surpanch, Gram Panchayat & Up Yantri Gramin Yantriki Sewa. However, the institution has not mentioned earmarked Land and Built up area for each course being run in the same premises along with approval letter issued by Govt. competent authority. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vii. The website INDIAMPPANNANGO.ORG of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- viii. The institution is required to upload the Mutation Certificate issued by government competent authority.

- ix. The validity period of Fire Safety Certificate uploaded by the institution is over. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of MADHYA PRADESH verifiable on the official portal of the Fire Department, Government of MADHYA PRADESH.
- x. The uploaded documents are not proper. Institution has NOT uploaded the NOC vide letter no. A330 dated 13/05/2025 issued by its affiliating body as mentioned in the online portal. The institution is required to upload the same.
- xi. The institution is required to upload Land Use Certificate (CLU) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. And the main point of CLU should be underlined highlighted the same.
- xii. The institution is running so many teacher education programmes in the same premises to check the human resources, the institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body and list of teaching staff should be in the prescribed format of NCTE and as per NCTE norms.
- xiii. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it
- xiv. The uploaded building safety certificate is for 03/10/2025 to 02.103.2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xviii. ICT related facilities are not visible in the uploaded geotagged photographs.
- xix. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions
- xx. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5000. institution is running various teacher education programme/ courses and other courses in the same campus/premises i.e. As per the website of institution, institution is running the B.Ed., D.ED., Diploma in Yoga, DMLT, BMLT, D.Pharam, ayurved, ITI. School, and other some Paramedical courses. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (2 unit), course cannot be ascertained
- xxi.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993 thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

24	2627202509263327	UMA VINDHYAVASINI SANSKAR MAHAVIDYALAYA LATORI, MAJHAPARA , BANARAS ROAD, LATORI, SURAJPUR, CHATTISGARH-497229	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and

documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution website " [HTTPS://UVSM.IN/](https://UVSM.IN/)" is not operational at the time of scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per the affiliation order uploaded by the institution in only conditioning programme B.A and M.A. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iv. The institution is required to provide proof that all khasra numbers i.e. 388/1,388/2,389/1,389/2,390/10,390/11,390/12,390/18,385 are in a single plot, upload a proof issued by government competent authority.
- v. As per the institution uploaded certified land document and mutation The institution has uploaded Mutation Certificate issued by the Anu Vibhagiya Adhikari-Revenue dated 12.12.2013 in respect of Survey No. 388/1 and total land area is 0.33 H (3300 sq.mt.), whereas as per the Land documents for Khasra No.388/1 uploaded by the institution, the land area is 0.66 hect. The land is mismatch in the documents uploaded by the institution.
- vi. Further, the Khasra No. 388/2 is neither mentioned in the mutation certificate nor in the land document uploaded by the institution. The institution is required to clarify the same and upload the evidence regarding the same.
- vii. The institution is required to upload the Building plan duly approved by the Govt. Competent Authority mentioning name of the institution, Name of the course, Khasra no./Plot no., total land area, total floor wise built-up area, and earmarked land and built up area for each course being run in the same premises along with approval letter issued by Govt. competent authority.
- viii. As per the institution has uploaded self authorized letter for B.A, B.Sc, B.Com, B.C.A, D.C.A,P.G.D.C.A, M.Sc and M.A and B.A.B.Ed. issued by UMA VINDHYAVASINI SANSKAR MAHAVIDYALAYA. The institution is conducting degree courses i.e. B.A. intake (140), BCA. intake (115), B.Com intake (60),DCA intake (40), PGDCA intake (40), MSc intake (90), M.A. intake (30) mentioned combined intake of 515. The sufficiency of land and built-up area for 515 intake of multidisciplinary courses and 50 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained. Since the institution has mentioned the total built-up area 4578 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- ix. The institution is required to Land Document mentioning all Khasra No. issued by the Competent Government Authority. The institution has not uploaded Affidavit on Rs.100/- non-judicial stamp paper in NCTE prescribed format regarding land documents.
- x. The institution is required to upload the proper Mutation certificate.
- xi. Committee noted that, the institution has uploaded Mutation Certificate issued by the Anu Vibhagiya Adhikari-Revenue dated 12.12.2013 in respect of Survey No. 388/1 and total land area is 0.33 H (3300 sq.mt.). But the institution mentioned in Land document Khasra No. 388/1 area 0.66 hect.. Both are mismatch.
- xii. Is the Sarpanch and Tahasildar is a competent authority to issue the Not-for-Profit Certificate? The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xiii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xiv. Committee noted that, In the Column of Address details of online application the Khasra No. 388/1 and 388/2 are mentioned whereas in the column of land details Khasra No.

- 388/1,388/2,389/1,389/2,390/10,390/11,390/12,390/18,385 are mentioned. The Khasra No. are mismatch
- xv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvi. As per the uploaded teaching staff list. The Age of Principal 68 years and 8 months. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it
- xviii. The institution has mentioned in the portal Building Safety Certificate vide letter No. 439 dated 05/08/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by the Competent Government Authority.
- xix. Ramp related facilities are not visible in the uploaded geotagged photographs
- xx. The institution is required to upload Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xxi. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded
- xxii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xxiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xxiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xxv. Committee noted that, The institution is conducting degree courses i.e. B.A. intake (140), BCA. intake (115), B.Com intake (60),DCA intake (40), PGDCA intake (40), MSc intake (90), M.A. intake (30) mentioned combined intake of 515. The sufficiency of land and built-up area for 515 intake of multidisciplinary courses and 50 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained. Since the institution has mentioned the total built-up area 4578 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

25	2627202509273397	SWAMI VIVEKANAND UNIVERSITY SIRONJA, NH-26 NARSINGHPUR SAGAR ROAD, SAGAR, MADHYA PRADESH-470228	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website <https://www.svnuniversity.co.in> is not existing. The institution is required to maintain and update its website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The University has mentioned Fire Safety Certificate bearing No. E/14/05/141 dated 29.05.2014 issued by Royal Impact Certification Ltd. instead of uploading Fire Safety Certificate. The University is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh.
- iii. The University is required to upload the Building Safety Certificate issued by the Competent Authority of the State Government.
- iv. The University is required to upload the Building plan duly approved by the Govt. Competent Authority mentioning name of the institution, Name of the course, Khasra no./Plot no., total land area, total floor wise built-up area, and earmarked land and built up area for each course being run in the same premises along with approval letter issued by Govt. competent authority.
- v. The University is required to upload the Building Completion Certificate duly approved by the Govt. Competent Authority mentioning name of the institution, Name of the course, Khasra no./Plot no., total land area, total floor wise built-up area, and earmarked land and built up area for each course being run in the same premises along with approval letter issued by Govt. competent authority.
- vi. The University is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vii. Committee noted that, In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 8532. the Private University is running Engineering, Management, Pharmaceutical Sciences, Law, Performing art and other so many department and multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 360x3=1080, B.Sc.240x3=720. B.Com. 90x3=270, M.A.30x2=60 M.Com 30x2=60, M.Sc. 30x2=60. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, Master of Education(M.Ed) degree 1 unit, Bachelor of Education (B.Ed) degree.(Part Time) 2 units, B.Ed. M.Ed (3 Year Integrated) 1 unit, B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary Secondary (1 unit), Middle (1 unit), course cannot be ascertained.
- viii. The uploaded document is not proper. The University is required to upload Documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises..
- ix. University upload only the B.A.-B.ED., B.ED, M.ED, The University is required to upload the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- x. The uploaded documents are not proper. The University is required to provide proof that all khasra number. i.e. PLOT NO1/1, 1/59 are in a single plot, upload a proof issued by government competent authority.
- xi. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it
- xii. The institution is running so many teacher education programmes in the same premises to check the human resources, the institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body and list of teaching staff should be in the prescribed format of NCTE and as per NCTE norms.
- xiii. Ramp related facilities are not visible in the uploaded geotagged photographs.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

- xviii. The uploaded geotagged photographs show that the laboratory, library and other laboratories are not in good condition.
- xix. The University is required to upload Building Completion Certificate in the prescribed format of NCTE (17 Points) indicating Khasra/Plot no. Total land area/Built-Up area issued by the Govt. Competent Authority.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

26	2627202509283404	SHREE JIVAN JYOTI TRUST, VAGHELA, AT VAGHELA, WADHWAN, SURENDRANAGAR, SURENDRANAGAR, GUJARAT-363030	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload the latest affiliation order from the Affiliating University for Multidisciplinary course (s). The institution is required to upload original affiliation order with translation copy of the same.
- ii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises
- iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- v. The institution has not uploaded Fire safety certificate issued by Fire Safety Department, Government of Gujarat.
- vi. The institution has uploaded Form No. 10AC in the name of JIVAN JYOTI TRUST issued Principal Commissioner of Income dated 02.10.2021 instead of The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vii. The institution has uploaded Land Use Certificate issued by Taluka Development Officer date 18.09.1991 instead of latest Non-Encumbrance Certificate issued by Govt. Competent Authority.
- viii. The institution is required to upload the translation copy of Jamabandi (Mutation Certificate) issued by competent authority.
- ix. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- x. As per the institution has uploaded land documents instead of the institution is required to upload the land related documents and with relevant affidavit as per NCTE norms.

- xi. The institution has NOT uploaded complete additional information on their website "WWW.JIVANJYOT.ORG" in compliance to provisions under Clause 7(14), 8(6), 10(3) of NCTE Regulation 2014 as amended from time to time

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

27	2627202509122184	B. R. KHOKHAR MEMORIAL SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA, KUCHAMAN CITY, PADAMPURA ROAD, DISTRICT DIDWANA- KUCHAMAN, NAGAU, RAJASTHAN-341508	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. . As per institution has uploaded 10AC instead of the institution is required to upload Exemption Certificate (12A) issued by Income Tax Department.
- ii. As per the institution has uploaded Fire Safety Certificate total area 3890 sq. mtr. mismatch with the land built up area 6368.96 sq. mtr. and Building Plan 6368.96 sq. mtr.
- iii. The website " www.brkeducation.com" of Institution is not maintained and updated complying all conditions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. Committee noted that, the address of Multidisciplinary institution is B.R.Khokhar Memorial Mahavidyalaya, Station Road, VPO- Palara, Kuchaman City, Didwana- Kuchaman and the institution recognised by NCTE is B.R.Khokhar Memorial Mahavidhyalaya, Padampura Road, Kuchaman City, Didwana- Kuchaman-341508. Both address are different.
- v. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- vi. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The institution has not uploaded latest affiliation orders issued by Affiliating University in respect of running B.A. and B.Sc. courses. Regarding Multi Disciplinary Programme(s) other than Teacher Education Programme(s), the institution has mentioned status of institution multidisciplinary (Itself) in the portal and uploaded B.A. and B.Sc. course affiliation order issued by Maharishi Dayanand Saraswati University, vide order No. ACAD.14(2152)ACAD.II/MDSU/2021/24875 Dated: 30.11.2021. The institution needs to submit the latest affiliation order.
- viii. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate No 587 Dated 04/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- ix. A Flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.

- x. In the geotagged photo uploaded, the name of applicant College “B. R. Khokhar Memorial Shikshak Prashikshan Mahavidhyalaya” and name of another college B. R. Khokhar Memorial Mahavidhyalaya are reflected on any the same building.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. ICT related facilities are not visible in the uploaded geotagged photographs.
- xv. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xvi. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.
- xvii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xviii. As per the documents uploaded by the institution, the name of multidisciplinary institution is not match with applicant institution. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6368.96. The institution is required to upload the latest affiliation order of running courses issued by university. the conducting degree courses. The institution is claimed that, institution is running i.e. B.A. 160x3=480, B.Sc.140x3= 420. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake Bachelor of Education (B.Ed) degree. 2 units, Diploma in Elementary Education (D.El.Ed.). 1 unit, B.Ed. for B.A. B.Ed. Secondary (1unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.

**Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.**

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)  
अध्यक्ष