
Re: FINAL MINUTES OF 455 (PART-V) OF WRC HELD ON 23 TO 25 MARCH 2026

From Shailesh Zala <shaileshzala@yahoo.co.in>
Date Tue 07-Apr-26 11:18 AM
To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Mon, Apr 6, 2026 at 12:41 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the final minutes of 455 Meeting (Part-V) of WRC held on 23-25 March 2026 for consideration and approval please.

Thanks and regards
Rashmi Shukla
Regional Director - WRC

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi

23 से 25 मार्च, 2026 को आयोजित पश्चिमी क्षेत्रीय समिति की 455वीं बैठक (भाग - V) का कार्यवृत्त

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 455वीं (भाग-V) बैठक 23 से 25 मार्च, 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित थे:

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत
3.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत (23- 24 मार्च, 2026)
4.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत
5.	डॉ. वीराल बी जादव	गुजरात राज्य सरकार के प्रतिनिधि	आभाशी (23 मार्च, 2026)
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य
3.	डॉ. करणम पुष्पनाधाम	सदस्य (25 मार्च, 2026)
4.	राज्य सरकार के प्रतिनिधि	गोवा
5.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
6.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
7.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
8.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
9.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
10.	राज्य सरकार के प्रतिनिधि	राजस्थान
11.	राज्य सरकार के प्रतिनिधि	गुजरात (24-25 मार्च, 2026)

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application	Name and address	Programme
---------	-------------	------------------	-----------

1	2627202509152403	MAHAVEER JAIN VIDHYALAYA SANSTHAN BADGAON BHINDER ROAD, KEER KI CHOWKI, BHINDER, UDAIPUR, UDAIPUR, RAJASTHAN-313603	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Even till the time of this scrutiny, the website of institution www.mjvsansthan.org has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5971.18. The Institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, M.A.40x2=80. Even though the Institution does not run B.Sc. course, but it has applied for B.Sc. B.Ed. course. Institution should upload the information of B.Sc. course, if the institution is running the same. As per the website of institution, MJV school and Mahaveer Jain vidhyalaya Sansthan D.El.Ed. (BSTC) are run by the trust. The sufficiency of land and built-up area for the above courses alongwith multidisciplinary courses and intake for 2 units of Bachelor of Education (B.Ed) course, 1 unit each of B.A. B.Ed. Secondary and B.Sc. B.Ed. Secondary courses cannot be ascertained.
- iii. The Institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- iv. The institution has uploaded the Revised Conversion Order bearing Kh. Nos. 3710/1013, 3661/1009, 3663/1009 whereas the institution has mentioned khasra nos. as 3310/1013, 3661/1009, 3663/1009 on the online portal. Hence, there is a mismatch of khasra nos. The institution has not uploaded Land Use Certificate (CLU) in respect of Khasra No. (3710/1013) issued by the Competent Authority. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority-.
- v. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- vi. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- vii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- viii. The name of Multidisciplinary college is Mahaveer College and the applicant institution recognised by NCTE is Mahaveer Jain Vidhyalaya Sansthan. Hence, there is a mismatch in the name. The institution is required to clarify this discrepancy.

- ix. The institution is required to upload the latest affiliation order from the Affiliating University for Multidisciplinary course (s).
- x. The institution has not uploaded the Mutation Certificate. In lieu of same, the institution has uploaded the Change of Land Use Certificate.
- xi. The Building plan uploaded is not readable. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area, total built-up area and earmarked for each course /school being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. The uploaded list of teaching staff duly countersigned by its affiliating body (the stamp and signature are not visible) is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. There is no furniture in the multipurpose hall.
- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. ICT related facilities are not visible in the uploaded geotagged photographs
- xviii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 303 issued on dated 27/06/202 (year is not visible). The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xix. The Fire NOC is not issued to the institution. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xx. Committee noted that as per the online application of the institution, the institution has mentioned Kh. Nos. 3310/1013, 3661/1009, 3663/1009 for total land area of 9420 in sq.m. and total built-up area of 5971.18 sq.mts. Which does not match with the uploaded land documents. In the uploaded documents, Kh. No. 554/1/1/3 is mentioned. The institution has not uploaded certified land documents mentioning Khasra no. 3310/1013, 3661/1009, 3663/1009 issued by the Competent Authority. Institution is required to upload the same
- xxi. Committee noted that the institution has not uploaded Mutation Certificate issued by Competent Authority of State Government. Institution is required to upload the same.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity to the institute for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice

2	2627202509182804	SANDESH COLLEGE AMARPURA,NAGAUR, ROAD,AMARPURA,NAGAUR,	DEH	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----	---

	<p>NAGAUR, NAGAUR, NAGAUR, RAJASTHAN-341001 341001</p>	
<p><u>Decision of WRC:</u></p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> i. Institution has uploaded Form 10AC whereas the institution is required to upload the Exemption Certificate i.e. Form 12A issued by the Income Tax Department or issued by competent authority of government. ii. As per the Fire Safety Certificate uploaded by the institute, it has a total area of 3608 sq. mtr., which does not match with the land area of 5665.55 sq. mtr. as declared by the institute. The same may be clarified. iii. Though, the institution has uploaded Building Plan. However, the institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. iv. In the uploaded Building Plan and BCC, institution has earmarked the entire land and built-up area of 5665.55 sq.mts for Teacher Education courses. No land and built up area has been demarcated for the multi-disciplinary courses. v. The institution is required to submit the demarcated site plan duly approved by the competent authority of the state government earmarking the land & built-up area for ITEP course and other courses/ school being run in the premises, as per the Guidelines issued by the Government of Rajasthan (निजी महाविद्यालय नीति) and available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf. vi. The website of the institution is not in compliance with para 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations. The Institution is required to upload the category of Institution in the institution details. vii. Copy of earlier uploaded CLU for Khasra No. 828/652 issued by Nagar Parishad, Nagaur (Raj.) is again uploaded. In the recognition order for B.A.B.Ed./B.Sc.B.Ed. course, the same khasra no. is not reflected. viii. Committee noted that, the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240s, B.Sc.140x3=420. B.C.A.60x3=180 The sufficiency of land and built-up area for the above courses alongwith the multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. ix. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms. 		

- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it.
- xi. The geotagged photographs uploaded show that the seating arrangement is not proper seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. Furniture in the multipurpose hall is inadequate
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. ICT related facilities are not visible in the uploaded geotagged photographs.
- xv. The institution is required to upload proper online Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xvi. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 139 issued on dated 21/04/2025. Valid up to 20/4/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xvii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xviii. Committee noted that, a copy of certificate dated 20-02-2026 issued by Tahasildar, Nagaur is uploaded along with a copy of letter dated 12-06-2017 addressed to RD, NRC for corrective action in the address. Khasra no. and address of the TEI as per transition application mismatch with the recognition order for B.A.B.Ed./B.Sc.B.Ed. course. TEI in its explanation submits "Sandesh College is running at Khasra No. 828/652, Deh Road, Amarpura, Nagaur (Raj.). NRC, NCTE had issued recognition letter to this college for B.A. B.Ed. / B.Sc. B.Ed. course in which the address of the society had been mentioned in place of college address. This institution had submitted a letter to NRC, NCTE for correction in the address of the college but NRC, NCTE had not taken any action. Copy of certificate issued by Tehsildar, Nagaur (Raj.) regarding address of the college, copy of letter submitted to NRC, NCTE for correction in the address of the college and copy of recognition order for B.A. B.Ed. / B.Sc. B.Ed. course are attached."
- xix. Copy of earlier uploaded CLU for Khasra No. 828/652 issued by Nagar Parishad, Nagaur (Raj.) is again uploaded. In the recognition order for B.A.B.Ed./B.Sc.B.Ed. course, the same khasra no. is not reflected. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Aresse (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

3	2627202509152311	MAHALA TEACHER'S TRAINING INSTITUTE REENGUS, KHATUSHYAM JI ROAD, REENGUS, REENGUS, SIKAR, RAJASTHAN-332404 332404	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded fire safety certificate on fire NOC portal of the state, land area is mentioned as 23100 sq.mts., whereas the land area mentioned in the land details column is 24190 sq.mts. Hence, there is a mismatch in the land area. The same may be clarified.
- ii. The website is not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The two applications (2627202509152311 and 2627202509172638) having identical name i.e. 'Mahala Teacher's Training Institute', and identical address i.e. Khatushyam Ji Road, Reengus, Sikar, Rajasthan-332404, for transition to ITEP have been received and both the institutions intend to collaborate with a single institution namely 'Mahala College' which is violation of Clause 4.3 (d) of NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions which is as under: "The collaborating Multidisciplinary HEI shall be allowed to collaborate with only one NCTE recognized Stand-alone TEI for this purpose."
- iv. The same society is running two colleges viz Application No 2627202509152311 and 2627202509172638 on the same land.
- v. The institution has not uploaded Not-for-profit Certificate approved by the Competent Authority.
- vi. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- viii. A Flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time
- ix. Library and Library reading room related facilities are not visible in the uploaded geotagged photographs
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. Furniture in the multipurpose hall is inadequate
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiii. The uploaded geotagged photographs show that the Science lab, library and other labs related facilities are not visible in the uploaded geotagged photographs.

- xiv. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale
- xvi. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xvii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority..
- xviii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

4	2627202509152455	VEER TEJA CO EDUCATION COLLEGE JAYAL, CHHAJOLI ROAD, JAYAL, JAYAL, NAGAUR, RAJASTHAN-341023 341023	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- (i) The institution is required to upload Exemption Certificate (12A) issued by Income Tax Department
- (ii) The institution is required to upload land details Affidavit on Rs. 100/- non-judicial stamp paper issued by Competent Authority of State Government.
- (iii) The website <https://vtcjayal.com/courses/> of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- (iv) Institution has uploaded list of teaching staff but the same is not approved by the registrar. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.

- (v) The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- (vi) The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

5	2627202509192894	RAJASTHAN COLLEGE, PALLU PALLU, NEAR GOUSHALA MEGA HIGHWAY ROAD, PALLU/RAWATSAR, PALLU, HANUMANGARH, RAJASTHAN-335522	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

6	2627202509233113	ROHET COLLEGE ROHAT, ROHAT, ROHAT, PALI, RAJASTHAN-306421.	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- iii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- iv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- v. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course / school being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The Mutation Certificate / Jamabandi is in the name of Smt Geeta Devi whereas the land documents uploaded are in the name of Rohat Public Shiksha Seva Samiti. The institution is required to upload the Mutation / Jamabandi in the name of Society.
- vii. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in Building Safety 722 issued on Dated 26/5/2025. The institution has not upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc. 80x3= 240. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- ix. The institution is required to upload legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xi. Bank statement has not been uploaded by the institution. It cannot be ascertained whether the Institute teachers are being paid the salary as per Central/State Govt
- xii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xiii. The institution is required to upload updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993 thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Show Cause Notice.

7	2627202509263359	SHEKHAWATI TEACHER TRAINING INSTITUTE SIKAR, BEHIND CIRCUIT HOUSE, JAIPUR ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001 332001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. Committee noted that, the No-Encumbrance-Certificate issued by the Sub Registrar and Tehsildar has no outward number.
- iv. The geotagged photographs uploaded show that the Ramp is not proper.
- v. Collaboration college and applicant institution has a distance between 0.35 kilometres is equal to approximately 1148 feet means both institution is running in the same premises. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 7152. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. BBA 180x3=540, B.Sc. 720x3=2160, M.Sc. 80x2=160, M.A/M.Sc. math 40x2=80, B.A. 420x3=1260 B.Com 420x3=1260, M.A. 40x2=80 M.Sc. 80x160, BA 180x3=540, M.Sc. (IT) 40x2=80, B.S.C. 60x3=180, M.A. 120x2=240, M.Com 120x2=240 The sufficiency of land and built-up area for the above courses along with the multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- vi. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in Building Safety AA/2023-24/D-525 issued on Dated: 30/5/2023. The institution has not upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- vii. The website of the institution is not in compliance with NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- viii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose/Seminar Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xii. ICT related facilities are not visible in the uploaded geotagged photographs..

- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. Committee noted that the institution has upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department valid upto 06.03.2026 (Expired) mentioning total plot area is 9700 sq. mt.
- xv. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xvi. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xvii. Bank statement has not been uploaded by the institution. It cannot be ascertained whether the Institute teachers are being paid the salary as per Central/State Govt.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

8	2627202510033637	SHRI B L INDORIA MEMORIAL COLLEGE OF EDUCATION HODSAR, RASOOLPUR ROAD, RAMGARH SHEKHAWATI, FATEHPUR SHEKHAWATI, SIKAR, RAJASTHAN-331024	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2776.45. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units. The sufficiency of land and built-up area for the above courses along with the intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- iv. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

- v. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vi. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- x. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xi. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 1818-1889 issued on dated 16/01/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xii. Built Up area (in square meters) mentioned in the affidavit in the land particulars is 2776.45. sq m). In BCC institution claimed total built up area earmarked for teacher training programme is 3623.54 Sq. Mt. both built up area do not match.
- xiii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulation.
- xvi. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

9	2627202509162626	SORABH COLLEGE OF TEACHER TRAINING SAWAI MADHOPUR, GUDASI ROAD, SAWAI MADHOPUR, SAWAI MADHOPUR, SAWAI MADHOPUR, SWAI MADHOPUR, RAJASTHAN-322001 322001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant institution is Sorabh College Of Teacher Training and the name of multidisciplinary college is Sorabh College Of Education. Both college names mismatch.
- ii. The institution has not uploaded Not-for-profit Certificate issued by the Govt. Competent Authority instead has uploaded certificate from Chartered Accountant.
- iii. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- iv. The uploaded CLU for commercial and educational purpose.
- v. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6754. The institution is conducting degree courses i.e. B.A. 120x3=360, B.Sc.60x3= 180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.) 2 units course cannot be ascertained.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. Upload the documents/evidence regarding the same.
- vii. The website of the institution is not properly functional as per NCTE norms. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. Upload the documents/evidence regarding the same.
- viii. The institution has not uploaded the building plan which mentions the names of all the courses run in the same premises of the institute, Khasra/Plot/Survey number and total land area and total built up area reserved for each course run in the locality and demarcated land and built up area for teacher education programs including multi-disciplinary programmes.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. Furniture in the multipurpose hall is inadequate.
- xi. committee noted that computer las is available. ICT related facilities are not visible in the uploaded geotagged photographs.
- xii. The committee noticed that the old building safety certificate has been re-uploaded.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

10	2627202509182833	VIVEKANAND INTEGRATED COLLEGE KUCHAMAN CITY DISTRICT NAGOUR RAJASTHAN KUCHAMAN CITY, , KUCHAMAN CITY, KUCHAMAN CITY, NAGOUR, RAJASTHAN-341508 341508	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant institution is Vivekanand Integrated Institution and the name of multidisciplinary Institution is Vivekanand Mahavidyalaya. Both Institutions name mismatch.
- ii. The institution has not uploaded, updated and maintained the website WWW.VIVEKANANDINT.ORG of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The committee noted that the old building safety certificate has been re-uploaded.
- iv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- v. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vi. committee noted that, The institution has admitted that in the BCC it was written in error. the original application the ground floor mentioned as 1628.11 sq. mt., first floor is 1612.08 sq. mt., 2nd floor is 1620.08 sq. mt. whereas the present BCC uploaded makes a mention as ground floor is 19388.50 sq. ft., first floor is 17346.00 sq. ft., Second floor is 17346.00 sq. ft., Third floor is 6811.50 was by mistake written and which is right are mentioned below- one ground floor is 19388.50 sq. ft., first floor is 17346.00 sq. ft., Second floor is 17346.00 sq. ft., Third floor is 1811.50 Sq. FT. is right one and correct BCC certificate is attached. The institution should make it clear that any other items have been written incorrectly in the application.
- vii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- viii. The uploaded list of teaching staff is not duly countersigned by its affiliating body and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- ix. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- x. Committee noted that, A geotagged photograph shows a temporary college name board/Flex. This college name board can be removed at any time, and another college name board can be installed in its place at any time.

- xi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5194. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.Sc.280x3= 840. The sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 2 units B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. NCTE WRC COMMITTED NOTED THAT, INSTITUTION is not running B.A. course but they apply for B.A. B.Ed. course.
- xii. committee noted that, As per the land details Column mentioned by the institution land area is 40000 sq.mts. whereas mentioned land area in the Fire NOC portal is 5349 sq.mts. The land area is mismatch.
- xiii. The committee noticed that the institution has been re-uploaded a copy of NEC dt. 10.06.2024 issued from the office of Tehsildar. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

11	2627202509172640	MANDIYA T T COLLEGE MANDIYA NAGAR, NEAR KOTWALI POLICE STATION, NEEM KA THANA, NEEM KA THANA, SIKAR, RAJASTHAN-332713	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution is required to upload a certificate to the effect that the proposal for collaboration between the institutions has been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. Committee noted that, Kh. No. mentioned in the land documents is 2504 and 2503/2 but the jamabndi is attached of Kh. No. 2303/3 and 2504 which is mismatch and the Kh. No. 2504,2503/3 is submitted by the institution in particulars. Documents of Kh. No. 2503/3 is not uploaded by the institution. The total land area is mentioned by the institution is 6323 sq.m. but in document 1391 sq.m of Kh.No. 2503/2 is mentioned and 1bigha 19 biswa (1270.9+2529.29) sq.m of Kh. No. 2504 is mentioned which is mismatch. The Khasra nos. and land area mismatch among the uploaded documents. The land documents of Khasra no.

- 2503/3 are not uploaded by the institution. The land area mentioned on the online portal, Affidavit and Sale Deed mismatch.
- iv. A Flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
 - v. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - vi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
 - vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
 - viii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
 - ix. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
 - xi. The uploaded list of teaching staff duly countersigned by its affiliating body is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
 - xii. committee noted that, the institution has not uploaded Certified land documents mentioning all Khasra No. is issued by the Competent Government Authority.
 - xiii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
 - xiv. The committee noticed that the old building safety certificate has been re-uploaded.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

12	2627202509203016	MURLI MEMORIAL T.T.COLLEGE KHATUSHYAMJI, LAMIYA RAOD, DANTARAMGARH, KHATUSHYAMJI, SIKAR, RAJASTHAN-332602 332602	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- iv. committee noted that, as per the mentioned Khasra No. in the address column is 4978/2666, 5062/4977, 5063/4977. Whereas the Khasra No. is mentioned in the uploaded Recognition order is 2666/2. The khasra No. is mismatched. Proper Jamabandi of Khasara No2666/2 has not been uploaded.
- v. The institution has not updated and maintained the website www.murlicollege.in of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. committee noted that, in response to this point, the institution has uploaded blank page In google map, given geographic Location of the institution shows “Murli Memorial Degree College”.
- vii. committee noted that, the institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. In this column many documents are uploaded by the institution.
- viii. The institution has uploaded NEC dt. 11.12.2023 issued by Tehsildar. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- ix. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. D-395 issued on dated 05/07/2023.
- x. committee noted that, in response of Fire Safety, the institution has uploaded blank page , the institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xi. committee noted that, the institution has not uploaded Building Plan, Instead of uploading Building Plan the institution has uploaded BCC.
- xii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4165. The applicant the institution and collaboration institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 120x3=360, B.Sc.120x3=360. The sufficiency of land and built-up area for the above courses along with multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- xiii. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- xiv. Library and reading room, the Multipurpose Hall, Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

13	2627202509172720	BHAGWATI MAHAVIDHYALAYA GANGAPUR CITY, NASIYA COLONY, GANGAPUR CITY, GANGAPUR CITY, SWAI MADHOPUR, RAJASTHAN- 322201 322201	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for Merger between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iv. committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1444 issued on dated 04/09/2024.
- v. Committee noted that, the name of the institution does not appear at the latitude and longitude coordinates provided in the online portal
- vi. The institution has not updated and maintained the website <HTTPS://BBVS.IN/> of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- ix. The geotagged photographs uploaded show that the furniture in the multipurpose hall is inadequate.
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and **Allotment**) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xii. committee noted that, The Fire Safety Certificate is not issued to institution. the institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of

- Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

14	2627202509233138	SAINT MEERA SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA NATHDWARA, 01 VILLAGE JHAMBUTALAB, RAJSAMAND, NATHDWARA, RAJASMAND, RAJASTHAN-313301 313301	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for Merger between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. Committee noted that, as per given Geographic location filled on the portal, the name of institution is not reflecting in the google map.
- iii. This website <https://www.smlc.org/> is in the name of ST MATTHEW LUTHERAN CHURCH. The website of the institution is not functional. The website is required to be functional, created, maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. Institution is uploaded new website i.e. <https://smttc.in> The website of the institution is not functional.
- v. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- x. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xi. The documents uploaded regarding the Mutation (Jamabandi) certificate are not legible, so the committee cannot ascertain whether the correct Mutation (Jamabandi) has been uploaded or not.
- xii. The institution has not submitted the demarcated site plan duly approved by the competent authority of the state government earmarking the land area & built-up area for ITEP course and other courses/ school being run in the premises.
- xiii. CLU is approved by Sarpanch. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority
- xiv. Fire safety certificate not issued to institution. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xv. The institution has not uploaded documentary evidence confirming that 'Saint Meera Shikshak Prashikshan Mahavidhyalaya' and 'Saint Meera Unnati College' are situated within the radius of 3 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xvi. The institution has not uploaded the bank statement hence it cannot be ascertained that salary is being paid to the teaching staff as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xvii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xviii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xix. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xx. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xxi. committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 5250 issued on dated 02/02/2026

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

15	2627202509132236	PRIYA SHIKSHAK PRASHIKSHAN SANSTHAN KHICHARO KA BASS, CHOUDHARY DHARAM KANTA, JAIPUR ROAD, SIKAR, SIKAR, SIKAR	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. A geotagged photograph shows that water storage tank is very old.
- iv. Ramp and Lift related facilities are not visible in the uploaded geotagged photographs.
- v. The name of applicant College is not reflected on Main part of building in the geotagged photo uploaded. In a one part of channel gate a board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- vi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- vii. Library and reading room related facilities are not visible in the uploaded geotagged photographs.
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- x. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4000. The institution is conducting the teacher education Bachelor of Education (B.Ed) degree. 2 units B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit). The sufficiency of land area and built-up area for the above courses and intake for above course cannot be ascertained.
- xii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xiii. The institution has not uploaded a proof that all khasra numbers i.e. 342,344, 345, 346, 236,237,238, are in a single plot, upload a proof issued by government competent authority.

- xiv. The institution website " priyaeducationgroup.com" is not operational at the time of Scrutiny The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xv. committee noted that, as per the building plan and BCC uploaded, the institution has mentioned the total land area as 3000 sq.m. whereas in the application form, the institution has mentioned the land area as 4000 sq.m. The institution is required to clarify this discrepancy.
- xvi. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. The institution has not uploaded the Not for Profit Certificate issued by the Competent Government Authority.
- xviii. committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. AA/2024-25/D-72940 issued on dated 19/03/2025

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

16	2627202509233123	SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE REENGUS, SMPR ROAD, REENGUS, REENGUS, SIKAR, RAJASTHAN- 332404 332404	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

First SCN sent to

F.No.NCTE/WRC/2627202509233123/RAJASTHAN/2025/SCN Dated: 23/01/2026 No reply

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same.
- ii. The Institution is required to upload the category of Institution in the institution details
- iii. The institution has mentioned Plot Nos. 3511 and 3514 in the address column of the online application, whereas in the WRC Recognition Order dated 12/12/2020 uploaded by the institution, ONLY Plot No. 3511 is mentioned. The institution is required to clarify the same.

- iv. The name of the Multidisciplinary college is Shri Taijal Shikshan Sansthan Girls College and the name of ITEP College is SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE. Both colleges name mismatch.
- v. The Institution is required to upload the Authorization letter on the stamp paper as per admissible government rate.
- vi. The institution is required to upload the NOC of affiliating body vide letter No. P- 32764-768 dated 01/07/2025 as mentioned in the portal.
- vii. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- viii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- ix. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- x. The institution is required to upload the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- xi. WR Committee noted that, the name of the Multidisciplinary college is Shri Taijal Shikshan Sansthan Girls College and the name ITEP College is SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE. Both colleges name mismatch. If assume that the applying institution is running degree courses i.e. B.A..300x3=900, B.Sc. 140x3=420, M.A. 160x2=320, M.Sc.40x2=80, the sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 2 units, B.A. B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- xii. The institution is required to provide proof that all khasra numbers i.e. 3511, 3514, are in a single plot, upload a proof issued by government competent authority.
- xiii. The institution has mentioned the Khasra No. 3511,3514 in the online application. However, the Khasra No.3514 is not mentioned in the mutation Certificate uploaded by the institution. The institution is required to clarify the same.
- xiv. The institution has mentioned the Khasra Nos. 3511,3514 in the online application. However, the Khasra No.3514 is not mentioned in the CLU uploaded by the institution. The institution is required to clarify the same.
- xv. The institution has uploaded the NRC Recognition Order dated 04/09/2008 and revised recognition order dated 06/05/2015 for B.Ed. course wherein the name of the institution is mentioned as Shri Taijal Teacher Training College. There is a mismatch in the name of the institution across the uploaded documents.
- xvi. The institution has uploaded the following land documents: (a) Gift Deed of Khasra No. 3511 with a land area of 0.74 hectare, executed on 13.01.2012 in favour of Shri Taijal Shikshan Sansthan; (b) Sale Deed of Khasra No. 3514 with a land area of 0.99 hectare, executed on 08.11.2011 in favor of Shri Taijal Shikshan Sansthan. However, in the online application under the land details column, the Khasra Nos. are listed as 3511 and 3514 with a total land area of 8,511 sq. m and a built-up area of 5,588.83 sq. m. Further, the date of registration of land is mentioned as 22.12.2007, which predates the execution of both land deeds (2011 and 2012). Moreover, the affidavit in respect of land has NOT been uploaded by the institution. The institution is required to clarify the same.
- xvii. The institution has uploaded the Jamabandi (Khasra Khatoni) for Khasra No. 3511, which is signed by the Tehsildar, Sikar. However, the institution has not uploaded the Mutation

- Certificate or Jamabandi covering all Khasra numbers and land areas, issued by the competent government authority, which is verifiable on the Rajasthan Government digital land records portal.
- xxviii. The institution has not uploaded the Change of Land Use (CLU) Certificate mentioning all the Khasra numbers for the total land area of 8511 sq. mts., issued by the Government Authority. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xix. The institution has not uploaded LATEST Non-Encumbrance Certificate issued by the Competent Govt. Authority mentioning the Khasra nos. and total land area and built-up area.
- xx. The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal.
- xxi. The institution has uploaded the Building Plan, approved by the Assistant and Executive Engineer, in which Khasra Nos. 3511 and 3514 are mentioned. The total built-up area is mentioned as 5,588.83 sq. m, and the total land area is 8,511.00 sq. m. The date of registration of the land is stated as 05.05.2008, which predates the execution of both land deeds (2011 and 2012). The Building Plan, however, does not specify the earmarked land area and built-up area for each course being conducted on the premises, nor does it indicate the demarcated land area and built-up area allocated for Teacher Education Programmes.
- xxii. The institution has not uploaded the Building Safety Certificate as per the norms of the National/State Disaster Management Authority, issued by the competent government authority.
- xxiii. The details of Fire Safety Certificate No. 40720 dated 01.10.2024 mentioned by the institution is issued by the Fire Officer, Nagar Parishad, Sikar, as mentioned by the institution, are verifiable on the Rajasthan Government online portal at the URL provided by the institution. However, the validity of this certificate is only up to 30.09.2025. The certificate is expired. Furthermore, the plot area mentioned on the Rajasthan Government portal is 3500 sq. m, whereas the institution has declared its total land area as 8586 sq. m, indicating a discrepancy in land area details. The institution is required to clarify the same and upload the evidence regarding the same.
- xxiv. The institution has uploaded the Building Completion Certificate, which indicates a total land area of 8,586 sq. m and a built-up area of 5,588.83 sq. m. However, the certificate does not specify the land area earmarked exclusively for Teacher Training Programmes. The institution has shown the entire built-up area of 5,588.83 sq. m as earmarked for Teacher Training Programmes for two institutions, namely Shri Taijal T.T. College and Shree Taijal B.A. B.Ed. Integrated College. As per the land and building documents uploaded by the institution, the total built-up area available is only 5,588.83 sq. m, If the entire built-up area is designated for Teacher Education Programmes, it remains unclear where the institution is conducting its Multi-Disciplinary Courses.
- xxv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xxvi. The institution is required to upload the list of teaching staff of all Education Faculty Programme duly approved and countersigned by its affiliating body. The institution is required

- to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- xvii. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilets indicating the longitude and latitude with date of photograph.
- xviii. The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

17	2627202509263323	SRI VINAYAK COLLEGE THIRTY TWO G.B, SRI VIJAYNAGAR, ANUPGARH ROAD, SRI VIJAYNAGAR, SRI VIJAYNAGAR, SRI GANGANAGAR, RAJASTHAN-335704 335704	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

The final SCN was sent to the institution on 03.02.2026: however, the institution did not submit any reply within the stipulated time period of 7 days. Institution was required to submit clarification and documents in respect of following points:

- (i) The institution is required to upload the certified documents/documentary evidence that both institutions proposed for collaboration are affiliated with the same university, issued by competent authority.
- (ii) The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the approval letter/Certificate of affiliating University regarding the collaboration between the Institutions.
- (iii) The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the certificate issued by the Government of Rajasthan.
- (iv) The institution is required to upload documentary evidence confirming that 'Sri Vinayak College' and 'Gurugram Degree College', are situated within the radius of 10 Kilometers,

- as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- (v) The Institution is required to upload the category of Institution in the institution details through online portal.
 - (vi) The website of institution <https://www.shrvinayakcollege.com/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE regulations.
 - (vii) The Institution is required to upload the Authorization letter on the stamp paper as per admissible government rate.
 - (viii) The institution is required to upload the NOC of affiliating body vide letter No. F.07(199)/MGSUB/EDU-1/2025/4507 dated 28/06/2025 as mentioned in the portal.
 - (ix) The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
 - (x) The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
 - (xi) In the column of Society/Trust/Company members information, the institution has filled information of Chairman/president/Secretary and treasurer with PAN & Aadhar no. only. It is required to mention all Society members with PAN & Aadhar No.
 - (xii) The institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
 - (xiii) The institution is conducting Teacher Education degree courses i.e. Bachelor of Education (B.Ed) degree 2 units. The sufficiency of land area and built-up area for the above courses with of intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
 - (xiv) The institution is required to provide proof that all khasra number i.e.32 GB,MURBA NO.182/424(17),KILA NO. 8,9,10 CHAK 1 C.D.M.(B) STONE NO.237/409, MURBA NO.36 KILLA NO.05 are in a single plot, upload a proof issued by government competent authority.
 - (xv) The uploaded Land documents are not proper. They uploaded two types of documents i.e. one is lease deed and another is sale deed. The institution is required to clarify the same and upload the evidence regarding the same.
 - (xvi) The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
 - (xvii) The institution was granted recognition by NCTE in 2017 for B.Ed and B.A. B.Ed / B.Sc. B.Ed course. The land documents so uploaded in the portal are registered in 2022 i.e. after the grant of recognition by NCTE. The institution has shifted to the new premises without approval from NCTE, which is a violation of the provisions of NCTE Regulations. The institution is required to clarify the same.
 - (xviii) The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
 - (xix) The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.

- (xx) The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- (xxi) The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- (xxii) The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilets indicating the longitude and latitude with date of photograph.
- (xxiii) The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- (xxiv) The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- (xxv) The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- (xxvi) The institution is required to submit the demarcated site plan duly approved by the competent authority of the state government earmarking the land area & built-up area for ITEP course and other courses/ school being run in the premises.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

18	2627202509162632	AGARWAL GIRLS TT COLLEGE MERTA CITY, RAWAN MELA MAIDAN KE PASS, MERTA, MERTA CITY, NAGAU, RAJASTHAN-341510 341510	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

The institution was issued final SCN vide dated 27.02.2026. The stipulated time period of seven days is over. The institution has not uploaded any reply to Final SCN, Institution was required to submit clarification and documents in respect of following points but did not

- (i) The website of the institution is not functional. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- (ii) The name of the Multidisciplinary college name is Agarwal Girls College and Teacher training college name is AGARWAL GIRLS TT COLLEGE. Both college names mismatch.
- (iii) The institution accepted that both AGARWAL SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA (Application No 2627202509162633) & AGARWAL GIRLS TT COLLEGE (2627202509162632). Are running in the same land i.e. Khasra No. 1966.
- (iv) The institution has uploaded Building Completion and Safety Certificate dt. 26.05.2025 alongwith copy of Building plan approved by Tehsildar & Executive Enigneer, However, the size of the classrooms are not clearly readable.
- (v) The Building Completion Certificate uploaded is not in the format of NCTE.
- (vi) Moreover, the reply submitted by the institution is not acceptable in view of the fact that the built-up area can be increased but not decreased.
- (vii) The size of First Floor in earlier Bldg plan is 2044.16 sqm, whereas the present one uploaded makes a mention of 1982.15 sqm.
- (viii) Keeping in view the fact that the size of ground floor has been increased the size of First floor would also have been increased but cannot be decreased.
- (ix) The institution should upload the building plan and other land documents as per the explanation given in the reply.
- (x) The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority. The institution is required to upload the same.
- (xi) The institution has uploaded copy of Building plan approved by Tehsildar & Executive Enigneer, However, the size of the classrooms are not clearly readable. The institution is required to upload the legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- (xii) The uploaded document is not relevant and proper. The institution is conducting degree courses i.e. B.A. 140x3=420, B.Sc.150x3= 450. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree.2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained.
- (xiii) The uploaded document is not relevant. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises issued by government competent authority.
- (xiv) The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. The Institution is required to upload the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- (xv) Bank statement has not been uploaded by the institution. It cannot be ascertained whether the Institute teachers are being paid the salary as per Central/State Govt.
- (xvi) The uploaded CLU is not in the format. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land

<p>for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.</p> <p>(xvii) The NEC uploaded is issued in Jan 2025. The institution is required to upload the latest NEC.</p> <p>(xviii) A geotagged photograph shows that the board with the name of the college is seen to be put up temporarily. This board can be removed at any time. The institution is required to clarify the same and upload the documents/evidence regarding the same</p> <p>(xix) A geotagged photograph shows part of the building left unrepaired. The institution is required to clarify the same and upload the documents/evidence regarding the same.</p> <p>(xx) The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms. The institution is required to clarify the same and upload the documents/evidence regarding the same</p> <p>(xxi) The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate. The institution is required to clarify the same and upload the documents/evidence regarding the same</p> <p>(xxii) The uploaded geotagged photographs show that the lab, library and other labs are not in good condition. The institution is required to clarify the same and upload the documents/evidence regarding the same.</p>	
<p>Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.</p>	

19	2627202509223053	BHARTIYA BALIKA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA CHANDPURA, BIKANER BY PASS ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332021 332021	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant institution is Bhartiya Balika Shikshak Prashikshan Mahavidyalaya and name of multidisciplinary institution is Bhartiya Mahila P.G. Mahavidyalaya. Hence, there is a mismatch with respect to the name of the college.
- ii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- iii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 1906 issued on dated 03/10/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.

- iv. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. Copy of building plan certified by Sahayak Abhiyanta is uploaded showing Khasra No.303/164,306/164 Total land area 11100 sq.mts. and earmarking built up area in the name of BHARTIYA BALIKA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA, BIKANER BY PASS ROAD, CHANDPURA, SIKAR Block-A (G.F.+F.F.+S.F.) B.Ed. and B.A. B.Ed./B.Sc. B.Ed. (Built up area 3000 sq.mts.) and B.A. , M.A. (built up area 1500 sq.mts.) and in the name of BHARTIYA MAHILA PG MAHAVIDYALAYA, CHANDPURA, SIKAR RAJ. Block-B (G.F.+F.F.) M.SC., B.SC. (built up area 2214.97 sq.mts. Khasra nos. mentioned in the building plan is not reflected in the recognition order for B.A.B.Ed./B.Sc.B.Ed. course.
- vi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. Institution is required to upload certified land document in respect of Khasra No. 306/164 issued by the Competent Government Authority.
- ix. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. The Institution is required to upload the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution is required to upload the bank statement of teaching staff to verify it.
- xi. The website of the institution is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- xii. As per given geographic location, name of institution “Bhartiya Institute of Engineering &...” is shown on the google map. As per transition application geographic location coordinates with latitude 27.5711109 and longitude 75.1437159 pertains to the institution, whereas different latitude 75.14382487591412 and different longitude 27.571001100291976 are mentioned in its reply to point of SCN. A copy of screenshot is uploaded.
- xiii. A copy of NEC dated 25-02-2026 in respect of Kh. No. 303/164,306/164 (Area not mentioned) issued by Tahasildar, Sikar is uploaded
- xiv. Two different college name board i.e. applicant college name and multidisciplinary college name are seen on the college building
- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- xviii. Number of Computer are not sufficient in labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xix. The institution is conducting degree courses i.e. B.A. intake (660), BSc. intake (300), M.A. intake (160), M.Sc. intake (200), combined intake of 1320. The sufficiency of land and built-up area for 130 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. and 200 intake for B.Ed. course cannot be ascertained. Since the institution has mentioned the total built-up area 4500 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC uploaded by it. No built area is earmarked for teacher education.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

20	2627202509293456	CAMBRIDGE PG GIRLS COLLEGE KANWAT, SHAHPURA ROAD, KHANDELA, KANWAT, SIKAR, RAJASTHAN-332708 332708	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

21	2627202509263321	SARASWATI BAL NIKETAN COLLEGE SHYAMPURA MAINANA MAINANA, MAINANA, BUHANA, BUHANA, JHUNJHUNU, RAJASTHAN-333502 333502	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines

issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant institution is Saraswati Bal Niketan College and name of multidisciplinary institution is Saraswati Bal Niketan College Mahavidyalaya. Both college names mismatch
- ii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iii. Fire certificate NOC no. 43123 check on the website the of place is HOTEL CELEBRATIONS PRIDE. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- iv. The institution has now applied for Fire Safety Certificate vide application no. LSG/Singhana/FIRENOC/2025-26/66224 on 05.03.2026. checked on official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. and found NOC NOT issued till date
- v. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- vi. the institution has not uploaded the Exemption Certificate (Form 12A), institution is required to upload the same.
- vii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. the condition of furniture is so poor and furniture in the multipurpose hall is inadequate.
- viii. The geotagged photographs uploaded show that the multi-purpose hall is not up to NCTE standards. The condition of the furniture is very bad and the furniture in the multi-purpose hall is inadequate.
- ix. The geotagged photographs uploaded show that the college does not have adequate sports facility and playgrounds.
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- xii. the institution has not upload the Computer labs and ICT related facilities geotagged photographs.
- xiii. The uploaded certificate is approved by Sarpanch. The institution has not uploaded Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the library is not functional.

- xvi. From uploaded building plan committee cannot ascertain the demarcated land and built-up area for each course. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

22	2627202509233120	GYAN VIHAR SCHOOL OF EDUCATION, SURESH GYAN VIHAR UNIVERSITY, JAIPUR JAGATPURA, MAHAL ROAD, SANGANER, JAIPUR, JAIPUR, RAJASTHAN-302017 302017	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

23	2627202509162614	SHYAM ADARSH SHIKSHA MAHAVIDYALAYA PURAINA, PURAINA, HUZUR, REWA, REWA, MADHYA PRADESH-486001 486001	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- iv. The institution has not uploaded the Fire Safety Certificate issued by the Competent Authority of the Government of Madhya Pradesh.
- v. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- viii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- ix. ICT related facilities are not visible in the uploaded geotagged photographs
- x. A geotagged photograph shows some part of the building left unrepaired.
- xi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xii. The institution is conducting degree courses i.e. Bachelor of Education (B.Ed) degree. 2 Units, 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree 2 Units. The sufficiency of land and built-up area for the above courses cannot be ascertained.
- xiii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiv. The institution has not uploaded/provide proof that all khasra numbers i.e. 921, 921/2/2, 922/1, 922/2, 926, 926/2/2, 924/2, 911/2 are in a single plot.
- xv. The institution has not uploaded the Certificate regarding Not-for-Profit issued by the Competent Authority.
- xvi. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xvii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

24	2627202509162605	SORABH COLLEGE OF EDUCATION TALUKA MANDAL DAUSA TOWN KHADLI CITY DAUSA, VILLAGE KHADLI, STREET NEAR GORDHAN TEMPLE NH-11, DAUSA, DAUSA, DAUSA, RAJASTHAN-303303 303303	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution <https://www.sce-dausa.in/b-ed> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations. The Institution is required to upload the category of Institution in the institution details.
- ii. Building Plan is uploaded by the institution and approved by the Assistant Engineer. Details of built-up area provided for infrastructural facilities regarding academic wing, administrative wing and other amenities are not reflected in the building plan uploaded by the institution as per ITEP Regulations, 2021. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area along with the area of land earmarked for each course i.e. school, college and other course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 12316 issued on dated 11/09/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- iv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- v. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- vii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- viii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- ix. TEI has uploaded fire safety certificate in the name of "Sorabh College Of Education" valid up to 23-02-2028 with approved plot area 5000 sq.mts. in the online application, the institution

	<p>has mentioned in the land details, sin which the area of the land has been mentioned as 10000 square meters. Both land area mismatch.</p> <p>x. committee noted that, Order issued by The High Court of Delhi regarding recognition order dated 4.8.2025 in connection with existing Teacher Education Programme(s) 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree has been uploaded.</p> <p>xi. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.</p> <p>xii. The institution must upload the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms.</p> <p>xiii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.</p> <p>xiv. The institution has uploaded Form No 10 AC. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.</p> <p>xv. committee noted that, If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 120x3=360, B.Sc.60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained.</p>
--	---

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

25	2627202509223047	<p>SHRIMATI RAMDEVI COLLEGE OF EDUCATION BANMORE, BANMORE GAUN, BANMORE, BANMORE, MORENA, MADHYA PRADESH-476444 476444</p>	<p>Transition B.A B.Ed / B.Sc. B.Ed</p>
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

- ii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE..
- iii. The geotagged photographs uploaded show that the Multipurpose Hall is not proper and not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- iv. The institute is trying to prove that the labs are in good condition, but geotagged photographs uploaded show that the computer lab, library and other labs are not in good condition.
- v. The institution is running 1 unit of B.Ed. and 2 units of B.A. B.Ed. and B.Sc. Bed. However, the geotagged photographs uploaded show that the library infrastructure is not proper and also the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vi. The geotagged photographs of playground uploaded by institution show that the college does not have adequate sports facility.
- vii. The uploaded geotagged photographs show that the overall condition of the building is not good. No students were seen anywhere in the college photograph.
- viii. Even till the time of this scrutiny, the website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ix. The institution has uploaded Land Use Certificate bearing survey No.695 dated 30.10.2011 and 26.03.2012 and area 22500 sq.ft. or 18000 sq.ft. issued by the Anu Vibhagiya Adhikari for Vyavasaayik (commercial) purpose. The institution has not uploaded Change of Land Use Certificate for educational purpose.
- x. The institution has not upload Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- xi. As per Land details institution uploaded the information regarding Land area mentioned in the Affidavit (in sq m) 3750 and Built Up area mentioned in the Affidavit (in sq m) 4792., the institution is conducting degree courses i.e. B.A. 60x3=180, B.Sc. 60x3= 180, BBA 60x3=180, BCA 60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree., B.A. B.Ed. Middle (1 unit), B.Sc. B.Ed. Middle (1 unit) course cannot be ascertained.
- xii. The uploaded building plan is not proper. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

26	2627202509243191	MAYURAKSHI T.T. COLLEGE DAIJAR, SH 61, JODHPUR, JODHPUR, JODHPUR, RAJASTHAN- 342304	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education

Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The uploaded letter is No objection certificate, the proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. TEI has uploaded fire safety certificate in the name of “Mayrakshi Shiksha Avam Vikas Sanstha” valid up to 23-03-2028 with approved plot area 1863 sq.mts. In the online application, the institution has mentioned the area of the land as 22581 square meters. Hence, there is a mismatch.
- iii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- v. The institution has not uploaded teaching staff list of all programs. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- vi. Committee noted that, as per the uploaded Mutation certificate/Jamabandi Khasra No. is 73 is issued on the Multiple names whereas the institution has mentioned Khasra no. 73/7 in the application form. Further the same Mutation Certificate/Jamabandi also uploaded in the application (2627202509162521- MARWAR SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA).
- vii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xi. **Computer** labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xii. committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 10 issued on dated 01/04/2024.
- xiii. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government
- xiv. Website mayurakshi.in is the website of MGI Institution. This website shows the institutes associated with it as Mayruakshi Teacher Training college, Marwar Shikshak Prashikshan Mahavidhyalaya, Mayurakshi College of Agriculture, Mayurakshi College of Nurisng, Sangmitra Shikshak Prashikshan Mahavidhalya, Marwar Shikshak Parikshan Mahavidhyalaya

	(D.Ed.E.D.) and Engineering and Technology. There is no separate website for MAYURAKSHI T.T. COLLEGE.
xv.	The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
xvi.	The institution has not uploaded LATEST Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993	

27	2627202509283405	SHARDA SADAN COLLEGE OF EDUCATION MANDHOLI, NEAR MANKARI FATAK, NEEMKATHANA, MANDHOLI, SIKAR, RAJASTHAN- 332713 332713	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iv. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 7157 issued on dated 07/02/2024
- v. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE duly approved by the concerned Registrar and the affiliated university and teaching staff should be as per NCTE norms
- vi. The institution has not uploaded any bank statement hence, It cannot be ascertained that the institution is being paid the salary as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- vii. committee noted that, the institution is having the total land area of 3500 sqm, which is not sufficient for the existing B.Ed. course and the proposed ITEP course.
- viii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.

- ix. Ramp related facilities are not visible in the uploaded geotagged photographs.
- x. The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. **Computer** labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xv. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xvi. The website of institution <https://shardasadan.org/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE regulations.
- xvii. The institution has not submitted the demarcated site plan duly approved by the competent authority of the state government earmarking the land area & built-up area for ITEP course and other courses/ school being run in the premises.
- xviii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xix. The website of institution <https://shardasadan.org/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE regulations.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

28	2627202509172714	VIDYA PROFESSIONAL AND TECHNICAL COLLEGE PALDI, TELIKHERA TIRAHA, , SUWANA,, SUWANA, BHILWARA, BHILWARA, RAJASTHAN-311001	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed/ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

28	2627202509253290	GOMI DEVI WOMEN T T COLLEGE JODHPUR, KURI BHAGTASNI HOUSING BOARD, LUNI, JODHPUR, JODHPUR, RAJASTHAN-342005 342005	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The uploaded letter is No Objection Certificate. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. In the Land Details, Built Up area mentioned in the Affidavit (in sq m) is 7002.82. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 160x3=480, B.Sc.120x3=360. B.Com. 160x2=480 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Diploma in Elementary Education (D.El.Ed.) 1 unit, Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- iv. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded. In the nearby G D Memorial college of "pharmacy" is running.
- v. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The website of institution WWW.GDWTTT.ORG/ has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE regulations.
- vii. committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 2772 issued on dated 18/12/2023
- viii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and

- the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
 - x. Committee noted that the institution has not uploaded mutation certificate/Jamabandi mentioning all Khasra No. issued by the Competent Government Authority.
 - xi. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
 - xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
 - xiii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. The Institution has not uploaded the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

29	2627202510023566	SHRI SHRADDHANATH TEACHER TRAINING EDUCATION COLLEGE, TODI TODI, TODI, GUDHA GOUR JI, GUDHA GOUR JI, JHUNJHUNU, RAJASTHAN-333022 333022	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 395 issued on dated 28/06/2023.
- iv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to

- prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- v. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
 - vi. committee noted that, the institution has not uploaded copy of Mutation certificate for khasra no. 1826/583.
 - vii. committee noted that, the institution has not uploaded/provide proof that all khasara number i.e. Kh. No. 583,1826/583 are a single plot, upload a proof issued by government competent authority.
 - viii. The Khasra Nos mentioned in the building plan does not match with uploaded land documents.
 - ix. The institution has not uploaded the proper Building Plan mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programs including multi-disciplinary programs.
 - x. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
 - xi. The institution has uploaded Fire Safety Certificate bearing no. LSG/GUDHA GORJI/FIRENOC/2024-25/46457 dated 25.03.2025 valid up to 24.03.2026 issued by Fire Safety Department, Government of Rajasthan reflected on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
 - xii. Applicant institution does not have any website.
 - xiii. The website of the applicant institution <HTTPS://SHRADDHANATHCOLLEGE.COM/> is not proper.
 - xiv. In the Land Details, Built Up area mentioned in the Affidavit (in sq m) is 5863. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 660x3=1980, B.Sc.540x3=1620. B.Com60x3=180, M.A.220x2=440, M.Sc 200x2=400, M.Com. 40x2=80. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

30	2627202509182818	SORABH COLLEGE OF TEACHER TRAINING KHEDA, KHEDA, HINDAUN CITY, HINDAUN CITY, KARALI, RAJASTHAN-322234	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines

issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant institution is Sorabh College Of Teacher Training and the name of multidisciplinary Institution is Sorabh College Of Education. Hence, there is a mismatch in the name.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 7363. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 160x3=480, B.Sc.70x3=210. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. M.Ed (3 Year Integrated) 1 unit, Diploma in Elementary Education (D.El.Ed.) 1 unit, Bachelor of Education (B.Ed) degree 4 units, Master of Education(M.Ed) degree.1 unit,, B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) , course cannot be ascertained.
- iii. College Khasra Numbers/plot numbers and other things are not mentioned in the विकलांग बनुकुलता प्रमाणपत्र certificate no. 2831 issued on dated 3/10/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- iv. The uploaded building plan is not proper. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The institution is required to provide proof that all khasara number i.e. 951,953/2,947 are a single plot. Upload a proof issued by government competent authority.
- vi. The institution website "www.sttkheda.in" is not operational at the time of Scrutiny. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The uploaded documents are not proper. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiii. Committee noted that, as per given geographic location, name of institution shows on google map as "Sorabh College of Veterinary Science and...".
- xiv. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.

- xv. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xvi. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale The institution is required to uploaded the bank statement of teaching staff to verify it.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice

31	2627202509283406	GEETA CO EDUCATION T.T. COLLEGE NEW MANDI GHARSANA, KUPLI ROAD, GHARSANA, GHARSANA, SRI GANGANAGAR, RAJASTHAN-335711	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- iv. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- v. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 318 issued on dated 26/09/2025.
- vi. Committee noted that this CLU is for commercial, educational and hostel. The institution has not upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- vii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- viii. The website of institution <https://www.geetacollege.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ix. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the furniture in the multipurpose hall is inadequate.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. ICT related facilities are not visible in the uploaded geotagged photographs.
- xiv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xvi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

32	2627202510023583	ADARSH TEACHERS TRAINING COLLEGE DEOLI, NEAR SIDDHARTH NH 12, DEOLI, DEOLI, TONK, RAJASTHAN-304804	
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.

- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms
- iv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- v. Committee noted that, the institution has mentioned the total land area of 6100 sqm whereas the converted area for education purpose is only 4375 sqm, which is less than required as per NCTE Regulations.
- vi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 1344-1345 issued on dated 28/08/2024.
- viii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- ix. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. **Computer** labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiv. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xv. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xvi. The website <http://adarshhtcollegedeoli.com/> of the institution is not functional. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xvii. From uploaded building plan committee cannot ascertain the demarcated land and built-up area for each course. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

33	2627202509182794	MAHARSHI PARSHURAM PG COLLEGE DANTA, DANTARAMGARH, DANTA, SIKAR, RAJASTHAN- 332702	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC: The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 20.02.2026, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Letter of Intent (LoI) as per Clause 7(13) of the NCTE Regulations 2014 for 02 units (B.A.B.Ed. 1unit (Secondary), B.Sc.B.Ed. 1unit (Secondary) be issued to the institution through online application portal. The Committee noted that the institution is conducting B.A.B.Ed./B.Sc.B.Ed. course with approved annual intake of 100 (2 units). The institution is required to maintain the FDRs towards Endowment Fund and Reserve funds for both courses stage wise. The institution is also required to upload the list of teaching staff duly approved by the Affiliating University course wise and stage wise including downloaded copies of all related information displayed on its website in compliance to relevant provisions of NCTE Regulations, 2014 as amended from time to time.

मीटिंग चेयर को धन्यवाद प्रस्ताव के साथ समाप्त हुई।

(प्रो. शैलेश नारनभाई जाला)

अध्यक्ष