

---

**Re: FINAL MINUTES OF 456 (PART-IV) MEETING OF WRC**

---

**From** Shailesh Zala <shaileshzala@yahoo.co.in>

**Date** Wed 15-Apr-26 12:35 PM

**To** Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Tue, Apr 14, 2026 at 3:10 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the Final Updated Minutes of 456 (Part-IV) meeting of WRC held on 02nd , 07th-09th April 2026 for consideration and approval please.

Thanks and regards  
RD-WRC

-----

For more information or query, Please revert on the same mail <[wrc@ncte-india.org](mailto:wrc@ncte-india.org)>.



**Warm Regards**  
**Western Regional Committee**  
**NCTE**  
**Dwarka**  
**New Delhi**

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 456वीं (भाग-IV) बैठक 02, 07-09 अप्रैल 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित थे:

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत 07-08 अप्रैल 2026 आभासी; 02, 09 अप्रैल 2026
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत 07-09 अप्रैल 2026 आभासी; 02 अप्रैल 2026
3.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत 07-09 अप्रैल 2026 आभासी; 02 अप्रैल 2026
4.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत 07-09 अप्रैल 2026 आभासी; 02 अप्रैल 2026
5.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य	व्यक्तिगत 02 अप्रैल 2026
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य ; 07-09 अप्रैल 2026
3.	राज्य सरकार के प्रतिनिधि	गोवा
4.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
5.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
6.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
7.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
8.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
9.	राज्य सरकार के प्रतिनिधि	राजस्थान
10.	राज्य सरकार के प्रतिनिधि	गुजरात

**III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-**

Sl. No.	Application	Name and address	Programme
1	2627202509233125	FACULTY OF EDUCATION SRI SATYA SAI UNIVERSITY OF TECHNOLOGY AND MEDICAL SCIENCES, ABDULLAPUR, SH 18 BHOPAL INDORE ROAD, MADHYA PRADESH-466001	Transition B.A B.Ed / B.Sc. B.Ed

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

1. The Private University has not uploaded the Not-for-Profit Certificate issued by government competent authority.
2. As per the institution has uploaded faculty list but not in prescribed format of NCTE Regulation 2014. The institution has not uploaded list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body.
3. The institution has uploaded Building safety certificate issued by Office of the Executive Engineer PWD dated 24.09.2024 (Period not mentioned).
4. The website of institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
5. The Building plan uploaded is approved by Sarpanch and not by the Competent Authority of the State Government.
6. The University has not uploaded the demarcated site plan duly demarcating the land and building for the different courses being run in the campus of the University.
7. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
8. Committee noted that, Private University uploaded Bachelor of Ayurvedic Medicine and Surgery, Bachelor of Arts Bachelor of Law (B.A. LLB), Bachelor of Design, Bachelor of Engineering, students list. The university is running so many courses. Committee cannot ascertain the sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake teacher education course cannot be ascertained
9. A board with the name of the Depart of Education is seen to be put up temporarily. This board can be removed at any time.
10. This private University is running so many courses. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
11. This private University is running so many courses The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
12. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
13. ICT related facilities are not visible in the uploaded geotagged photographs.

14. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
15. The Private University has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
16. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. But the institution has uploaded a copy of pay disbursement register, which shows that the institution is not disbursing salary as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
17. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE and teaching staff should be as per NCTE norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

2	2627202509162509	SHRI SAI BABA AADARSH MAHAVIDYALAYA DIGMA, BANARAS ROAD, AMBIKAPUR, AMBIKAPUR, SURGUJA, CHATTISGARH-497001	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the institution has uploaded Building Plan and Building Completion Certificate. The institution has not mentioned earmarked built up area for Teacher Education and Multi-disciplinary programmes.
- ii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
- iii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- v. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Ares (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. A geotagged photograph shows part of the building under construction. The construction of the building has not been completed.
- vii. The institution is running 02 units the uploaded staff list is not as per NCTE norms. Staff list is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not proper and as per NCTE norms. furniture in the multipurpose hall is inadequate
- x. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4470. The institution is conducting degree courses i.e. B.A. 205x3=615, B.Com. 180x3=540, B.Sc.390x3= 1170,. M.A. 40x2=80 M.Com. 30x2=60,M.Sc. 45x2=90 combined intake of 2555 as per the notification of Sarguja University Ambikapur, Chhattisgarh uploaded by the institution. The institution also running PGDCA, BBA, DCA, PGDBM and MSW but their intake is not mentioned. The sufficiency of land and built-

up area for 2555 intake of multidisciplinary courses and 100 intake for B.Sc. B.Ed. cannot be ascertained since the institution has mentioned the total built-up area 4470.3sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.

- xi. the uploaded documents are irrelevant. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- xii. Committee noted that, The institution has uploaded Certificate (Regarding Mutation) in the name of Sri Sai Baba Adarsh Mahavidyalaya, issued by Office Patwari, dated 04.09.2024. AND The institution has uploaded Praman Patra dated 20.12.2009 Khasra No. 42/2, 42/4 issued by the Sarpanch. And the institution has uploaded Certificate of Approval for Diversion dated 03.05.2006 Khasra No. 317/2 issued by the Sahayak Adhikshak, Bhu Abhilakh Parivartit Bhumi.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

3	2627202509283415	OXFORD INTERNATIONAL COLLEGE PARAWA, SANCHORE ROAD, CHITALWANA, SANCHORE, JALLORE, RAJASTHAN-343041	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course**

4	2627202509253244	HUKUM CHAND NOBLE INSTITUTE OF SCIENCE AND TECHNOLOGY, DANTA, DANTA ROAD, AJMER, RAJASTHAN-305025	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Committee noted that the name of the applicant institution i.e Hukum Chand Noble Institute Of Science And Technology, 3389/870, 871 Danta Road, 305025 does not match with the name of the B.A. institution Hukum Chand National Institute of Science & Technology Bcer Chauraha, Nasirabad Road, Danta i.e. & B.A.B.Ed./B.Sc.B.Ed. college name is Hukum Chand Noble Institute Of Science And Technology mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. The names of both institutions are mismatched.
- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is (Basement 390+Ground floor 2520, First Flor 1210+ Second Floor 390)=4510. If the institution is running various teacher education

programme/ courses in the same campus/premises i.e. i.e. B.A. 80x3=240, B.C.A. 40x2=80, M.Sc. 30x2=60, The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for applied B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained. As per the information uploaded by the institute on the online portal, the institute is not conducting B.Sc. course. The institute has also applied for B.Sc and B.Ed. this note is taken by NCTE WRC Committee.

- iv. The website of the institution [www.hukumchandcollegeajmer.org](http://www.hukumchandcollegeajmer.org) has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- v. As per the land details Column mentioned by the institution land area is 5020 sq.mts. whereas mentioned land area in the Fire NOC portal is 4583 sq.mts. The land area is mismatch. The institution has not uploaded the proper Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx)
- vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. It cannot be ascertained from the pay distribution registrar statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- viii. The geotagged photographs uploaded clearly show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate and in this hall there is no moving place or space for movement for students.
- ix. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. The Institution has not upload the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norm.
- x. The geotagged photographs uploaded show that the seating capacity of reading room is not sufficient as per NCTE norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

5	2627202509263294	PANNADHAY COLLEGE, TONK, PANNADHAY ROAD, TONK, TONK, TONK, RAJASTHAN-304001	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

6	2627202509162596	REGIONAL GIRLS COLLEGE BAGORA, SHITLA MATA MANDIR, UDAIPURWATI, BAGORA, JHUNJHUNU, RAJASTHAN-333307	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx)
- ii. The Committee noted that the name of the applicant institution i.e Regional Girls College, Ljasara Mp 335. Village/town/city Bagora, Shitala Mata Mandir, Udaipurwati, Bagora, does not match with the name of the Multidisciplinary institution i.e. Regional College, Near Shakmbhari Gate, Udaipurwati, The names of both institutions are mismatched.
- iii. The institution has not uploaded proof showing 870/4, 870/6 are a single plot issued by government competent authority.
- iv. The institution has not uploaded the latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- v. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. 1312 issued on dated 18/08/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- vi. The facilities in the computer lab is poor, the institute provides plastic stools for students to sit in the computer lab. ICT related facilities are not visible in the uploaded geotagged photographs.
- vii. The website of the institution has not been in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. But the institution has uploaded a copy of pay disbursement register, which shows that the institution is not disbursing salary as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- ix. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE and teaching staff should be as per NCTE norms
- x. As per the uploaded Building Plan, the land area earmarked for ITEP courses 2250 sq.mts. whereas the land area is required is 3000 sq.mts. as per the norms and standards. The earmarked land area is inadequate.
- xi. The institution has not upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms.
- xiii. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 240x3=720, B.Sc. 120x3=360. The sufficiency of 3030 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc.B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary

- programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xiv. In the reply CLU copy has not uploaded by Institution.
- xv. Library facility and Library reading room related facilities are not visible in the uploaded geotagged photographs.
- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- xvii. It bank statement has not uploaded by the institution, hence It cannot be ascertained that salary is being paid as per the Central/State Government pay scale.
- xviii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

7	2627202509162624	RAJEEV GANDHI COLLEGE OF EDUCATION, KHANPURA, VIDISHA ROAD, RAISEN, RAISEN, RAISEN, MADHYA PRADESH-464551	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the decision of WRC, First Show Cause Notice (SCN) was issued to the institution vide letter No. F.No.NCTE/WRC/2627202509162624/MADHYA PRADESH/ 2025/ SCN Dated 13/01/2026 with a request to upload its reply along with all requisite supporting documents within 15 days from the date of issue of the First Show Cause Notice (SCN).
- ii. No reply has been uploaded by the institution on this portal in response the WRC First Show Cause Notice (SCN) within the stipulated time of 15 days.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vi. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 194 issued on dated 21/4/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- vii. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- viii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the multi-purpose hall is not as per NCTE norms. Furniture is not available in the multi-purpose hall.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiii. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.), The sufficiency of land and built-up area for the above courses with of teacher education courses and intake for, B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained.
- xiv. This BCC is signed by Sarpanch. The institution has not upload Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xv. As per the institution has uploaded faculty list but not in prescribed format of NCTE Regulation 2014. The institution has not uploaded list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body
- xvi. It cannot be ascertained, because institution has not uploaded the bank statement that the salary is being paid as per Central/State Govt. But the institution has uploaded a copy of pay disbursement register, which shows that the institution is not disbursing salary as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xvii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- xviii. The institution has not uploaded Land Use Certificate (CLU) as per Madhya Pradesh while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority
- xix. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

8	2627202510013535	PT BRIJKISHORE PATERIA COLLEGE OF EDUCATION DEORI, KHANDERAO WARD, SAGAR, MADHYA PRADESH-470226	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website <https://bkpdeori.org/> of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4268.14. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 120x3=360, B.Com. 60x3=180, B.Sc.120x3=360. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Diploma in Elementary Education

- (D.El.Ed.) 1 unit, Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained. The available built-up area is 4268.14, this built-up area is not sufficient as per NCTE norms.
- iii. The institution has only chart uploaded. However, the institution has not uploaded the details of student admitted year-wise for all running programmes issued by the Competent Government Authority.
  - iv. Committee noted that, The institution has mentioned Khasra no. NCTE recognition order 221/1, 221/6, 221/7, 69/3, whereas the institution is mentioned in the land details column Khasra no. is 69, 221/1, 221/6, 221/7, 222/6, 222/7, 220/1. The Khasra No. is mismatched.
  - v. Committee noted that, The institution has uploaded Affidavit Khasra No. 69, 222/6, 222/7, 221/1, 221/6, 221/7, 220/1, Total land area 6070.28 sq.mt. dated 05.03.2026. And the institution has uploaded Building Construction Permit has been issued under Section 187 of the Madhya Pradesh Municipalities Act, 1961 Khasra No. 69/9 issued by the Mukhya Nagar Palika Adhikari. AND the institution has uploaded one more Building Plan Khasra No. 69/9, Total Built up area 688.38 sq.mt. not approved by the Govt. Competent Authority.
  - vi. Committee noted that, institution uploaded a certificate issued by Tahsildar Named “Mutation Certificate”. The institution has not uploaded the proper Mutation Certificate issued by government competent authority.
  - vii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
  - viii. The institution is mentioned the land area in the land column is 6070.28sq.mts. whereas the building plan and BCC is mentioned land area is 3546.14 sq.mts. The land area is mismatched.
  - ix. Committee noted, the institution has uploaded Building Plan Name of PT. BRIJKISHORE PATERIA COLLEGE OF EDUCATION, KHANDE RAO WARD, DEORI DISTRICT SAGAR (M.P.) KHASRA NO. 221/1, 221/6, 221/7, 222/6, 222/7, LAND AREA-0.53Acre OR 2145.61 SQM and Total Built Up area 4268.11SQM approved by the Nagar Palika Parishad. AND the institution has uploaded one more Building Plan Khasra No. 69/9, Total Built up area 688.38 sq.mt. not approved by the Govt. Competent Authority. And Affidavit uploaded. And the institution has uploaded Building Construction Permit has been issued under Section 187 of the Madhya Pradesh Municipalities Act, 1961 Khasra No. 69/9 issued by the Mukhya Nagar Palika Adhikari.
  - x. Building safety certificate No R-524 dated 03/04/2025 is issued by Municipal Corporation. Committee noted that, In Madhya Pradesh, the competent authority to issue the Building Safety Certificate for a college is generally the Public Works Department (PWD), specifically an officer not below the rank of Assistant Engineer (AE).
  - xi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
  - xii. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE and teaching staff should be as per NCTE norms
  - xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xvi. ICT related facilities are not visible in the uploaded geotagged photographs
  - xvii. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. In this connection committee noted that, institution uploaded provisional certificate No 247/53aashi/sambdhata/2026 Bhopal, dated 02/03/2026.( The date, month and year are overwritten on this provisional certificate.)in this certificate it is clearly mentioned that “certificate issue for the purpose of Memorandum of Merger.”

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

9	2627202509253232	HITKARI SAHAKARI MAHILA SHIKSHA MAHAVIDYALAYA, ARAMPURA (DHAKARKHERI), KAITHOON ROAD, LADPURA, KOTA, KOTA, RAJASTHAN-325001	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course**

10	2627202509243186	VINAYAK GIRLS COLLEGE CHURU ROAD, FATEHPUR SHEKHAWATI, FATEHPUR SHEKHAWATI, SIKAR, RAJASTHAN-332301	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Mutation Certificate/Jamabandi mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- ii. The institution has not uploaded ownership basis land documents issued by Competent Authority of State Government. In this connection institution replied that, Institution stated that," Land Ownership Document "Patta" Issued By Municipal Council Of Fatehpur Shekhawati In Name Of Secretary, New Vinayak Shiksha Samiti Indicating The Object Of Land Use As Educational Purpose Enclosed Herewith. It Is Further Stated That Municipal Bodies Are The Authorised Body To Issue Such Kind Of Land Document According To The Rules Of Rajasthan Government.."
- iii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- iv. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- v. The uploaded building plan is not proper and not legible. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

- vi. As per the Built-up area in the column of land details is 4198.8 sqmt. Whereas the uploaded BCC is mentioned built-up area is 41582 sq.mts. The land area is mismatch. The institution has not upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.in this BCC institution has again claimed that, the total built up area of the institution is 41582 Sq. MT. but in all the documents there is not single evidence that the total built up area is41582 Sq. MT.
- vii. The institution has not uploaded geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- viii. The institution has not upload copy of Not-for-Profit Certificate issued by the concerned govt. competent authority.
- ix. The website [WWW.VINAYAKEDUGROUP.COM](http://WWW.VINAYAKEDUGROUP.COM) of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations
- x. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4198.8. The institution is conducting degree courses i.e. B.A. 180x3=540, B.com. 60x3 (180), B.Sc. 240x3 (720), M.A.(Geo) 40x2=80, M.Sc.(Zoology, Mathematics, Chemistry., Physics,)40x4x2=320. The sufficiency of land and built-up area for the above courses with combined 1840 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained. The available built-up area is not sufficient to run the above courses

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

11	2627202509253269	MAHARANA PRATAP MAHAVIDYLAYA BUS STAND KE PICHE, UNIYARA, TONK, RAJASTHAN-304024	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

12	2627202509182795	PRAKASH SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA, ONDELA ROAD, DHOLPUR, DHOLPUR, DHOLPUR, RAJASTHAN-328001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. In response to Final Show Cause Notice, the institution has uploaded representation without any supporting documents, hence, the compliance of the deficiencies pointed out by WRC could not be ascertained.
- ii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iii. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- iv. The geotagged photo uploaded does not show the applicant college name on the building.
- v. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- vi. The uploaded certificate is not proper. The institution is required to upload the Land related affidavit as per details filled in the online application portal. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- viii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. The geotagged photographs uploaded show that the condition of computer Laboratory, Library, and other labs are not in good condition.
- x. The institution is required to provide proof that all khasara number i.e. 145/1 (NEW-1186/145), 476/1157, 1888/1465 are a single plot, upload a proof issued by government competent authority. The institution is required to upload certified land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot.
- xi. The website of the institution has not been in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to maintain and update the website as per NCTE regulations.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. A geotagged photograph shows part of the building left unrepaired.
- xiv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xv. The name of applicant institution Prakash Shikshak Prashikshan Mahavidyalaya, Dholpur, Ondela Road, Dholpur, Dholpur, Dholpur, Rajasthan-328001 and the name of ANIMAL HUSBANDRY institution is Prakash Institute of Veterinary Science and Animal Husbandry, Ondela Road, Dholpur, name of both institutions are mismatched. The institution has uploaded affiliation order for offering course in Animal Husbandry issued by Rajasthan University of Veterinary and Animal Sciences, Bikaner. NCTE, WRC Committee noted that institution is not running any Multidisciplinary courses.

- xvi. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National State Disaster Management Authority issued by Competent Government Authority.
- xvii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

13	2627202509273385	MAHARISHI DADHICHI MAHILA MAHAVIDYALAYA MADHUBAN HOUSING BOARD, BASNI-I PHASE, JODHPUR, RAJASTHAN-342005	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Exemption Certificate (12A) issued by Income Tax Department instead of Form 10AC.
- ii. As per the approved Building Plan uploaded by the institution is mentioned the Built-up area is 4455.56 sq.mts. Whereas the mentioned built-up area in the uploaded BCC is 3851 sq.mts. The Built-up area is mismatched.
- iii. The institution has not uploaded Mutation Certificate/Jamabandi mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- iv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- v. The institution has NOT uploaded additional information and NOT maintained their website as per provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- vii. Now the institute is showing a separate room as the reading room of the library. This room does not seem to be connected to the library. The reading room should be in the library. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The institution uploaded teaching staff list, but it has not in the prescribed format of NCTE and as per NCTE norms.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- x. The institution has not uploaded the approved intake capacity of each course. The institution is conducting degree courses i.e. B.A. 2 sections, B.Com. 1 Section, B.Sc. 2 Sections. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked

- for multi-disciplinary programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xi. Computer lab is not in good condition and ICT related facilities are not visible in the uploaded geotagged photographs.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

14	2627202510023589	VEER DURGADAS COLLEGE SAMDARI SAMDARI, SAMDARI, BARMER, RAJASTHAN-344021	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- As per filled information on the portal, website address: [www.vdcsamdari.com](http://www.vdcsamdari.com) which is not operational. Being recognized by NCTE to run teacher education programme, the institution has violated compliance of Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time and failed to maintain and update official website uploading requisite information therein. The institution is required to clarify the same and upload as per NCTE Regulations.
- The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- The uploaded building plan is not proper and not legible. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

15	2627202509203007	SHRI KANIRAM COLLEGE DHORIMANA, KEKAR, DHORIMANA, BARMER, RAJASTHAN-344704	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- The institution has not uploaded Mutation Certificate in respect of Khasra/Plot/Survey No. 1011/470 issued by Competent Authority of State Government.

- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. In the uploaded Fire NOC as per Fire NOC portal mentioned land area is 1048 sq.mts. whereas the in the land detail area in online application portal land area is 8094 sq.mts. The land area is mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iv. The institution has uploaded Affidavit on Rs.100/- non-judicial stamp paper in prescribed format regarding land documents.
- v. As per the building plan uploaded, the Built up area of 1769.66 sq.mts. is earmarked for teacher education programme, which is less than required as per Regulations for ITEP course.
- vi. Committee noted that, as per the affiliation order uploaded, the institution is conducting only B.A. programme. The institution is not running multi-disciplinary B.Sc. course in the field of sciences, or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution for B.Sc. B.Ed. course

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993**

16	2627202509223052	ASHA DEVI COLLEGE KHEMANA ROAD, SADULPUR, KHEMANA ROAD, SADULPUR, KHEMANA ROAD, CHURU, RAJASTHAN-331023	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Khasra Nos.2367 and 2368 are mentioned in Building Plan and BCC in addition to the Khasra No. mentioned by the institution in the online application which does not match. Further the institution has not uploaded the Certified copy of land document in respect of Khasra No. 2367 and 2368.
- ii. In the uploaded Fire NOC as per Fire NOC portal mentioned land area is 3338 sq.mts. whereas in the land detail area in online application portal, land area is 10000 sq.mts. The land area is mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iii. The institution website <http://ashadevicollege.com/> is not operational at the time of scrutiny The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The geotagged photographs uploaded clearly show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

- vi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- vii. Asha Devi International School, this school is operating at J9G6 M5V Sadulpur.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

17	2627202509263344	NEW RAJASTHAN BALIKA PG MAHAVIDYALAYA, ANGASAR ROAD, KH. NO 89, GANPATI NAGAR, JHUNJHUNU, RAJASTHAN-333001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Building Completion Certificate submitted alongwith the application form makes a mention of Built up area of 3701.98 sqm whereas the BCC uploaded in the reply to Final SCN makes a mention of Built up area of 3771.49 sqm. In both the BCC, the year of construction is 2016. The institution has submitted two different statements about BCC.
- ii. In the uploaded Fire NOC as per Fire NOC portal mentioned land area is 4122 sq.mts. whereas in the land detail provided in online application portal, land area is 7170 sq.mts. The land area is mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3701.98The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc.300x3= 900, M.Sc. 40x2=80, M.A. 40x2=80. The sufficiency of built-up area 3701.98 sqmts. for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained.
- v. IN both the BCC, the entire built up area of earmarked for Teacher Education course (s). No built up area is earmarked for Multi disciplinary course.
- vi. Committee noted that, The institution has uploaded NCTE recognition order with khasra no.89; however in the Basic Information through online application portal mentioned plot nos. are 154-D, 162-A while plot number 162B is mentioned for the society.
- vii. CT related facilities are not visible in the uploaded geotagged photographs.
- viii. The institution has not uploaded the proper document of mutation (Jamabandi) certificate of land issued by State Govt. of Rajasthan.
- ix. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

- xi. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc.300x3= 900, M.Sc. 40x2=80, M.A. 40x2=80. The sufficiency of built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained. Further the area earmarked for Multi-disciplinary programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiii. Asha Devi International School, this school is operating at J9G6 M5V Sadulpur.
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

18	2627202509172653	SHRI KRISHNA TEACHER TRAINING COLLEGE NAYA NOHRA, BEHIND SEMCOR FACTORY, BARAN ROAD, LADPURA, KOTA, KOTA, RAJASTHAN-324001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is having the total Built up area of 3826 sqm. As the institution is running the B.Ed course, Multi disciplinary courses and proposed ITEP course on the same land, the Built up area of 3826 sqm is not sufficient for the existing Teacher Education, Multi disciplinary course and proposed ITEP course.
- ii. Total land area and total built up area earmarked with name of all courses running in the campus is not reflected in BCC.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The Institution has not uploaded Exemption Certificate (12A) issued by Income Tax Department.
- v. As per uploaded building plan approved by JEN-II (without date), Sahayak Abhiyanta, P.W.D Sub-Division-II, Kota (without date), total land area (G.F.-10243 Sq.ft.+F.F.-10243 Sq.ft.+S.F.-10243 Sq.ft.) 41180.395 sq.ft. total built up area is not mentioned. Signature of Architect is reflected in the plan. Total land area and total built up area earmarked for all teacher education programmes (with name of course) including other programmes, if any running in the campus is not reflected. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land
- vi. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.

- viii. Committee noted that, "actual Geographic Location of Shri Krishna Teacher Training College, Naya Nohra, Tehsil-Ladpura, Kota (Raj.) is Latitude 25.17448 and Longitude 75.91538. Copy of screen shot of google map is attached." This latitude and longitude is different as per online application portal.
- ix. copy of latest Building Completion Certificate (BCC) is signed by Tahasildar is generally NOT the competent authority. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- x. Committee noted that, In the address column "Behind Semcor Factory, Baran Road" mentioned in online application is not reflected in the recognition order dated 03.11.2017 for B.A.B.Ed./B.Sc.B.Ed. Pincode- 324001 as per online application whereas Pincode- 324002 as per recognition order dated 03.11.2017. Both pincodes mismatch. Institution running B.Ed. course, revised order is not uploaded.
- xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. ICT related facilities are not visible in the uploaded geotagged photographs
- xvi. Committee noted that, Fire Safety certificate dated 10.10.2025 (valid up to 09.10.2027) is uploaded in respect of building 'SHRI KRISHNA TT COLLEGE, 87 89, BEHIND SAMCOR FACTORY BARAN ROAD, NAYA NOHRA KOTA, KOTA-NORTH, KOTA, RAJASTHAN with approved plot area 17927 SQ.MTS. As per land details on the portal, Total land area is 18101.4215 sq.mts. Land area is mismatch. Name of TEI mentioned in Fire Safety Certificate does not match with transition application.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xviii. Committee noted that, A copy of certificate of land dated 12.03.2026 along with certified copy of registered sale deed dated 21.12.2005 is uploaded. TEI has not any clarification regarding the Certificate issued by Nagar Nigam in the year 2011 mentions the name of old owner.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

19	2627202509233163	ARYAN MAHILA MAHAVIDALAYA SHISHU RANOLI, N.H 52, DATARAMGARH, SHISHU RANOLI, SIKAR, RAJASTHAN-332405	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 25.03.2026, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

**Letter of Intent (LOI) as per Clause 7(13) of the NCTE Regulations 2014 for 2 units (B.A.B.Ed. 1unit (Secondary), B.Sc.B.Ed. 1unit (Secondary) be issued to the institution through online application portal. The Committee noted that the institution is conducting B.A.B.Ed./B.Sc.B.Ed. course with approved annual intake of 100 (2 units). The institution is required to maintain the FDRs towards Endowment Fund and Reserve funds for both courses stage wise. The institution is also required to upload the list of**

**teaching staff duly approved by the Affiliating University course wise and stage wise including downloaded copies of all related information displayed on its website in compliance to relevant provisions of NCTE Regulations, 2014 as amended from time to time.**

20	2627202510043655	SHREE ASHAPURA COLLEGE SADRI, SADRI, DESURI, DESURI, PALI, RAJASTHAN-306702	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- iii. The institution has uploaded the building plan approved by Assistant Engineer. The earmarked land and built-up area for each course being run in the same premises and the demarcated land and built-up area for teacher education programmes is not mentioned in the building plan.
- iv. The institution has uploaded the Fire Safety Certificate issued by Nagarpalika. It is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan.
- v. The institution has not uploaded the Mutation Certificate/Jamabandi issued by the Competent Government Authority.
- vi. The institution has not uploaded LATEST Non-Encumbrance Certificate issued by the Competent Government Authority.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

21	2627202510043674	A. N. B. ED. COLLEGE RAMU KA BAS, JAIPUR ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332021	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the affiliation order name of the institution A. N. COLLEGE Whereas the applicant and Recognition order name is A. N. B. ED. COLLEGE. The name is mismatched. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Reg1011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTEReg1022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- ii. The proposal for collaboration between the institutions has not been approved by their affiliating

- university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload
- iii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2(2) or 4.3(1) of the NCTE Guidelines for Multidisciplinary Institutions.
  - iv. As per the uploaded the Praman patra Khasra No. is mentioned 1269/1230, 1231/1013 and 631/604 Whereas the mentioned Khasra No. in the land details Column is 1231/1013 and 1230/1013. The Khasra No. is mismatched.
  - v. The institution has not uploaded documentary evidence confirming that 'A. N. College' and 'A. N. B. Ed. College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
  - vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - vii. The proposal for merger / collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.2(2) or 4.3(1) of the NCTE Guidelines for Multidisciplinary Institutions.
  - viii. The institution is required to upload updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
  - ix. As per the mentioned land area in the uploaded BCC is 11944 sq.mts. Whereas the Fire safety certificate on the Fire safety portal is 3300. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
  - x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
  - xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xii. It cannot be ascertained because bank statement has not uploaded by the institution that salary is being paid as per the Central/State Government pay scale.
  - xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - xiv. The uploaded building plan is not proper and not legible. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
  - xv. ICT related facilities are not visible in the uploaded geotagged photographs.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

22	2627202510043654	VINAYAK COLLEGE VINAYAK PATH, LAXMANGARH, SIKAR, RAJASTHAN-332311	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has uploaded Lease Deed from Nagarpalika which is not registered, hence, not acceptable.
- ii. The institution has uploaded the building completion certificate mentioning the land area as 3262 sqm and built-up area as 2541.96 sqm approved in 2014 for Khasra No. 1539/946 and the building completed in 2014. The same is not acceptable in view of the fact that during inspection for initial recognition in 2018, the institution has submitted the building completion certificate for Khasra No. 1482/945 mentioning the land area as 9100 sqm and built-up area as 2916.89 sqm and the building completed in 2007. Moreover, the floor wise area mentioned in the both the building completion certificates are different. The institution has shifted to the new building without approval from NCTE.
- iii. As per the mentioned land area in the land details Column is 4882.06 sq.mts. Whereas the Plot area is mentioned in uploaded Fire NOC in fire safety portal is 358 sq.mts. The address mismatch. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iv. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- v. The institution has not uploaded Mutation Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- vi. As per the BCC uploaded the institution has the total land area of 4210 sqm and built-up area of 34100 sq.ft out of which 3100 sqm of land and 2267.67 of Built-up area has been earmarked for teacher education programme. The same institution is also running the B.Ed (2 units) and D.El.Ed (2 Units) on the same land, which has not been mentioned in the Portal. Taking this into account, the land and built-up area of the institution is not sufficient for the existing Degree college, B.Ed and D.El.Ed courses.
- vii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- viii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- x.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

23	2627202509263330	BHARTIYA T.T. COLLEGE, LADNUN, NAGAU LADNUN, MH ROAD, RAJASTHAN-341306	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. Fire safety certificate dated 02.04.2025 valid up to 01.04.2026 in respect of building 'BHARTIYA SHIKSHAN SANSTHAN LADNUN, 945/23, MEGA HIGHWAY, PABOLAV JASWANTGARH, DIDWANA-KUCHAMAN, RAJASTHAN' with approved plot area 4028 sq.mts. As per land details, land area 4856.22 sq.mts. Both land area is mismatch. Address of building mentioned in the fire safety certificate is mismatch with address of TEI / Society as per transition application.
- iv. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vi. Committee noted that, As per uploaded building plan approved by Sahayak Abhiyanta, PWD, Ladnun dated (without date), total land area 4856.22 sq.mts. total built up area 4028 sq.mts for both B.Ed.(100 intake) and B.A.B.Ed./B.Sc.B.Ed.(100 intake) out of which built up area 2014 sq.mts. earmarked B.Ed. and built up area 2014 sq.mts. for B.A./B.Sc.B.Ed. course against the requirement of built up area 2200 sq.mt. for ITEP (100 intake) as per NCTE Regulations, 2021.
- vii. The uploaded Building Completion Certificate (BCC) is signed by Sarpanch, The institution has not uploaded the Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

24	2627202509182860	ORIENTAL B. ED. COLLGE PANBIHARI, PANBIHARI, LALBURRA, LALBURRA, BALAGHAT, MADHYA PRADESH-481441	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per the uploaded BCC, the total Built-up area is mentioned 4244.85 sq.mts. Whereas the institution has earmarked the 1. B.ED. & D.EL.ED: 3000 SQM, 2. B. A. B. ED. 2600 sq.mts. and 3. B. A. & B.

- SC. : 2291SQM (Total 7891 sqm). It cannot be ascertained as to how the institution has earmarked the built up area of 4244.85 sqm to 7891 sqm.
- iii. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
  - iv. As per the uploaded Building plan is mentioned Built-up area is 7891.55 sq.mts. whereas the mentioned in the uploaded BCC Built-up area is 4244.85 sq.mts. The land area is mismatched.
  - v. The institution is running the B.Ed., D.El.Ed, Degree College and proposed ITEP course. The total built up area of 4244 sqm is not sufficient for running all the courses.
  - vi. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
  - vii. Committee noted that, the geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
  - ix. The condition of Computer lab is not good. and ICT related facilities are not visible in the uploaded geotagged photographs.
  - x. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time
  - xi. The institution has not uploaded list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE
  - xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

25	2627202510033600	CHHOTI DEVI MEMORIAL GIRLS B.ED.COLLEGE DIDWANA, LADNUN ROAD, DIDWANA, DIDWANA, NAGAUR, RAJASTHAN-341303	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded a certificate to the effect that the proposal for collaboration between the institutions has been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. CLU in respect of land khasra no.70, 71 for educational purpose issued by competent authority is not uploaded. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- iv. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- v. The website has not maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- vi. NEC issued by competent authority in respect of land khasra no.70, 71 is not uploaded.
- vii. In the address, 'Pathanon ka Badh' is mentioned which is not reflected in the recognition order for B.A.B.Ed./B.Sc.B.Ed. course.
- viii. Copy of building safety certificate vide no.2568 dated 19.02.2025 issued by Executive Engineer, PWD Dn. Didwana valid up to 18.02.2028 is uploaded. Address of society mentioned therein is mismatch with transition application.
- ix. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xiii. The institution uploaded teaching staff list, but it has not in the prescribed format of NCTE and as per NCTE norms.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

26	2627202509162559	KAUTILYA MAHILA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA NAYAGAON, NH 27 BY PASS RAWATBHATA ROAD, LADPURA, KOTA, KOTA, RAJASTHAN-324010	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

27	2627202509192941	B.R. CHAUDHARY COLLEGE PAKKA BHADWAN, 19 JRK, HANUMANGARH, HANUMANGARH, RAJASTHAN-335802	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session

2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution mentioned in the online application its land area as 17000 sqmt. whereas on the fire safety certificate portal of Rajasthan Government, the Plot Area is mentioned as 2200 sq. mts. The land area is different. The institution is required to upload the proper fire certificate.
- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area ....."
- iv. Name of applicant Institution is B.R. Chaudhary College and Name of Multidisciplinary institution is B.R. Chaudhary Mahavidyalaya.
- v. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- vi. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- vii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- viii. The institution has not uploaded the list of teaching staff duly approved and countersigned by Registrar of affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms
- ix. ICT related facilities are not visible in the uploaded geotagged photographs.
- x. The geotagged photographs uploaded show that the college does not have adequate sports facility.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xiii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3200. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 240x3=720, B.Sc.70x3=210. M.A. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of B.A. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

28	2627202509182843	SANSKAAR TEACHER TRAINING COLLEGE PEEPLOO, SANSKAAR COLLEGE ROAD, PEEPLOO, TONK, RAJASTHAN-304801	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. As per the uploaded BCC mentioned two plots whereas the land is required in a single plots. The institution has not uploaded Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- vii. Committee noted that, Kh. No. mentioned in the land documents is 2504 and 2503/2 but the jamabndi is attached of Kh. No. 2303/3 and 2504 which is mismatch and the Kh. No. 2504,2503/3 is submitted by the institution in particulars. Documents of Kh. No. 2503/3 is not uploaded by the institution. The total land area is mentioned by the institution is 6323 sq.m. but in document 1391 sq.m of Kh.No. 2503/2 is mentioned and 1bigha 19 biswa (1270.9+2529.29) sq.m of Kh. No. 2504 is mentioned which is mismatch. The Khasra nos. and land area mismatch among the uploaded documents. The land documents of Khasra no. 2503/3 are not uploaded by the institution. The land area mentioned on the online portal, Affidavit and Sale Deed mismatch.
- viii. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- xiv. Committee noted that, the institution has uploaded the latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17points) signed by Sarpanch.
- xv. It cannot be ascertained because the bank statement has not uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xvi. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

29	2627202509253234	SEVANAND MAHAVIDHAYALAYA NEWAI, TONK, RAJASTHAN-304021	Transition B.A. B.Ed / B.Sc. B.Ed
<b><u>Decision of WRC:</u></b>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <p><b>Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building &amp; land related documents, so as to assess institution's preparedness for running the course.</b></p>			
30	2627202510013551	CHOUDHARY M.S. MEMORIAL T. T. COLLEGE SAHAWA ROAD, TARANAGAR, TARANAGAR, CHURU, RAJASTHAN-331304	Transition B.A. B.Ed / B.Sc. B.Ed
<b><u>Decision of WRC:</u></b>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> <li>In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5145. The institution is conducting degree courses i.e. B.A. <math>60 \times 3 = 1680</math>, B.Sc. <math>210 \times 3 = 630</math>, B.Com. <math>80 \times 3 = 240</math>, M.A. <math>120 \times 2 = 240</math> M.Sc. <math>40 \times 2 = 80</math>. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. 4 units <math>200 \times 2 = 400</math>, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained.</li> <li>The name of applicant institution is Choudhary M.S. Memorial T. T. College and name of multidisciplinary institution is Choudhary M.S. Memorial Mahavidyalay. There is a mismatch in the name of the institution.</li> <li>The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.</li> <li>The uploaded building plan is not proper. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.</li> <li>In the uploaded photo, the name board of college is not visible on the facade of the college building.</li> <li>The uploaded teaching staff list is not proper and in the prescribed format and not signed by university Registrar. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body Registrar and not in the prescribed format of NCTE.</li> <li>The website of the institution (<a href="http://www.cmsmtcollege.com">www.cmsmtcollege.com</a>) is not operational. The institution has not maintained and updated requisite information in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.</li> <li>The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs.</li> </ol>			

- ix. bank statement uploaded by the institution, which shows that the institution is not disbursing salary as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- x. The uploaded Mutation is not in the prescribed format and is not proper. The institution has not uploaded Mutation Certificate Jamadandi mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xi. The facilities in the computer lab is poor, the institute provides stools for students to sit in the computer lab. ICT related facilities are not proper in the uploaded geotagged photographs.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

31	2627202509172724	VISHWA BHARTI DEGREE COLLEGE B A B ED B SC B ED FOUR YEAR INTEGRATED COURSE SINGHANA, NARNAUL ROAD, BUHANA, SINGHANA, JHUNJHUNU, RAJASTHAN-333516	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. With regard to deficiency about infrastructural and instructional facilities as stated by the Visiting Team, the institution has made the same available after the issue of Show Cause Notice by NCTE. The facilities were not adequately provided during the VT of the institution. The same is not acceptable keeping in view the provision of clause 8 (7) of NCTE Regulations 2014, which stated that “At the time of inspection, the building of the institution shall be complete in the form of a permanent structure on the land possessed by the institution equipped with all necessary amenities and .....
- ii. As per the land documents uploaded in the portal, the land is in the name of individual i.e. Smt Sheela Devi (Buyer) vide Registered Sale Deed registered on 30th June 2005. The institution has uploaded a private lease deed between Smt Sheela Devi and the institution for a period of less than 20 years, which is not acceptable
- iii. The Khasra nos. mentioned in the building plan uploaded by the institution is mismatched with khasra nos. mentioned in the online application and other land documents.
- iv. The Institution has not uploaded the mutation certificate of land issued by the competent government authority.
- v. The institution has not uploaded the Latest Non-Encumbrance Certificate issued by the Competent Revenue Authority.
- vi. The area earmarked for Multi-disciplinary Courses is not adequate as per the Guidelines issued by the Government of Rajasthan.
- vii. The institution in its application has mentioned that it is running only B.A. B.Ed / B.Sc.B.Ed course, which is factually not correct, as per the website of <https://www.vishwabhartibedcollege.com/>, the same management is also running B.Ed course in the same premises.
- viii. The (A) The institution has uploaded the Built-up area is 3188.31 sq.mts. (B) The institution uploaded CLU at Khasra NO. 651/97 Built-up area is 4000 sq.mts. (C) The institution is uploaded the land details column is 4000 sq.mts. (D) The institution is uploaded two Different Building Plan with Two different Built-up area is Block A- 3188.315 sq.mts. and Block A+B= 5773.84 sq.mts. The land area is mismatched.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

32	2627202509253283	GLOBAL EDUCATION INSTITUTE, DEDWA KHURD, NH-68, SANCHORE, SANCHORE, JALLORE, RAJASTHAN-343041	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4722. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 320x3=960, B.Sc. 2 units. M.A.160x2=320 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Diploma in Elementary Education (D.El.Ed.) 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained
- ii. Committee noted that, geotagged photographs shows the condition of Computer lab is not good computer lab is largely non-functional; out of 07 PCs, and 3 laptops only 2 PC and or 3 Laptops are in working condition, while the rest are inoperable and ICT related facilities are not visible in the uploaded geotagged photographs.
- iii. The geotagged photographs uploaded show that the condition of Library, and other labs are not in good condition.
- iv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- v. The Institution has not uploaded Not-for-Profit Certificate issued by issued by Competent Authority of State Government.
- vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- vii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority
- viii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). Committee noted that the fire safety certificate has not issued to the institution before 9<sup>th</sup> of April 2026.
- ix. Committee noted that, the name of applicant College is not reflected in the geotagged photo uploaded
- x. The institution has not uploaded the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body i.e. university by Registrar and Diploma in Elementary Education (D.El.Ed.) by concern SCERT or competent authority.
- xi. The website of institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xii. bank statement uploaded by the institution, which shows that the institution is not disbursing salary as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- xiii. Committee noted that, The institution is conducting D.El.Ed (2 Unit), Degree courses and has proposed the ITEP course. The institution is having the land area of 6315 sqm, which is not sufficient as per the

- Norms of NCTE and the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xv. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs.
- xvi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

33	2627202509303496	SMT.NARAYANI DEVI VERMA WOMEN TEACHERS TRAINING COLLEGE ( MAHILA ASHRAM) BHILWARA, BHILWARA, VIJAY SINGH PATHIK NAGAR BHILWARA, BHILWARA, BHILWARA, BHILWARA, RAJASTHAN-311001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The uploaded documents are not proper. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The uploaded documents are not proper-- The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- iv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- viii. ICT related facilities are not visible in the uploaded geotagged photographs.
- ix. A geotagged photograph shows some part of the building left unrepaired

- x. The institution mentioned in the online application its land area as 70806 sqmt. whereas on the fire safety certificate portal of Rajasthan Government, the Plot Area is mentioned as 3974 sq. mts. The land area is different. The institution is required to upload the proper fire certificate.
- xi. As per the institution has uploaded faculty list but not in prescribed format of NCTE Regulation 2014. The institution has not uploaded list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body.
- xii. bank statement has not uploaded by the institution. But the institution has uploaded a copy of pay disbursement register, which shows that the institution is not disbursing salary as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- xiii. The institution has not uploaded the latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xiv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3974. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 4 units, The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (2 unit), B.Sc. B.Ed. Secondary (2unit), course cannot be ascertained.
- xv. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

34	2627202509213022	ADARSH COLLEGE OF EDUCATION ANANDPURI, ANANDPURI, MANGAR ROAD, ANANDPURI, ANANDPURI, BANSWARA, RAJASTHAN-327031	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not replied to the First Show Cause Notice issued on 4.12.2025.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The uploaded geotagged photographs show that the college building is not in good condition. This is an old building. This building is not properly maintained.
- v. The uploaded geotagged photographs show that furniture is not available in the multi-purpose hall. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs.
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- viii. Computer lab is not in good condition and ICT related facilities are not visible in the uploaded geotagged photographs.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- x. As per the institution has uploaded faculty list but not in prescribed format of NCTE Regulation 2014.
- xi. The website of institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xvii. Building plan has approved and signed by Sarpanch. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993**

35	2627202509182782	GRAMODAYA MAHAVIDYALAYA BILARA BILARA, MALKOSANI ROAD, BILARA, BILARA, JODHPUR, RAJASTHAN-342602	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 60x3=180, B.Sc.60x3=180. The sufficiency 3538.116 sq.mts. of built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) , 1 unit of B.Ed., 1 unit of M.Ed. and 1 unit of D.Ed. course cannot be ascertained.
- iii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- iv. As per the institution is mentioned the land area is 52366.24 sq.mts. whereas the Fire safety is mentioned the plot area is 2116 sq.mts. The land area is mismatched. The institution has no uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- v. The website of institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time
- vi. The institution has not uploaded Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- vii. Committee noted that, The institution has uploaded building plan and stated that "as per Building Plan (Blue Map): Room No. 19 – Library-cum-Reading Room Size: 8.86 × 19.50 = 172.77 sq. meters Room No. 34 – Multipurpose Hall Size: 22.27 × 8.82 = 196.42 sq. It is found that previously uploaded

- building plan and now uploaded building plan shows size is different of the Library-cum-Reading Room and Multipurpose Hall Size and signature fixed separately on white blank paper of approval authority, hence approval of the building plan is doubtful whether approval is obtained or not.
- viii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. No Attachment uploaded.
  - ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate. No Attachment uploaded
  - x. Committee noted that If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 60x3=180, B.Sc.60x3=180. The sufficiency 3538.116 sq.mts. of built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) , 1 unit of B.Ed., 1 unit of M.Ed. and 1 unit of D.Ed. course cannot be ascertained. The area earmarked for Multi-disciplinary programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for (????????????????) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>. Initially the institution has uploaded the building plan and BCC mentioning Built-up area 2671 sq.mts. in October 2025 whereas the New Building plan and BCC mentioning Built-up area 3538.116 sq.mts. is uploaded 26.02.2026. However the approval of revised Building plan from the competent Authority and date of Completion of construction of additional Built-up area is not mentioned.
  - xi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
  - xii. Previously uploaded building plan and now uploaded building plan shows constructed area of First Floor and Second Floor is different and signature fixed separately on white blank paper of approval authority, hence approval of the building plan is doubtful whether approved or not. Institution has uploaded details of Rooms and their size without signature of the competent authority. No Attachment uploaded.
  - xiii. The institution uploaded teaching staff list, but it has not in the prescribed format of NCTE and as per NCTE norms. No file uploaded
  - xiv. College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. 251 issued on dated 12/05/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority. No file uploaded.
  - xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - xvii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993**

36	2627202510013528	SARASWATI SIKSHAN SANSTHAN, FATEHPUR SHEKHAWATI, NEAR CHURU ROAD, FATEHPUR SHEKHAWATI, FATEHPUR SHEKHAWATI, SIKAR, RAJASTHAN-332301.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of the applicant institution is Saraswati Shikshan Sansthan and the name of the multidisciplinary institute is Saraswati Shikshan Sansthan Arts and Science College. There is a difference in the names of the two institutions.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2171.33. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 120x3=360, B.Sc.60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- iii. Committee noted that, The name of Multidisciplinary College is Saraswati Shikshan Sansthan College of Arts & Science Fatehpur Shekhawati, Dist Sikar and the name of ITEP Saraswati Sikshan Sansthan, Near Churu Road, Fatehpur Shekhawati, Sikar, Rajasthan-332301. The name of institution is mismatch with each other. If assume that Saraswati Sikshan Sansthan, near Churu Fatepur institution is conducting degree courses i.e. B.A. intake (120x3=360), BSc. intake (60x3=180) combined intake of 540. The sufficiency of land and built-up area for 540 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained. Since the institution has mentioned the total built-up area 2171.33 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- iv. 2171.33 sq. mt built up area is not sufficient as per NCTE norms.
- v. A geotag photograph shows tin sheds on top of the building. It is evident from the geotag photographs that the construction of some parts of the building has not been completed. The geotagged photographs do not show the proper drinking water system of the college. Drinking water system should be permanent
- vi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- vii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- viii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- ix. Library and reading room and Multipurpose Hall, Labs related facilities are not visible in the uploaded geotagged photographs.
- x. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xi. The institution mentioned in the online application its land area as 10000 sqmt. whereas on the fire safety certificate portal of Rajasthan Government, the Plot Area is mentioned as 1050 sq. mts. The land area is different. The institution is required to upload the proper fire certificate.
- xii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xiii. The website of institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time
- xiv. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.

- xv. The uploaded NEC is without Date. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xvii. Committee noted that, Khasra number, plot number, building construction area details are not mentioned in the uploaded Building safety certificate. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993**

37	2627202510013552	CHOUDHARY M.S. MEMORIAL COLLEGE TARANAGAR DISTRICT CHURU, RAJASTHAN TARANAGAR, RAJGARH ROAD, TARANAGAR, TARANAGAR, CHURU, RAJASTHAN-331304	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

38	2627202510053695	SURATGARH B.ED. COLLEGE, SURATGARH, N.H. NO. 62, SURATGARH, SURATGARH, SRI GANGANAGAR, RAJASTHAN-334805	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded documentary evidence confirming that 'Suratgarh B.Ed. College' and 'Suratgarh P.G. College', are situated within the radius of 10 Kilometres, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3 (a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded copy of Not-for-Profit Certificate issued by the concerned govt. competent authority.

- v. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- vi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vii. As per the BCC uploaded by the institution the land area is mentioned 5625sq.mts. whereas the Uploaded land document the land area is mentioned 5625 sq.yards (4658.063 sq.mts. approx.). The land area is Still mismatch. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- viii. The website of the institution is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ix. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs.
- x. Library and library reading room facility Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. the upload the list of teaching staff and salary details are not legible.
- xiii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)  
अध्यक्ष