
Re: : FINAL MINUTES OF 456 (PART-V) MEETING OF WRC

From Shailesh Zala <shaileshzala@yahoo.co.in>

Date Thu 16-Apr-26 5:58 PM

To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Thu, Apr 16, 2026 at 9:55 AM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the Final Minutes of 456 (Part-V) meeting of WRC held on 02nd , 07th-09th April 2026 for consideration and approval please.

Thanks and regards
RD-WRC

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 456वीं (भाग-V) बैठक 02, 07-09 अप्रैल 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित थे:

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत 07-08 अप्रैल 2026 आभासी; 02, 09 अप्रैल 2026
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत 07-09 अप्रैल 2026 आभासी; 02 अप्रैल 2026
3.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत 07-09 अप्रैल 2026 आभासी; 02 अप्रैल 2026
4.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत 07-09 अप्रैल 2026 आभासी; 02 अप्रैल 2026
5.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य	व्यक्तिगत 02 अप्रैल 2026
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य ; 07-09 अप्रैल 2026
3.	राज्य सरकार के प्रतिनिधि	गोवा
4.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
5.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
6.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
7.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
8.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
9.	राज्य सरकार के प्रतिनिधि	राजस्थान
10.	राज्य सरकार के प्रतिनिधि	गुजरात

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application	Name and address	Programme
1	2627202509253257	SARSWATI MAHILA TEACHER TRAINING COLLEGE, KUSHTALA, KUSHTALA, SAWAI MADHOPUR, SAWAI MADHOPUR, SWAI MADHOPUR, RAJASTHAN-322001	Transition B.A B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5479.04. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.) 2 units, The sufficiency of land and built-up area for the above courses with of intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained.
- iv. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. 1771 issued on dated 24/12/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- v. The website of the institution is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations
- vi. Committee noted that, The land area in the Fire safety is mention 2000 sq.mts. Whereas the land area in the land details column is mention 9757.72 sq.mts. Both land area are mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- vii. The geotagged photographs uploaded show that The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs
- viii. The geotagged photographs uploaded show that The campus lacks mandatory accessibility infrastructure, such as ramps or lifts, for students with physical disabilities

- ix. The geotagged photographs uploaded show that the ICT lab is mostly non-functional; The computer lab has only old PCs, the rest are not operable..
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xiii. As per the uploaded CLU mentioned, the land area is 4000 sq.mts. Whereas the mentioned land area in the land details column is 9757.72 sq.mts. The land area is mismatched. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xiv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) in respect of all Mentioning Khasra No. issued by Competent Authority of State Government.
- xv. The institution has not uploaded Mutation Certificate/ Jamabandi mentioning all Khasra No. i.e. ,6067/627,6068/627 issued by Competent Authority of State Government.
- xvi. The institution has not uploaded/provide proof that all khasara number i.e. Kh. No. 3551,6067/627,6068/627 are a single plot, upload a proof issued by government competent authority.
- xvii. The uploaded building plan is not proper and not legible. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xviii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- xix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms..

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

2	2627202510033639	BARJI DEVI SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA KUDALI, PLOT NO 225, SIKAR, SIKAR, SIKAR, RAJASTHAN-332024	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.

- ii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- v. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- vi. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- vii. The Khasra No. is mismatch. The institution is required to upload Affidavit Rs. 100/- in prescribed format regarding land documents. The institution is required to upload Certified Land document in respect of Khasra No. 1175/701.
- viii. The institution has not uploaded documentary evidence confirming that 'Barji Devi Shikshak Prashikshan Mahavidyalaya' and 'J.R. College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ix. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. A.A./2025-26/D-7072 issued on dated 10/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- x. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. **Computer** labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xvi. Science Lab and other Lab related facilities are not visible in the uploaded geotagged photographs.
- xvii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

3	2627202509253274	SBS MEMORIAL TEACHING AND PRASHIKSHAN SANSTHAN SABALPURA, NEAR KV NH 52, DHOD, SIKAR, SIKAR, RAJASTHAN-332001.	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website has not functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ii. The institution has not uploaded Certified Land document in respect of Khasra No.1241/790.
- iii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- v. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vi. As per the uploaded BCC is mentioned 1093/790 Whereas the other documents is not mentioned Khasra No. 1093/790. The Khasra No. is mismatched. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- vii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- ix. The uploaded building plan is not proper and not legible. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- x. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- xi. A geotagged photograph shows Some part of college is under repair
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. Library and reading room of library, Computer labs and ICT, science lab related facilities are not visible in the uploaded geotagged photographs.
- xv. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.

- xvi. The institution has not uploaded documentary evidence confirming that 'SBS Memorial Shikshan Avm Prashikshan Sansthan' and 'SBS Degree College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institution.
- xvii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xviii. The uploaded building plan is not proper and not legible. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xix. The institution has not uploaded LATEST Non-Encumbrance Certificate issued by the Competent Government Authority while mentioning all the Khasra nos. and plot area.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

4	2627202509162458	NAVJEEVAN VIGYAN MAHAVIDYALAYA, SIKAR, PIPRALI ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded affiliation order dated: 19.09.2025 institution is only conducting B.Sc. programme. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- ii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- iii. The institution has not uploaded Certified Land documents in respect of Khasra No. 1144/182, 1145/182, 181.
- iv. The website has not functional and updated as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- v. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

- vii. Committee noted that, As per the online application land in the details land area is mentioned 5000 sq.mts. Whereas the uploaded mutation Certificate land area is mentioned is 37000 sq.mts. The land area is mismatch.
- viii. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. AA/2025-26/D-365 issued on dated 22/04/2025. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- ix. As per land details land area is mentioned 5000 sq.mts. Whereas the mentioned plot area in Fire Noc portal 1264 sq.mts. The land area is mismatch.
- x. Committee noted that, As per the uploaded affiliation order ???????: 32763 dated: 01.07.2025 for B.A. B.Ed /B.Sc.B.Ed. name of the intuition is NAVJEEVAN VIGYAN MAHAVIDYALAYA Course whereas as per NCTE recognition order File No. NRC/NCTE/Recognition/2016 1158042-46 dated: 15.09.2016 name of the institution is Navjeevan Shikshan Sansthan. Both the Name is mismatch.
- xi. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority. The institution is required to update the website as per NCTE regulations
- xii. The uploaded building plan is issued only for building safety purpose. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xiv. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- xv. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

5	2627202509293438	SWAMI KESHWANAND COLLEGE OF ARTS, SCIENCE AND COMMERCE BHADHADAR, NH 52, KIRDOLI ROAD, DHOD, SIKAR, SIKAR, RAJASTHAN-332315.	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. This land area in the Fire safety is mentioned 1200 sq.mts. Whereas the land area in the land details column is mentioned s13700 sq.mts. Both land area are mismatch. The institution is

- required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- ii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
 - iii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
 - iv. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time
 - v. The institution is conducting degree courses i.e. B.A., (180x3=540) B.Com. (120x3=360) B.Sc.(360x3=1080), M.A. intake(120x2=240), MSc. Intake (200x2=400) mentioned combined intake of 2620. The sufficiency of land and built-up area for 2620 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained. Since the institution has mentioned the total built-up area 3620.68 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
 - vi. The earmarked area for all teacher education programme is not mentioned in the BCC uploaded by the institution. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) mentioning all Khasra No. issued by the Competent Government Authority for all the courses being conducted in the premises.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

6	2627202509172753	BHARTIYA TEACHERS TRAINING COLLEGE VILL. JATKA, KISHANGARH BAS, ALWAR BHIWADI MEGHA HIGHWAY ROAD, KISHANGARH BAS, KISHANGARH BAS, ALWAR, RAJASTHAN-301405	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course

7	2627202509162634	SHEKHAWATI GRAMIN COLLEGE VPO- BAY, DANTA ROAD, DANTARAMGARH, BAY, SIKAR, RAJASTHAN-332601	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	--	----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 25.03.2026, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Letter of Intent (LOI) as per Clause 7(13) of the NCTE Regulations 2014 for 2 units (B.A.B.Ed. 1unit (Secondary), B.Sc.B.Ed. 1unit (Secondary) be issued to the institution through online application portal. The Committee noted that the institution is conducting B.A.B.Ed./B.Sc.B.Ed. course with approved annual intake of 100 (2 units). The institution is required to maintain the FDRs towards Endowment Fund and Reserve funds for both courses stage wise. The institution is also required to upload the list of teaching staff duly approved by the Affiliating University course wise and stage wise including downloaded copies of all related information displayed on its website in compliance to relevant provisions of NCTE Regulations, 2014 as amended from time to time.

8	2627202510033620	JAMBUKHAND TEACHER TRAINING INSTITUTE, CHHOTA HAMIRPURA, NH-56, BAGIDORA, KALINJARA, BANSWARA, RAJASTHAN-327606	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of the applicant institution is Jambukhand Teacher Training Institute and the name of the multidisciplinary college is Jambukhand College. There is a difference in the names of the two institutions.
- ii. Committee noted that, Institution is not located in the geographic address given in the online portal.
- iii. The institution has not uploaded Not-for-Profit Certificate issued by the concerned govt. competent authority.
- iv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- v. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. There is not furniture in the multipurpose hall.
- vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- vii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- viii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations
- ix. The validity of Fire Safety Certificate is 27/02/2025 and plot area is only 500. The institution has not uploaded the Fire Safety certificate.
- x. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1188 issued on dated 25/10/2023.

- The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xi. As per the Building plan and BCC uploaded, the institution has shown the entire built up area of 2500 as earmarked for ITEP course. If the entire land area and built-up area is designated for Teacher Education Programmes, it remains unclear where the institution is conducting its Multi-Disciplinary Courses. The institution is required to submit the de-marketed site plan duly approved by the competent authority of the state government earmarking the land & built-up area for ITEP course and other courses/ school being run in the premises, as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
 - xii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - xiii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
 - xiv. The institution has not uploaded the list of teaching staff in the prescribed format of NCTE and teaching staff should be as per NCTE norms
 - xv. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2536.36 . the institution is running B.A.80x3=240 B.Sc. 70x3=210 and other teacher education programme/ courses in the same campus/premises i.e. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained. The built-up area is not sufficient to run the above courses.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

9	2627202509263364	HEERALAL SINGH TEACHERS TRAINING COLLEGE, CHOUKHADA, PATHAT ROAD, TEONHTAR, REWA, REWA, MADHYA PRADESH-486220	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

- iii. The institution has not uploaded the change of Land Use Certificate issue in the specified format issued by the Competent Authority of the State Government.
- iv. The institution has not uploaded the documentary evidence confirming that 'HEERALAL SINGH TEACHERS TRAINING COLLEGE' and 'Sharda Devi College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions issued by Town Planning Officer of Government of Madhya Pradesh.
- v. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vi. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vii. Committee noted that, Sarpanch signed the BCC. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- viii. The institution has not uploaded latest Non-Encumbrance Certificate issued by competent authority.
- ix. The website of the institution is not functional. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- x. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiii. Library and Reading room, science labs and other labs related facilities are not visible in the uploaded geotagged photographs.
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xv. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

10	2627202510053709	SHIKSHA MAHAVIDYALAYA SIDHI PANWAR SENGARAN, BEOHARI ROAD, GOPAD BANAS, SIDHI, SIDHI, MADHYA PRADESH-486661	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises

- and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - iii. The institution has not uploaded the Fire Safety Certificate issued by the Fire Department of the State of Madhya Pradesh.
 - iv. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
 - v. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
 - vi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
 - vii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
 - viii. The institution is conducting degree courses i.e. B.Com. intake (120), BA. intake (120), B.Sc. intake (120), combined intake of 360. The sufficiency of land area and built-up area for 360 intake of multidisciplinary courses and 50 intake for B.A.B.Ed./B.Sc.B.Ed. and 100 intake for B.Ed. and 50 intake for D.El.Ed. course cannot be ascertained since the institution has mentioned the total land area 4048.0 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it.
 - ix. The institution has uploaded TO WHOM SO EVER IT MAY CONCERN, in the name of SIKSHA MAHAVIDHYALAY SIDHI, issued by Vinayak Sales Agencies dated 05.02.2026. the institution has not uploaded Fire Safety Certificate issued by the Fire Department of the State of Madhya Pradesh.
 - x. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
 - xi. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
 - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
 - xiv. The geotagged photographs uploaded show that the condition of computer Laboratory, Library, and other labs are not in good condition
 - xv. Committee noted that, The institution has uploaded Certificate of Mutation, in the name of Vindhyanchal shikshsa samiti, Khasra No. 268/4 , land area 43660 Sq.Mtr., issued by Sub-registrar dated 25.02.2026. However, the institution not uploaded digital Mutation (Jamabandi) Certificate.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

11	2627202509162588	SRI GURU NANAK GIRLS PG COLLEGE, SRI GANGANAGAR, OPPOSITE NEHRU PARK, SRI GANGANAGAR, SRI GANGANAGAR, SRI GANGANAGAR, RAJASTHAN-335001	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi disciplinary programmes.
- ii. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- iii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- v. The institution is required to upload Mutation Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- vi. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vii. The uploaded document is not proper. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. The certificate issued by government competent authority.
- ix. Committee noted that, The institution is conducting degree courses i.e. B.A. intake (320), B.Com. intake (80), B.Sc. intake (160), M.A. intake (200), BCA. intake (40), M.Com. intake (60), M.Sc. intake (55), M.Sc. intake Computer Science (40) combined intake of 955. The sufficiency of land area and built-up area for 955 intake of multidisciplinary courses and 50 intake for B.A.B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit) cannot be ascertained since the institution has mentioned the total built-up area 4915.54 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiv. Committee noted that, As per the lease deed, the same has been allotted to Shri Guru Nanak Senior Secondary School.
- xv. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

- xvi. Committee noted that, the name of applicant institution is Sri Guru Nanak Girls Pg College and multidisciplinary college name is sh. GuruNanak Kanya Mahavidyalaya. There is a difference in the names of the two institutions.
- xvii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice

12	2627202509162488	ARIHANT T.T. COLLEGE, KOTA, CHANDRESAL, LADPURA, KOTA, KOTA, RAJASTHAN-324002	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course

13	2627202509192877	CRM COLLEGE, BAIRASAR CHHOTA, JHUNJHNU ROAD, RAJGARH, RAJGARH, CHURU, RAJASTHAN-331023	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 25.03.2026, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Letter of Intent (LOI) as per Clause 7(13) of the NCTE Regulations 2014 for 2 units B.A.B.Ed. 1unit (Secondary), B.Sc.B.Ed. 1unit (Middle) be issued to the institution through online application portal. The Committee noted that the institution is conducting B.A.B.Ed./B.Sc.B.Ed. course with approved annual intake of 100 (2 units). The institution is required to maintain the FDRs towards Endowment Fund and Reserve funds for both courses stage wise. The institution is also required to upload the list of teaching staff duly approved by the Affiliating University course wise and stage wise including downloaded copies of all related information displayed on its website in compliance to relevant provisions of NCTE Regulations, 2014 as amended from time to time.

14	2627202509243173	AASHIRWAD SHIKSHAK PRASHIKSHAN SANTHAN, BITHARI, 03, PHALODI, PHALODI, JODHPUR, RAJASTHAN-342301	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The library was found to be inadequately equipped. It does not possess any encyclopedias or standard reference books. Proper pedagogy books relevant to teacher education programmes are lacking. No online resources, e-journals, or digital library facilities were available.
- ii. There is no Language Laboratory and committee noted that, The state government has not allotted Geography subject at the graduate level in the institute, no Geography Laboratory as mandated by the norms.
- iii. Seating capacity in the Multipurpose hall is less and also not equipped with projection facility.
- iv. The Visiting Team has reported that the entire campus requires a barrier-free environment. It lacks hard-paved access routes in the external areas, and no ramps or accessible washrooms were observed.
- v. The seating capacity of the library is inadequate and Proof of purchase for the 4,000 books listed in the library was not presented to the Visiting Team during the inspection.
- vi. The title of books encyclopedias and journals have not been verified by the Visiting Team during inspection.
- vii. Class Room less seating capacity, no projection facilities, no charging points for student's laptops etc.
- viii. Professional Research General Could not be verified in absence of valid proofs
- ix. Education Encyclopaedia are not available
- x. Electronic Publication Not available uploaded bill is in the name of Ashirwad Teacher Training College Bithari.
- xi. Humanities Stream Laboratories computer lab had less number of systems, art room was less in area - computer lab had less number of systems, art room was less in area
- xii. Activity Cum Resource Centre less in area
- xiii. Health and Physical Education Room less in area
- xiv. Class room not furnished adequately
- xv. Furniture is not adequately provided in the institution.
- xvi. Non Availability of developed Kitchen Garden
- xvii. Rain Water Harvesting System Not available
- xviii. Facilities for co-curricular Activities Not available
- xix. The institution does not have a kitchen garden or a rainwater harvesting system. The playground was found to be in very poor condition and unsuitable for physical activities.
- xx. The road leading from the main entrance to the campus was not pucca, causing accessibility issues.
- xxi. Faculty members were not present during the online inspection.
- xxii. Required academic and administrative documents were found to be inadequate.
- xxiii. Multipurpose hall was not properly equipped with any digital resources like OHP etc.

- xxiv. The land and building–related documents are not clearly visible, and some of them have been scanned from black-and-white photocopies. Moreover, certain documents are not issued by the competent authorities. No bills or brochures for the purchased books, Computers and furniture were produced at the time of inspection, and the same were denied to be shown during the inspection.
- xxv. Language Laboratory, and Psychology Laboratory are not available in the institution. The overall infrastructure quality is very poor. The multipurpose hall, library, and classrooms have very limited seating capacity. The quality of furniture is also extremely poor. Toilet facilities are structurally very weak and unhygienic.
- xxvi. Institute's physical and academic infrastructure needs drastic improvements, faculty needs to be verified as no one was available, when asked visiting committee ws informed that faculty was on leave, no proofs were presented. Barrier free environment is not addressed , no pucca pathways were available in the campus.
- xxvii. The institution is running the multi-disciplinary course in the name of Aashirwad College, Bhitadi, Palody whereas the institution recognized by NCTE is Aashirwad Shikshank Prashikshan Sansthan. Both names are mismatch.
- xxviii. The institution has mentioned the total built up area of 2860 sqm, which is not sufficient for the existing liberal arts course and proposed ITEP course.
- xxix. As per the BCC, the Building of the institution is of Stone Slab, which is not permissible as per NCTE Regulations.
- xxx. As per the building plan and BCC uploaded, The institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

15	2627202509273386	SHREE NARAYAN SHIKSHAN SANSTHAN KUCHAMAN CITY, SIKAR ROAD KUCHAMAN CITY, KUCHAMAN, KUCHAMAN CITY, NAGAUR, RAJASTHAN-341508	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.

- iii. Uploaded Mutation certificate is not proper. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- iv. A geotagged photograph shows some part of the building left unrepaired
- v. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- viii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- ix. Uploaded documents are irrelevant, The institution has not uploaded/provide proof that all khasara number i.e. Kh. No. 1577-1581,1651-1654,1658 1661,2578/1432,2662/1661 are a single plot, upload a proof issued by government competent authority.
- x. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. 27 issued on dated 12/06/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- xi. This land area in the Fire safety is mentioned 3339 sq.mts. Whereas the land area in the land details column is mentioned 6680 sq.mts. and built up area is 9562.98 Both land area are mismatch. The institution has not uploaded the proper Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xii. Committee noted that, Uploaded building plan approved by Sahayak Abhiyanta, PWD (without date) not signed by Architect with total land area 6686.76 sq.mts. total built up area 9562.98 sq.mts. Name of three TEIs including institution running multidisciplinary courses run by the society are mentioned in the building plan. Built up area 4781.49 sq.mts. is being used for B.A.B.Ed./B.Sc.B.Ed. course. Khasra no.1659, 1660 mentioned in the plan is not mentioned in the address/land details/CLU/NEC.
- xiii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. The Institution has not upload the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norm.
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- xv. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xvi. The geotagged photographs uploaded show that the Ramp is not proper.
- xvii. Committee noted that, As per information filled in the portal, BCC is certified dated 12.12.2006 by Sahayak Abhiyanta, PWD without reflecting date of approval in uploaded BCC. Date of inspection of building by Architect and signature not reflected in BCC Khasra no.1659, 1660 mentioned in the BCC is not mentioned in the address/land details/CLU/NEC. The institution is required to provide proof that all khasara numbers i.e. 1577-1581,1651-1654,1658-1661,2578/1432,2662/1661 are a single plot, upload a proof issued by Government competent authority. CLU issued date is not reflected in BCC. As per BCC, date of registration of land is dated 12.12.2006 whereas in land details filled date of registration of land 14.11.2006 and in land affidavit mentioned 14.12.2006. All the dates mismatches.

xviii. Additional Khasra No.1659, 1660 (not mentioned in the online application) is reflected in the uploaded land related affidavit dated 30.01.2025. In the said affidavit, date of registration mentioned 14.12.2006, whereas in Land Details column, date of registration 14.11.2006 is mentioned. Both dates mismatch.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

16	2627202510033610	SHRI MAHARSHI DADHICH SANSKRIT T. T. COLLEGE NAYA NOHRA, LADPURA, KOTA, KOTA, RAJASTHAN-324001.	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- v. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vi. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- vii. The institution uploaded copy of fire safety certificate dated 08.10.2025 valid up to 07.10.2027 in respect of building "SHRI MAHARSHI DADHICH SHIKSHA SAMITI, MD MISSION, CAMPUS, KESHAVPURA, KOTA SOUTH, KOTA, RAJASTHAN" with approved plot area 1871 sq.mts. As per land details in the online application portal, total land area 14600 sq.mts. Land area is mismatched. Name and address of society as per online application is mismatch with fire safety certificate.
- viii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiii. The name of applicant College is not reflected in the geotagged photo uploaded
- xiv. The Institution has not upload the list of teaching staff for all courses of teacher education duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norm.
- xv. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- xvi. Committee noted that, In google map, given geographic Location i.e. Latitude 23.556369 and Longitude 73.9857873 of the institution is not located in the address given by the institution at the time of scrutiny.
- xvii. If the applicant and merger institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 120x3=360, B.Sc.80x3=240. M.Sc.20x2=40 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 4 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained..
- xviii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

17	2627202509233121	JAIN COLLEGE OF EDUCATION, MANDSAUR, MHOW - NEEMUCH ROAD, MANDSAUR, MANDSAUR, MANDSAUR, MADHYA PRADESH-458001	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution uploaded affiliation order in the name of (I) Jain College and (II) Jain Kala Wanjya Evam Vigyan Mahavidhyalaya Whereas the applicant institution is in the name of Jain College of Education. Both the names are mismatched. Hence, the Applicant institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- ii. The institution is mentioned Khasra No. in the address Column is 384 whereas the mutation certificate is uploaded by the institution is 384/4/1/3. The Khasra No. is mismatched. The

- institution has not uploaded mutation certificate in respect of Khasra No. 384 issued by the Competent Government Authority.
- iii. The Building Plan is uploaded Without seal and signature of Competent Government Authority.
 - iv. The Institution has not uploaded Not-for-Profit Certificate issued by issued by Competent Authority of State Government.
 - v. the website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - vi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 5659 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.).2 apply for B.Sc. B.Ed. Secondary Secondary (4 unit), course cannot be ascertained
 - vii. The BCC uploaded by the institute is not correct and not as per NCTE norms. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
 - viii. From the geotagged photographs, it is clear that the library and reading room have been set up temporarily. The geotagged photographs show that the multipurpose hall is not proper as per NCTE norms. from the geotagged photographs, it is clear that computer lab is of Jaion College. The geotagged photographs reveal that they are playgroup toys. It is clear that they are running a play group in the same area.
 - ix. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
 - x. Committee noted that, The name of Jain College of Education is reflected in the geotagged photo uploaded. and The name of Jain Public School is reflected in the geotagged photo uploaded
 - xi. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

18	2627202509283408	SHRI SHYAM COLLEGE (I T E P) ANANDPURI BANSWARA KASUMBARIYA ANANDPURI, DAHOD ROAD, ANANDPURI, ANANDPURI, BANSWARA, RAJASTHAN-327031	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is uploaded affiliation order and applicant name of shri shyam college Whereas the the Recognition order is uploaded in the name of Shri Shyam B.V. College. Both the names are mismatched. Hence, the Applicant institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as

amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.

- ii. As per the mentioned plot area 500 sq.mts. The institution mentioned land area is 8100 sq.mts. Whereas the land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://sgonline.rajasthan.gov.in/track_application.aspx.
- iii. The website of institution <http://www.mjfspm.org/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- iv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- v. The name of multidisciplinary institute and TRS does not match, but if assume that they are running the multidisciplinary institute in the same premises i.e. B.A. 160x3=480, B.Sc.140x3=420,. B.Com.,70x3=210 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (2 unit), B.Sc. B.Ed. Secondary (2 unit) course cannot be ascertained.
- vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- viii. Institution uploaded so many irrelevant documents, The institution has not uploaded proper Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- x. The uploaded geotagged photographs show that the computer lab, library and other labs are not in good condition
- xi. Committee noted that, As per the mentioned plot area 500 sq.mts. The institution is mentioned land area is 8100 sq.mts. Whereas the land area is mismatched. The institution has not uploaded proper Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://sgonline.rajasthan.gov.in/track_application.aspx.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xiii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- xiv. The institution has not uploaded the legible land documents copy.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

19	2627202509162594	BABA NARAYANDAS MAHILA SHIKSHAK PRASHIKSHAN SANSTHAN NEEM KA THANA, INDUSTRIAL AREA, PHASE IIND, NEEM KA THANA, NEEM KA THANA, SIKAR, RAJASTHAN-332713	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded documentary evidence confirming that 'Baba Narayandas Mahila Shikshak Prashikshan Sansthan, Neemkathana' and 'Mandiya College' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded mutation certificate/Jamabandi issued by the Competent Government Authority.
- v. The institution has not uploaded the Authorization letter on the 100 Rs/- stamp paper as per admissible government rate.
- vi. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- viii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4599. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.) 1 unit. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary 1 unit), Middle (1 unit), course cannot be ascertained.
- x. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. 1548 issued on dated 28/06/2023. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xi. The name of applicant College is not reflected in the geotagged photo uploaded
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xvi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- xviii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

20	2627202509162562	AISHWARYA TEACHERS TRAINING COLLEGE, CHITRAKOOT NAGAR, BHUWANA, NEAR RTO, GIRWA, UDAIPUR, UDAIPUR, RAJASTHAN-313001	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- ii. The website needs to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The name of the Multidisciplinary college is Aishwarya College of Education Sansthan, and Teacher training college is AISHWARYA TEACHERS TRAINING COLLEGE. Both college names are mismatched. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl011/3/2025-Reg. Sec-HQ dated 06.05.2025 (2026-27). The institution does not fall in the category of multi-disciplinary institution.
- iv. The institution has not uploaded legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. The uploaded building plan is not proper and legible
- v. As per the mutation certificate uploaded by the institution only thirteen Khasra No. is mentioned therein Whereas in the online application it has mentioned 15 Khasra No. The institution has not uploaded Mutation Certificate/Jamabandi mentioning all the issued by Competent Authority of State Government.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms

- vii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- viii. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ix. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4500. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4500. The institution conducts degree courses i.e. B.Com. intake (80), B.Sc. intake (210), B.A. intake (80), BBA(earlier called BBM) intake (40), M.Com intake (80), M.A intake (160), M.Sc. (PHYSICS) intake (15), M.SC(CHEMISTRY) intake (15), PG Diploma & Certificate Course intake (100), PGD In Yoga intake (60), PGDCA intake (40), PGDCA intake (120), BCA intake (60), Bachelor of Computer Applications (BCA) intake (60), MBA intake (60), MCA intake (45), DIPLOMA IN PHARMACY intake (60), Rajasthan State Certificate in Information Technology intake (50), combined intake of 1245. The sufficiency of land and built-up area for 1245 intake of multidisciplinary courses and 100 intakes for B.A.B.Ed./B.Sc. B.Ed. and 100 intake for B.Ed.,50 intake for D.El.Ed. for course cannot be ascertained.
- x. Committee noted that, The institution has not uploaded Mutation Certificate/Jamabandi issued by Competent Authority of State Government.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

21	2627202510013541	SHRI CHANDRA SEKHAR MAHAVIDYALAY SUJANGARH, KISHAN COLLONY, SUJANGARH, SUJANGARH, CHURU, RAJASTHAN-331507.	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- The institution Website SCMSUJANGARH.CO.IN is not operational the institution has compliance of provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time and failed to create and maintain its official website uploading requisite information therein.
- The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

- v. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority. This certificate be expired on 24/03/2026.
- vii. The institution has not uploaded certified land documents in respect of Khasra No. 606/395 and 602/595 issued by the Competent Government Authority. The institution has not uploaded Certified land documents and land related affidavit in the prescribed format of NCTE mentioning all Khasra No. issued by the Competent Government Authority.
- viii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- ix. The name of the Multidisciplinary college is Shri Chandrasekhar college, and applicant college name is Shri Chandra Sekhar Mahavidyalaya E. Both college names are mismatched
- x. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiii. The condition of Computer labs is not good. and ICT related facilities are not visible in the uploaded geotagged photographs
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. A geotagged photograph shows some part of the building left unrepaired.
- xvi. Geotagged photographs uploaded earlier show that the college has been closed for the past few months.
- xvii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xviii. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 80x3=240, B.Sc.80x3= 240. And intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) 100x4=400 the institution has mentioned the total built-up area 4421 sq.mts. This built-up area is not sufficient to run the above courses.
- xix. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xx. As per the uploaded BCC Total built-up area is measuring 4421.36 sq.mts. earmarked for the teacher education. The area earmarked for Multi-disciplinary programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>
- xxi. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xxii. The uploaded teaching staff list is not legible.
- xxiii. Committee noted that, As per the uploaded CLU, the converted land area of the institution is 6893.16 sq.mts. at Khasra No. 602/595 and 596/396 whereas the institution has mentioned its land area 10000 sq.mts. The land area and Khasra No. is not matched with the provided details in the mentioned land details column. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.

- xxiv. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xxv. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xxvi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

22	2627202509172702	SK GREENWOOD SHIKSHAN PRASHIKSHAN MAHAVIDYALAYA SHEKHA BASNI, KUCHAMAN ROAD, DIDWANA, NAGAU, RAJASTHAN-341303	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. In place of uploading of revised affidavit regarding authorized representative of the management, TEI has uploaded an affidavit notarized dated 28.02.2026 relegated to land details wherein date of registration of land is not reflected.
- iv. The institution has not uploaded the proper Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- v. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. This teaching staff list is not signed by Registrar of the University.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- vii. The name of applicant College is not reflected in the geotagged photo uploaded
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

- xii. Committee noted that, As per fire safety information filled in the portal on verification from fire portal, it is noted that Fire safety certificate issued dated 15.10.2024 in the name of SK GREENWOOD SHIKSHAK PARSIKSHAN MAHAVIDYALAYA DID, 225 227, SHEKHABASNI, SHEKHABASNI, DIDWANA, DIDWANA-KUCHAMAN, RAJASTHAN with plot area 5000 sq.mts. valid up to 14.10.2025 (validity expired). The institution is required to upload latest Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- xiii. Committee noted that, Khasra No.225, 227 mentioned as per filled information in the portal as well as recognition order dated 24.03.2017 for B.A.B.Ed./B.Sc.B.Ed., whereas in the uploaded registered land document dated 15.09.2011, Khasra No.171 (Area- 3318 sq. mtr.) and another registered land document dated 16.05.2008 Khasra No. 171 (Area-1500 sq. mtr.), (Total land area 4818 sq. mtr.). Both khasra mismatch with Khasra No.225, 227 and total land area.
- xiv. Institution has uploaded Non-Encumbrance Certificate dated 20.02.2024 issued by Up-Panjiyak, Deedwana. However, the institution has uploaded lease deed dated 05.10.2013 Khasra No. 225, 227 Total land area 5000 sq. mtr. issued by Revenue Department, Nagar Palika, Deedwana. Both the land is on ownership and Lease basis. The institution is required to clarify the same and required to upload LATEST Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xv. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- xvi. Committee noted that, As per uploaded building plan approved by Civil Engineer, Nagar Parishad (without date) and Sahayak Abhiyanta, P.W.D Sub-Division, Deedwana, total land area 5000 sq.mts. total built up area 4359.19 sq.mts for both B.Ed.(100 intake) and B.A.B.Ed./B.Sc.B.Ed.(100 intake) out of which 3500 sq.mts. built up area earmarked B.Ed. and B.A.B.Ed./B.Sc.B.Ed. and remaining 859.10 sq.mts. for Degree courses. TEI is required to clarify which Block for B.Ed. & B.A.B.Ed./B.Sc.B.Ed. course and which block for Degree courses. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. Both the educational institutes are working under the same Building and same Khasara number. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4128. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. $160 \times 3 = 480$, B.Sc. $150 \times 3 = 1500$, The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

23	2627202510023577	BAGODA COLLEGE DADAL JALORE DADAL, BAGODA, SAYALA, NEAR BAGODA, JALLORE, RAJASTHAN-343029	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the affiliation order is uploaded, the institution is conducting only B.A. programme. The institution is not running multi-disciplinary B.Sc. course in the field of sciences, or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution for B.Sc. B.Ed. course.
- ii. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- iii. The institution is conducting degree courses i.e. B.A. 240x3=720. The sufficiency of total built-up area measuring 3019.34 sq.mts. for the above multidisciplinary courses and for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), and B.Ed. course with two Unit 100 seats cannot be ascertained.
- iv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- v. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- vii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE. This teaching staff list is not signed by Registrar of the University.
- viii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. Computer lab is not in good condition and ICT related facilities are not visible in the uploaded geotagged photographs.
- xi. Committee noted that, The institution is conducting degree courses i.e. B.A. 240x3=720. The sufficiency of total built-up area measuring 3019.34 sq.mts. for the above multidisciplinary courses and for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), and B.Ed. course with two Unit 100 seats cannot be ascertained. The area earmarked for Multi-disciplinary programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

24	2627202510013547	KOTHARI MAHILA MAHAVIDHALYA, SANKHAN TAL, RAJGARH CHURU, VPO SANKHAN TAL, RAJGARH ROAD, RAJGARH, RAJGARH, CHURU, RAJASTHAN-331303	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3000. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.70x3= 210, M.A.20x2=40 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit),B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- iii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority mentioning the total land area and built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. Building Plan uploaded by the institution is approved by the Assistant Engineer.
- v. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vi. The institution is running Kothari Teacher Training College (B.Ed (2 Units), Malaram Kothari T.T. College (B.Ed (2 Units) and proposed ITEP (2 Units) KOTHARI MAHILA MAHAVIDHALYA on the same land.
- vii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- viii. The name of the applicant institution is KOTHARI MAHILA MAHAVIDHALYA and the name of Multidisciplinary institution is Kothari Girls College. There is a difference in the names of the two institutions.
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The institution website is not operational at the time of scrutiny. The institution has not updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xi. The institution has mentioned the total built up area of 3000 sqm which is not sufficient even for the existing Teacher Education Courses. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3000. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.70x3= 210, M.A.20x2=40 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses

- and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- xiii. The uploaded geotagged photo does not reflect the name of the applicant college on the building.
 - xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
 - xv. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
 - xvi. The geotagged photographs do not show the drinking water system of the college. Drinking water system should be permanent
 - xvii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
 - xviii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
 - xix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
 - xx. The institution is running Kothari Teacher Training College (B.Ed (2 Units), Malaram Kothari T.T. College (B.Ed (2 Units) and proposed ITEP (2 Units) KOTHARI MAHILA MAHAVIDHALYA on the same land.
 - xxi. Uploaded document is irrelevant, College Khasra Numbers/plot numbers and other things are not mentioned in the certificate no. 1125 issued on dated 30/01/2026. The uploaded certificate does not have the stamp of the government authorities. And the signature of EXECUTIVE ENGINEER PWD RAJGARH CHURU is so funny.
 - xxii. 47361 certificate no is in the name of RAJASTHAN SAMAJ KALYAN SHIKSHA SAMITI. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

25	2627202509182841	JAI MARUDHAR KESARI B.ED. COLLEGE, MERTA CITY, JODHPUR ROAD, MERTA, MERTA CITY, NAGAU, RAJASTHAN-341510	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- iii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.

- iv. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- v. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- viii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- x. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. . The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

26	2627202510033629	SMT. KAMLA DEVI GAURIDUTT MITTAL MAHILA MAHAVIDYALAYA SARDARSHAHAR, CHURU, RAJASTHAN- 331403	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of the applicant institution is Smt. Kamla Devi Gauridutt Mittal Mahila Mahavidyalaya and the name of Multidisciplinary institution is Smt. Kamla Devi Gauridutt Mittal Mahila (PG) Mahavidyalaya. There is a difference in the names of the two institutions.
- ii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6861. The institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 320x3=960, B.Com. 160x3=480, B.Sc.140x3=420. M.A.40x2=80, M.Com 40x2=80, M.Sc. 40x2=80, PGDCA 40x2=80. ABST course approved capacity not mentioned. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (2 unit), Middle (2 unit), B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit) course cannot be ascertained. The land is not sufficient to run the above courses.
- iii. From the uploaded document, which is not legible it is difficult to understand whether it is Sale Deed/Gift Deed/Lease Deed. Certified copy registered land documents along with schedule of the property having Survey . No.331 is not mentioned in the uploaded Document.
- iv. The Uploaded Mutation certificate is not proper. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government
- v. In the uploaded Land use Certificate (CLU) For Educational Purpose is not mentioned Survey . No.331.
- vi. Survey No. is not mentioned in the uploaded building plan. Details of built-up area provided for infrastructural facilities regarding academic wing, administrative wing and other amenities are not reflected in the building plan uploaded by the institution as per ITEP Regulations, 2021.
- vii. The institution is required to submit the de-marketed site plan duly approved by the competent authority of the state government earmarking the land & built-up area for ITEP course and other courses/ school being run in the premises, as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>
- viii. The institution has not uploaded Not-for-Profit Certificate issued by the concerned govt. competent authority.
- ix. In the geotagged photo uploaded, the name of the applicant college does not appear at the main entrance. The uploaded geotagged photo shows the name of a different college. And another side of building shows the applicant college name. May be so many institutions are running in the same premises.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xii. ICT related facilities are not visible in the uploaded geotagged photographs.
- xiii. playgrounds and sports facility related facilities are not visible in the uploaded geotagged photographs
- xiv. The institution has NOT uploaded Exemption Certificate (12A) issued by Income Tax Department instead of that it has uploaded Form 10AC.
- xv. Building safety is in the name of Smt. Kamla Devi Gauridutt Mittal Mahila (PG) Mahavidyalaya not in the applicant institutions name.
- xvi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.

- xix. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

27	2627202510033607	REWANCHAL INSTITUTE OF EDUCATION AND TECHNOLOGY. REWA, BAUDARA, SIRMOUR LALGAON, REWA, REWA, MADHYA PRADESH-486117	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website has not to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- iii. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The institution has not uploaded 12 (A) Exemption Certificate issued by Competent Authority of State Government.
- vi. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- vii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- viii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- ix. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- x. Geographic location Name of the institution is not showing in google map. The institution is required to clarify the same. The institution has uploaded letter dated 16.03.2026 regarding Geographic location Name of the institution (under process).

- xi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE..
- xiii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

28	2627202509263331	SHRI MADHAV SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA, LADNUN, MEGHA HIGHWAY PABOLAV LADNUN, LADNUN, LADNUN, NAGAUR, RAJASTHAN-341306	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website has not to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- ii. Both the educational institutes are working under the same Building and same Khasara number. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4128. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 60x3=180, B.Sc.60x3=180, B.Com 60x3=180,M.A. 40x2=80. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- iii. The institution has not uploaded latest Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://sgonline.rajasthan.gov.in/track_application.aspx.
- iv. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises

- and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - vi. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - vii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - viii. Committee noted that, Sarpanch signed the BCC. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority mentioning course wise earmarked total land area and total built up area, name of the course, being run in the premises.
 - ix. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
 - x. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
 - xi. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
 - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
 - xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

29	2627202509162538	VIJYASHREE EDUCATIONAL INSTITUTE, GRAM BASHA (RAINGWA), JDA SCHEME NO. 41/65, PANAGAR, JABALPUR, JABALPUR, MADHYA PRADESH-482002	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per land details Column, land area is 12900 sq.mts. and built-up area 9957 sq.mts. whereas in the uploaded land Document, land area is mentioned 5200 sq.mts. The land area is mismatch. The institution has not uploaded Certified land document with mentioning all Khasra No. issued by the Competent Government Authority. The institution has required upload Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents. The institution has not clarified the same and upload the documents/evidence regarding the same.

- ii. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- iv. The proposal for collaboration between the institutions has been approved by their affiliating university, but it is conditional, the institution has not uploaded the unconditional approval issued by the affiliating university as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
- vi. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- viii. CLU is for educational purpose and residential area
- ix. Committee noted that,
- x. As per land details Column, land area is 12900 sq.mts. and built-up area 9957 sq.mts. whereas in the uploaded land Document, land area is mentioned 5200 sq.mts. The land area is mismatch.
- xi. The institution website is not operational at the time of scrutiny. The institution has not updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xii. The geotagged photo uploaded does not show the applicant college name on the building
- xiii. The geotagged photographs uploaded show the medical shop in the area. The Committee noted that after an online search Vijayashree Ayurvedic Medical College and Hospital appears..
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. The fire safety certificate is expired. The institution has uploaded Fire Safety Certificate bearing No. 6100010067/FNOC/COL/2023/5589 issued by Commissioner/Fire Officer, JABLAPUR Madhya Pradesh dated 31.03.2023 (03 years) (expired).
- xviii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
- xix. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xx. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

30	2627202509172717	SORABH COLLEGE OF TEACHER TRAINING BHAVALI, KARALI ROAD, MASALPUR, MASALPUR, KARALI, RAJASTHAN-322242	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority. Complete address of the institution with pincode, Khasra No. mentioned in the application is not reflected therein.
- iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The name of applicant institution Sorabh College Of Teacher Training and the name of multidisciplinary institution is Sorabh College, Masalpur name of both institutions are mismatched.
- v. The institution is required to upload the legible land documents copy. The institution is required to upload the Land related affidavit as per details filled in the online application portal
- vi. The institution itself claims to have been running multidisciplinary programmes. A copy of letter of provisional affiliation dated 28.04.2025 for B.A. and B.Sc. courses for the session 2024-2025 in respect of institution Sorabh College, Karauli Road, Masalpur, Dist. Karauli, Raj. issued by University of Kota is uploaded. Name of institution does not match with transition application.
- vii. The institution is required to upload the list of teaching staff of all Education Faculty Programmed duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- viii. The committee noted that the geotagged photo shows that the college building is old.
- ix. The committee noted that the geotagged photo shows that the some part of college building is not in use.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiv. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xv. The geotagged photographs uploaded show that the ramp is not proper.
- xvi. The committee noted that, Address of this transition application (2627202509182818) and another transition application (2627202509162556) from same society "Rajasthan Delhi Education Society" are identical.
- xvii. The committee noted that,Address of the Institution is filled on the portal. The address of institution filled in the portal "Khasra no.870/4, 870/6 Street/Road- Karauli Road, Vill.Bhavali, P.O. Masalpur, Taluka- Masalpur, City-Masalpur, Dist. Karauli, Rajasthan-322242" whereas the address mentioned in the recognition order dated 30.04.2017 for 4 year Integrated B.A.B.Ed./B.Sc.B.Ed. and B.Ed. courses as "Vill. Mashalpur, Street/Road- Kheda Road, Taluka/City- Mashalpur, Dist. Karauli, Rajasthan-322242". In both the addresses, Village and Street/Road of one address differ with the other address.
- xviii. The committee noted that, The institution itself claims to have been running multidisciplinary programmes. A copy of letter of provisional affiliation dated 28.04.2025 for B.A. and B.Sc. courses for the session 2024-2025 in respect of institution Sorabh College, Karauli Road, Masalpur, Dist. Karauli, Raj. issued by University of Kota is uploaded. Name of institution does not match with transition application.
- xix. Committee noted that, Name of this institution (Transition Application No.2627202509172717) and another transition application bearing no.2627202509182818 are same "Sorabh College of Teacher Training" submitted by the same society "Rajasthan Delhi Education Society" having different address..
- xx. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 160x3=480, B.Sc.60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. (4 units,) B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit)course cannot be ascertained.
- xxi. It cannot be ascertained from the bank statement uploaded by the institution that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms
- xxii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE
- xxiii. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- xxiv. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

31	2627202509253275	PRAGATI KISSAN COLLEGE,CHANDGOTHI, CHANDGOTHI, PILANI TO RAJGARH MAIN ROAD, RAJGARH, CHANDGOTHI, CHURU, RAJASTHAN-331305	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course

32	2627202509162612	MCES,DR.P.A.INAMDAR UNIVERSITYS H.G.M.AZAMCOLLEGE OF EDUCATION, PUNE, K.B.HIDAYTULLAH ROAD, PUNE, PUNE, PUNE, MAHARASHTRA-411001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The University has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Aresse (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iii. The University has not uploaded mutation certificate mentioning all Khasra No. issued by the Competent Government Authority.
- iv. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The University has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Maharashtra verifiable on the official portal of the Fire Department, Government of Maharashtra.
- vi. The University has mentioned Khasra no 522 and land area 4565.12180 sq.mts. in address column of the online application whereas in the uploaded Certified land documents the Survey No. is 160 with land area 23 acre 20 gunthas. The Khasra No. and land area is mismatched. The institution has not uploaded Certified land documents mentioning all Khasra No. issued by the Competent Government Authority. The institution has not uploaded the Land related affidavit on Rs.100/- stamp paper in prescribed proforma as per details filled in the online application portal.
- vii. The University is mentioned in the Column of land details is 4565 sq.mts. (B) the institution is mentioned in the Column of Mutation certificate/ Jamabandi, CLU and NEC are 96112.84 sq.mts. The land area is mismatched.
- viii. The University is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- ix. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

- x. The University is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018-MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

33	2627202509172752	B.T. INSTITUTE OF EXCELLENCE MAKRONIA, SAGAR, DR HARISINGH GOUR NAGAR, PT DEENDAYAL NAGAR, SAGAR, SAGAR, MADHYA PRADESH-470004	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions
- ii. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The institution has not uploaded documentary evidence confirming that 'B.T. INSTITUTE OF EXCELLENCE' and the institution to be collaborated 'with' are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded Mutation Certificate of Land issued by Competent Authority.
- v. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no. BTIE/149/1717/2026 issued on dated 04/02/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority
- vi. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. Ramp related facilities are not visible in the uploaded geotagged photographs.
- x. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xi. Fin the BCC total built up area earmarked for teacher training programme is 1600 sq.m. it is not as per NCTE norms.

- xii. The website of institution <https://btie.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE norms and regulations.
- xiii. Committee noted that, The institution has uploaded land documents Land Acquisition & Development Scheme & Agreement to lease for a long period Makronia Bujurg Patwari Halka No. 11/72, Khasra no. 39/6, 38/2, total Plot Area 0.613 hq. or 1.53 acre or 66555 Sq.ft. and the Khasra/Survey No. do not match as per the on-line application.
- xiv. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- xv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- xvi. The institution is conducting degree courses i.e. B.A. 300x3=900, B.Com. 160x3=480, B.Sc. 240x3=720, BCA 30x3=90, M.A. 60x2=120, M.Com. 30x2=60. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Middle (1 unit) course cannot be ascertained.
- xvii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE.
- xviii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)
अध्यक्ष