



---

**Re: FINAL MINUTES OF 457 (PART-II) OF WRC**

---

**From** Shailesh Zala <shaileshzala@yahoo.co.in>  
**Date** Wed 22-Apr-26 12:15 PM  
**To** Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Tue, Apr 21, 2026 at 7:37 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached the Final Minutes of 457 (Part-II) meeting of WRC held on 20th-22nd April 2026 for consideration and approval please.

Thanks and regards

RD-WRC

-----

For more information or query, Please revert on the same mail <[wrc@ncte-india.org](mailto:wrc@ncte-india.org)>.



**Warm Regards**  
**Western Regional Committee**  
**NCTE**  
**Dwarka**  
**New Delhi**

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 457 वीं (भाग-II) बैठक 20 से 22 अप्रैल, 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य प्रतिनिधि बैठक में उपस्थित थे:-

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत
3.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत
4.	डॉ. अश्विनी हल्बे कारवांडे	सदस्य	व्यक्तिगत
5.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	डॉ. करणम पुष्पनाधाम	सदस्य
2.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
3.	राज्य सरकार के प्रतिनिधि	गोवा
4.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
5.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
6.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
7.	राज्य सरकार के प्रतिनिधि	गुजरात
8.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
9.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
10.	राज्य सरकार के प्रतिनिधि	राजस्थान

- II. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है :-

Sl. No.	Application	Name and address	Programme
1	2627202509243206	BHOM SINGH TEACHERS TRAINING COLLEGE, GHORIWARA, SIKAR ROAD, NAWALGARH, NAWALGARH, JHUNJHUNU, RAJASTHAN-332705	Transition B.A B.Ed / B.Sc. B.Ed

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the approved letter regarding the same.
- ii. The institution is mentioned the fire plot area is 1500 sq.mts. Whereas the mentioned land area is mentioned 33000 sq.mts. The land area is mismatched. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://sgonline.rajasthan.gov.in/track\\_application.aspx](https://sgonline.rajasthan.gov.in/track_application.aspx).
- iii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- iv. As per the mentioned the land area in the land details column is 33000sq.mts. Whereas the mentioned land area in the uploaded land use is 5000 sq. mts. The land area is mismatched. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- v. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The intuition is required to upload the certificate issued by the government of Rajasthan.
- vi. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

- ix. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- x. Committee noted that, Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 539 issued on dated 09/07/2024. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xii. laboratories are not in good condition.
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvi. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

2	2627202509122188	PRABODHAN EDUCATION SOCIETY'S VIDYA PRABODHINI COLLEGE OF COMMERCE, EDUCATION, COMPUTER AND MANAGEMEN, PENHA DE FRANCA, NEAR GOA BOARD, BARDEZ, BARDEZ, GOA (NORTH), GOA-403521	Transition B.A B.Ed / B.Sc. B.Ed
---	------------------	---	----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to maintain and updated their website <https://vidyaprabodhnicollege.edu.in> in compliance to provisions under Clause 7(14), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution is required to upload Mutation Certificate/Jamabandi issued by Competent Authority of State Government.
- iii. The institution has not uploaded Legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. Committee noted that institution is not running B.A. programme.

- v. The institute has recently allotted B.A. B.Ed. This faculty list is used for the same allotted programme i.e. B.A. B.Ed. Secondary (2 units) course.
- vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. The institution has recently given the recognition for B.A.B.Ed. Secondary (2 units). by the NCTE. This program is not mentioned in the building plan.
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

3	2627202510013558	VARDA COLLEGE OF EDUCATION NEEM KA THANA, , NEEM KA THANA, NEEM KA THANA, SIKAR, RAJASTHAN-332713	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The website has not to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- iv. In the fire safety Certificate mentioned land area is 803 sq. mts., in the Column of land details mentioned land area is 17660 sq. mts. Both land area are mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsqonline.rajasthan.gov.in/track\\_application.aspx](https://lsqonline.rajasthan.gov.in/track_application.aspx).
- v. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vi. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vii. The institution has not uploaded documentary evidence confirming that 'VARDA COLLEGE OF EDUCATION' and 'VARDA COLLEGE' are situated within the radius of 03 Kilometre's as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.

- viii. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ix. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 4707 issued on dated 21/01/2026. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt. norms.
- xi. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

4	2627202509172679	RAJDHANI COLLEGE KHANDELA KHANDELA, PALSANA ROAD KHANDELA, KHANDELA, KHANDELA, SIKAR, RAJASTHAN-332709	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

5	2627202509162532	EXCELLENCE GIRLS COLLEGE SIKAR, NEAR NEHRU PARK, SALASAR ROAD, SIKAR RAJASTAHN-332001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines

issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

6	2627202509293457	CHOPASANI TEACHERS TRAINING COLLEGE, JODHPUR, CHOPASNI ROAD, JODHPUR, JODHPUR, JODHPUR, RAJASTHAN-342008	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded documents is not mentioned both the institution is collaborating or merger. The of Multidisciplinary institution is "Chopanasani Mahavidyalaya" and the name of applicant intuition is "Chopasani Teachers Training College, Chopasani, both name are mismatched.
- ii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. the BCC should be easily readable.
- iii. The institution has not uploaded certified copy of registered land documents with the affidavit in respect of land documents.
- iv. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- v. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms..
- vi. The institution is required to upload the Not-for-Profit Certificate issued by government competent authority.
- vii. The institution has not to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- viii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://sgonline.rajasthan.gov.in/track\\_application.aspx](https://sgonline.rajasthan.gov.in/track_application.aspx).
- x. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution,

- Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - xiii. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
  - xiv. As the institution is running the different courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing courses/ Colleges and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

7	2627202509172728	JABALPUR PUBLIC COLLEGE KARMETA PATAN ROAD NEAR RTO OFFICE JABALPUR, 49, JABALPUR, JABALPUR, JABALPUR, MADHYA PRADESH-482002	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution has uploaded Building Completion Certificate (BCC) approved by Gram Panchayat. The institution has uploaded the Building Completion Certificate (BCC) in old format of 11 points. The institution is required to upload the Building Completion Certificate in the prescribed format of NCTE (17 Points) indicating Khasra/Plot no. Total land area/Built-Up area issued by Govt. Competent Authority.
- iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution is required to upload the certificate issued by the Government of MADHYA PRADESH justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The total land area of the institution is 4109 sqm, which is less than the has not for existing B.Ed (100), D.El.Ed (150), M.Ed (50) and B.A. B.Ed (50) courses.
- vi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.

- vii. The institution has not uploaded Land Use Certificate (CLU) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. The document uploaded in support of Change of Land Use is not readable.
- ix. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- x. The institution has not uploaded/provide proof that all khasra numbers i.e. old khasra no. 445/2, 446/2, 443/1/2, new khasra no 445/48,446/48,443/48 are in a single plot.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xiii. ICT related facilities are not visible in the uploaded geotagged photographs.
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the.
- xv. Committee noted that, In the application form, the institution has mentioned the land area as 4109 sqm, whereas the building plan makes a mention of plot area as 3758 sqm. The institution is required to clarify this discrepancy.
- xvi. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xvii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

8	2627202509233135	KANORIA COLLEGE, MUKUNDGARH MUKUNDGARH, WARD NO. 15, COLLEGE ROAD, NAWALGARH, MUKUNDGARH, JHUNJHUNU, RAJASTHAN-333705	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

**Decision of WRC:**

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 25.03.2026, Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

**Letter of Intent (LOI) as per Clause 7(13) of the NCTE Regulations 2014 for 2 units (B.A.B.Ed. 1unit (Secondary), B.Sc.B.Ed. 1unit (Secondary) be issued to the institution through online application portal. The Committee noted that the institution is conducting B.A.B.Ed./B.Sc.B.Ed. course with approved annual intake of 100 (2 units). The institution is required to maintain the FDRs towards Endowment Fund and Reserve funds for both courses stage wise. The institution is also required to upload the list of teaching staff duly approved by the Affiliating University course wise and stage wise including downloaded copies of all related information displayed on its website**

9	2627202510013538	BABA NARSINGH DAS PG COLLEGE NECHHWA, SALASAR ROAD SIKAR, LAXMANGARH, SIKAR, SIKAR, RAJASTHAN- 332026.	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. First Show Cause Notice (After Preliminary Scrutiny) was issued to the institution on 19.12.2025. The institution has not uploaded any reply of First Show Cause Notice (After Preliminary Scrutiny) within stipulated time period.
- ii. The institution has not uploaded mutation certificate/Jamabandi mentioning all Khasra No. issued by the Competent Government Authority.
- iii. As per the uploaded BCC is not mentioned all Khasra No. and mentioned two Adjacent Plots instead of single plot. The has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://sgonline.rajasthan.gov.in/track\\_application.aspx](https://sgonline.rajasthan.gov.in/track_application.aspx).
- vi. The website has not functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vii. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. SP-7 issued on dated 09/0/2006. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- viii. The institution is conducting degree courses i.e. B.A intake (300X3=900), B.Sc. intake (120X3=360), M.A. intake (120X2=240), B.Com. intake (120X2=240) combined intake of 1740. The sufficiency of land and built-up area for 1740 intake of multidisciplinary courses and 100 intakes for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained. Since the institution has mentioned the total built-up area 3997.2 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>
- ix. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- x. Committee noted that, the institution has submitted geographic location. However, the name of institution is not visible while putting the Latitude and Longitude on Google Maps.
- xi. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.

- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xiii. Ramp related facilities are not visible in the uploaded geotagged photographs
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

10	2627202509303520	S N COLLEGE OF EDUCATION DHOLPUR DHOLPUR, GOVT ITI ROAD, DHOLPUR, DHOLPUR, DHOLPUR, RAJASTHAN-328001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant institution S N COLLEGE OF EDUCATION, and the name of transition college is multidisciplinary institution is S N college of Science, name of both institutions are mismatched
- ii. In the Land Details Land area mentioned in the Affidavit (in sq m) 6891 and Built Up area mentioned in the Affidavit (in sq m) is 6080. B.A.  $180 \times 3 = 540$ , B.Sc.  $120 \times 3 = 360$ . B.Com.  $60 \times 3 = 180$  BCA  $60 \times 3 = 180$  M.A.  $240 \times 2 = 480$  total is strength is 1740 for other than teacher education courses. and for teacher education courses intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1unit), Middle (1 unit)  $200 \times 4 = 800$  the institution has mentioned the total built-up area 6080 sq.mts. This built-up area is not sufficient to run the above courses.
- iii. The institution website [www.sncedho.com](http://www.sncedho.com) is not operational at the time of Scrutiny The institution is required to updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The uploaded list of teaching staff has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- v. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able

- to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - viii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
  - ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
  - xii. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.
  - xiii. The institution has not uploaded proper Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government Or upload the Government Decision (GR) exempting from mutation (jamabandi).

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

11	2627202509152300	SCHOOL OF EDUCATION, CAREER POINT UNIVERSITY, ALANIYA, KOTA, NH-52, OPPOSITE ALANIYA MATA MANDIR, LADPURA, KOTA, KOTA, RAJASTHAN-325003	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

12	2627202509223028	BANSAL COLLEGE OF HIGHER EDUCATION PAKKA BHADWA, 19 JRK, HANUMANGARH, GOLUWALA, HANUMANGARH, RAJASTHAN-335802	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

13	2627202509182800	ARAVALI COLLEGE OF TEACHERS TRAINING, EKLINGPURA, JHAMER KOTDRA ROAD, GIRVA, UDAIPUR, UDAIPUR, RAJASTHAN-313003	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

14	2627202509223034	SARVODAYA TEACHER TRAINING COLLEGE KOTA, RANPUR, KOTA, LADPURA, KOTA, KOTA, RAJASTHAN-325003.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. TEI has not uploaded reply of First SCN dated 23-01-2026 and stipulated time period of 15 days for submitting reply through online application portal has been exhausted.
- ii. No reply received in response to final SCN dated 27.03.2026
- iii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. Multidisciplinary courses run in the name of SARVODAYA COLLEGE whereas institution recognised for B.A B.Ed./B.Sc.B.Ed. in the name of SARVODAYA TEACHER TRAINING COLLEGE. Both college names mismatch.
- v. The institution has NOT uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- vi. The institution has NOT uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- vii. The Institution has NOT uploaded the category of Institution in the institution details.
- viii. The Institution is required to upload the Authorization letter on the stamp paper as per admissible government rate.
- ix. It is an ITEP transition application, hence students admitted information for B.A.B.Ed/B.Sc.B.Ed course and all running programmes is required.

- x. In the column of Society/Trust/Company members information, the institution has filled information of Chairman/president/Secretary and treasurer with PAN & Aadhar no. only. It is required to mention all Society members with PAN & Aadhar No.
- xi. Whether any programme(s) other than Teacher Education Programme(s) is being offered by the Institution? Institution answer is "NO". The institution is required to upload documentary evidence confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises.
- xii. The institution has not uploaded documentary evidence confirming that 'SARVODAYA TEACHER TRAINING COLLEGE, KOTA, IPC-17, INSTITUTIONAL AREA, RIICO, RANPUR, KOTA, RANPUR, RANPUR, KOTA, LADPURA, KOTA, KOTA - RAJASTHAN' running any multidisciplinary programme. In the column Whether any programme(s) other than Teacher Education Programme(s) is being offered by the Institution? Answer is 'NO' hence, institution is not running any multidisciplinary programme and question of eligibility arises.
- xiii. The institution is required to upload Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xiv. The institution has NOT uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xv. The institution has NOT uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xvi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xvii. The institution is required to upload the list of teaching staff of all Education Faculty Programmes duly approved and countersigned by its affiliating body. The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.
- xviii. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xix. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://sgonline.rajasthan.gov.in/track\\_application.aspx](https://sgonline.rajasthan.gov.in/track_application.aspx)
- xx. The institution has required uploading geotag photos of Lift, Ramp, Safe Drinking Water and Accessible Toilets with date of photographs with different angles.
- xxi. The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilets indicating the longitude and latitude with date of photograph.
- xxii. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xxiii. The institution has required uploading geotag photo of institution building Front view, Rear View, Multipurpose Hall, Library, Lab 1, Lab 2, Lab 3 and playground with date of photographs.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

15	2627202509172693	D.A.V. TEACHER'S TRAINING COLLEGE, RAISINGHNAGAR, BALMIKI BASTI, BEHIND RAILWAY STATION, RAISINGHNAGAR, RAISINGHNAGAR, SRI GANGANAGAR, RAJASTHAN-335051	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. No reply of first SCN dated 13.02.2026 is uploaded by the institution and stipulated time period of 15 days has already been exhausted.
- ii. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- iii. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- iv. As per the uploaded BCC is mentioned the Different Plot The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- v. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time.
- vii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. Multidisciplinary courses run in the name of D.A.V. COLLEGE whereas institution recognised for B.A B.Ed./B.Sc.B.Ed. in the name of D.A.V. TEACHER'S TRAINING COLLEGE. Both college names mismatch.
- ix. In the Land Details Land area mentioned in the Affidavit (in sq m) 23511 and Built Up area mentioned in the Affidavit (in sq m) is 3328.25. B.A. 80x3=240, B.Sc.70x3=210 total is strength is 450 for other than teacher education courses. and for teacher education courses intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1unit), Middle (1 unit) 200x4=800 the institution has mentioned the total built-up area 6080 sq.mts. This built-up area is not sufficient to run the above courses
- x. Committee noted that, The Institute mentioned address in portal "Balmiki Basti, Behind Railway Station" erroneously. Correct address of institute is "Aarya Samaj, Ward No. 24 (Old) 32 (New), Raisinghnagar. A certificate and previous recognition order affirming the address is enclosed.
- xi. Fire safety certificate dated 03.02.2026 valid up to 02.02.2028 in respect of 'DAV TEACHERS TRAINING COLLEGE, 01, NAGARPALIKA ROAD, VALMIKI BASTI, RAISINGHNAGAR, SRI GANGANAGAR, RAJASTHAN' is uploaded with approved plot area 4230 sq.mts. Address of institution mentioned in fire safety certificate is mismatch with address in transition application and uploaded building plan on the portal.

- xii. The list of teaching staff has not uploaded by the institution duly countersigned by its affiliating body/Registrar of University.
- xiii. This cannot be ensured, as the institution has not uploaded the bank statement to confirm that the salary is being paid as per Central/State Govt. The institution has not been able to prove/confirm whether it is paying salary to the teaching staff as per Central/State Govt norms.
- xiv. The institution has not uploaded geotagged photos with different angles of Lift, Ramp, Electricity, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph. The institution has not uploaded geotagged photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground indicating the longitude and latitude with date of photograph.
- xv. The Institution has not uploaded information of all programme/courses run by institution in the campus and The institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- xvi. The institution has not uploaded Documentary evidence must be submitted to the institution confirming that all the multidisciplinary and teacher education programs are conducted in a single campus and in the same premises. . Institution has not uploaded Documents issued by government competent authority.
- xvii. As per portal, name of parent organization/Society is 'SHRI DAYANAND BAL VIDHALYA PRABANDHK SAMITI'. In the mutation/jamabandi, name of society 'AARYA Samaja Prabandhak Samiti' is mentioned. Both name is mismatch

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

16	2627202509202970	TIMES SHIKSHAN MAHAVIDYALAYA HANUMANGARH TOWN, TIBBI-GURUSAR ROAD, HANUMANGARH, HANUMANGARH TOWN, HANUMANGARH, RAJASTHAN- 335513	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Till this date, the website of the institution has not functional. The website is required to be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- ii. Fire safety certificate dated 10.02.2025 valid up to 09.02.2026 (VALIDITY EXPIRED) in respect of 'TIMES SHIKSHA MAHAVIDHYALYA, CHAK 10 HMH, KARTARPURA COLONY, HANUMANGARH TOWN, HANUMANGARH, HANUMANGARH, RAJASTHAN' is uploaded with approved plot area 250 sq.mts. As per land details, total land area 8130 sq.mts. Both land area is mismatch. Name and address of institution mentioned in fire safety certificate is mismatch with online portal.
- iii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.

- iv. Total land area and built-up area earmarked for different courses recognized with name of course is not reflected in the uploaded BCC. Signature of Govt. certifying authority of BCC is without date.
- v. TEI has uploaded site plan of Times Shiksha Mahavidyalaya (name mismatch) without mentioning plot/khasra number with plot area 8121.30 sq.mts, Covered Area- G.F. front block (hand written)- 1057.68 sq.mt+ rear block-711.15 sq.mts. AND F.F. front block - 1252.20 sq.mt+ rear block-565.75 sq.mts. certified by the Assistant Engineer, PWD, Hanumangarh (without date) and the representative of management wherein mentioned that measurement is not verified. In column of building plan, mentioned total land area 810 sq.mt. whereas in land details total area mentioned 8130 sq.mts. Both land area mismatch. The institution is required to clarify the same. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- vi. The institution has not uploaded a certificate to the effect that the proposal for collaboration between the institutions has been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. Latest NEC issued by competent Govt. authority is has not uploaded by the institution.
- viii. The institution has not submitted valid Exemption Certificate (12A) of the Income Tax Act, 1961.
- ix. The institute with which the collaborating anticipated is offering one discipline only (only arts discipline).
- x. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority mentioning course wise earmarked total land area and total built up area, name of the course, being run in the premises. A blank (unfilled) BCC proforma is uploaded.
- xi. Committee noted that, The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal.
- xii. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- xiii. It cannot be ascertained because bank statement has not uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

17	2627202510033642	RAJPUTANA TEACHERS TRAINING COLLEGE, DABLA ROAD, SHYAM NAGAR, KOTPUTLI, KOTPUTLI, JAIPUR, RAJASTHAN-303108	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

18	2627202509303523	SHRI HARI SHIKSHAK PRASHIKSHAN SANSTHAN, SARDARSHAHAR, HANUMANGARH ROAD, SARDARSHAHAR, SARDARSHAHAR, CHURU, RAJASTHAN- 331403.	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the land area in fire Noc on the Fire NOC portal is 4412 sq.mts. whereas the land area in the land details in land area 5922.77 sq.mts. The land area is mismatched. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx)
- ii. The Committee noted that the name of the applicant institution i.e. "SHRI HARI SHIKSHAK PRASHIKSHAN SANSTHAN" does not match with the name of the institution i.e. "SHRI HARI COLLEGE" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. There is mismatch in the name of applicant institution and Multidisciplinary Institution. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018-MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iii. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all in respect of Khasra/Plot/Survey No. 296/589/296 issued by Competent Authority of State Government.
- iv. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- v. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.70x3=210. M.A.240x2=720 The sufficiency of 4007 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit),course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (???? ????????????? ???? ) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vi. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

19	2627202509152301	MAA VAISHNO TEACHERS TRAINING COLLEGE, UMARDA GIRWA , UDAIPUR, UMARDA, GIRWA, UDAIPUR, UDAIPUR, RAJASTHAN-313003	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

20	2627202510033646	PANDIT J.P. UPADHYAYA T.T. COLLGE TONK, CIVIL LINE ROAD, TAL KATORA CHOURAHA, TONK, TONK, TONK, RAJASTHAN-304001	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the certificate issued by the Government of Rajasthan.
- ii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the approval letter/Certificate of affiliating University regarding the collaboration between the Institutions.
- iii. As per the uploaded fire safety on the fire portal land area is 10945 sq.mts. Whereas the uploaded BCC is mentioned the land area is 14241.45 sq.mts. The land area is mismatched.
- iv. The website of institution <https://pjputtctonk.in/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE regulations.
- v. Institution has NOT submitted Mutation certificate instead of this the institution has submitted the land ownership certificate Kh. No.3091, 3093, 3094, 3085/1, 3089, in which total land area 14241.45 sq.m. is mentioned which is signed by the Tehsildar, Tonk. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- vi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But

- earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vii. Committee noted that, The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal.
  - viii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
  - ix. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
  - x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
  - xi. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
  - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

21	2627202509273372	SALASAR BALAJI B.ED. COLLEGE SIKAR, BEHIND CIRCUIT HOUSE, JAIPUR ROAD, SIKAR, RAJASTHAN-332001	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Institution has uploaded the Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). However, the Fire Safety Certificate is valid upto 06.03.2026 and the plot area mentioned on the portal of Rajasthan Government is 9700 sq. mts. whereas the institution has mentioned its total land area 12675 sq. mts.
- ii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the unconditional and proper approval letter/Certificate of affiliating University regarding the collaboration between the Institutions.

- iv. The website of institution <https://www.sbbcsikar.com/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the same as per NCTE regulations.
- v. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution is required to upload the certificate issued by the Government of Rajasthan.
- vi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. Institution has uploaded the Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). However, the Fire Safety Certificate is valid upto 06.03.2026 and the plot area mentioned on the portal of Rajasthan Government is 9700 sq. mts. whereas the institution has mentioned its total land area 12675 sq. mts.
- viii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ix. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xi. Committee noted that, The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xii. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xiii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.'

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

22	2627202509172735	SHRI S.R. EDUCATION COLLEGE, NEWAD NEWAD, NEEMUCH SINGOLI ROAD, NEEMUCH, NEEMUCH, NEEMUCH, MADHYA PRADESH-458441	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	---	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded documentary evidence confirming that both the institutions are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- v. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning in respect Khasra/Plot/Survey No. 4/10KHA issued by Competent Authority of State Government.
- vi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vii. The institution has not uploaded certified land documents clearly mentioning in respect Khasra/Plot/Survey No. 4/10KHA issued by Competent Authority of State Government showing that the building is situated on a single plot.
- viii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ix. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- x. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- xii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xiii. Institution has uploaded Fire Safety Certificate dated 01.01.2024 Period 01 Year (expired) issued by Fire Safety Department, Government of Madhya Pradesh. The institution has uploaded expired fire safety certificate.
- xiv. If the institution is running various teacher education programme/ courses in the same campus/premises i.e. Bachelor of Education (B.Ed) degree 2 units, The sufficiency of land and built-up area for the above courses with of teacher education courses and intake for, B.Sc. B.Ed. Middle (1 unit), course cannot be ascertained
- xv. Committee noted that, Geographic location name of the institution is not showing in Google map.

- xvi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government. Note:- Information regarding Land uploaded in the application and certificate attached are mismatched.
- xvii. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded
- xviii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xx. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xxi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xxii. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xxiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

23	2627202509293464	TIMES COLLEGE OF EDUCATION AAM CHOPRA, IN FRONT OF VAISHALI NAGAR, DAMOH, DAMOH, DAMOH, MADHYA PRADESH-470661	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- ii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- v. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- vi. The institution has uploaded the list of teaching staff duly approved and countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms
- vii. Committee noted that, the both institution Latitude and longitude are near about same. Latitude and Longitude of Times College of Education Damoh is Latitude 23.8143544 Longitude 79.4348468 and Latitude and Longitude of The Times Public School in Damoh, is Latitude 23.8133° N Longitude 79.4349° E.
- viii. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 30x3=90, B.Sc.30x3=90. b.Com. 30x3=90 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, Diploma in Elementary Education (D.El.Ed.) 2 units B.A. B.Ed. Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), course cannot be ascertained. The built up area is not sufficient for the above courses.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms.
- x. Committee noted that, The name of applicant institution TIMES COLLEGE OF EDUCATION and the name of multidisciplinary institution is TIMES COLLEGE, name of both institutions are mismatched.
- xi. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xiii. Computer lab is available but ICT related facilities are not visible in the uploaded geotagged photographs

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

24	2627202509162499	RAJGAD DNYANPEETHS SOU.NIRMALATAI THOPTTE COLLEGE OF EDUCATION, BHOR BHOR, MAHAD PANDHRPUR ROAD, BHOR, BHOR, PUNE, MAHARASHTRA-412206.	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	------------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Maharashtra verifiable on the official portal of the Fire Department, Government of Maharashtra.
- ii. The institution has not uploaded Mutation Certificate issued by Competent Authority of State Government.
- iii. As per the institution has uploaded Blank BCC. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) mentioning all Khasra No. issued by the Competent Government Authority for all the courses being conducted in the premises.

- iv. The institution has not uploaded documentary evidence that both institutions proposed for Merger are affiliated with the same university, as required under Clause 4.2(ii) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. The institution is required to upload the same.
- v. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
- vii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. The institution is required to upload the same.
- viii. The institution has not uploaded Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents. The institution has not uploaded Certified and English Translated Copy with mentioning Khasra/ Survey No. 172/1 issued by the Competent Government Authority.
- ix. The institution has not uploaded documentary evidence confirming that 'Rajgad Dnyanpeeths Sou.Nirmalatai Thopte College of Education' and 'Rajgad Dnyanpeeths Anantrao Thopte College' are situated within the radius of 03 Kilometers as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. The institution is required to upload the same
- x. The website of the institution is not functional. The website has not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xi. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- xii. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- xiii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. The institution is required to upload the same
- xiv. The institution has not uploaded the certificate issued by the Government of Maharashtra justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions. The institution is required to upload the same.
- xv. The institution has expressed its intention to become a multidisciplinary institution through 'Merger', as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions.
- xvi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated.
- xvii. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- xviii. The institution has not uploaded documentary evidence confirming that 'Rajgad Dnyanpeeths Sou.Nirmalatai Thopte College of Education' and 'Rajgad Dnyanpeeths Anantrao Thopte College' are situated within the radius of 03 Kilometers as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.

- xix. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xx. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xxi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xxii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xxiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xxiv. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

25	2627202509293446	R S MEMORIAL KANYA MAHAVIDYALAYA RAMPURA BERI CHURU RAMPURA BERI, RAMPURA BERI, RAJGARH, RAMPURA BERI, CHURU, RAJASTHAN-331301.	Transition B.A. B.Ed / B.Sc. B.Ed.
----	------------------	--	--

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

26	2627202509162616	MEKALSUTA COLLEGE, DINDORI, WARD NO 01, DINDORI, MADHYA PRADESH-481880	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Computer lab is available but ICT related facilities are not visible properly in the uploaded geotagged photographs
- ii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms. And the seating arrangement available is also very cramped which is not comfortable.

- iii. The institution has uploaded the list of teaching staff duly approved and countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms.
- iv. No, the District Commandant of Home Guards in Madhya Pradesh is generally **not** the competent authority for issuing a Building Safety Certificate. Building Safety Certificates, which verify structural stability and fire safety, are typically issued by specialized government engineers, such as the Assistant Engineer of the Public Works Department (PWD), Municipal Corporation engineers, or authorized fire officers. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- v. As per the uploaded fire safety dated 04, July 2023 which is expired on 04.July 2024. The institution is required to upload Fire Safety Certificate by the competent Govt authority
- vi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- viii. The institution has not uploaded proper Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- ix. The institution has uploaded Form No 10 AC. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- x. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 100x3=300, B.Com 60x3=180, B.Sc.100x3=300. M.A.60x2=120,M.Com 60x2=120, M.Sc. 60x2=120. combined intake of 1140. Teacher Education Programmes: (D.El.Ed.) 1 Units, 50x2= 100 Bachelor of Education (B.Ed) degree 1 50x2= 100, B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) 100x4=400 Integrated Teacher Education Programme (ITEP) the institution has mentioned the total built-up area 5919.49sq.mts. This built-up area is not sufficient to run the above courses.
- xi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

27	2627202509162570	VIJAY SINGH PATHIK COLLEGE, SHRI MAHAVEER JI, BANWARIPUR MODE, SHRI MAHAVEER JI, NEAR BRIDGE, HINDAUN CITY, SHRI MAHAVEER JI, KARALI, RAJASTHAN-322220	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

28	2627202509162483	JAIN VISHVA BHARATI INSTITUTE, LADNUN, NAGAUR, RAJASTHAN-341306	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

29	2627202509162471	SHRI AATM VALLABH JAIN GIRLS (P.G.) COLLEGE SRI GANGANAGAR, HANUMAN GARH ROAD SRI GANGANAGAR, RAJASTHAN-335001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

**Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.**

30	2627202509182830	SARVAPALLI DR. RADHAKRISHAN COLLEGE, BAGIDORA, NOUGAMA ROAD, BAGIDORA, BANSWARA, BANSWARA, RAJASTHAN-327601	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded proper Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government. Note:- online information and certificate should be same.
- ii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The website of institution "sdrk.education" has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. In the uploaded BCC, institution has mentioned the land of the institution is not a single plot; the distance of different plots be mentioned is 1 km. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- v. The institution is conducting degree courses i.e. B.Sc. 160x3 (480) B.Sc. (70x3) 210. The sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) and B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained since the institution has mentioned the total built-up area 3500 sq.mts. out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it..
- vi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government. Note:- Information regarding Land uploaded in the application and certificate attached are mismatched.
- vii. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiii. The institution is required to upload the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

- xv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcate

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

31	2627202510033633	SHRI GAJANAN SHIKSHA SAMITI COLLEGE KIWLARI, 03, SOHAGPUR, SOHAGPUR, HOSHANGABAD, MADHYA PRADESH-461771	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the Building Plan is uploaded without seal signature of Competent Government Authority. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. As per the land documents uploaded by the institution the Khasra No. is mentioned 140/3 for 0.809 hec. Whereas the in the online application Khasra No. is 140. The Khasra no. is mismatched. The institution is required to upload Certified land Document mentioning all Khasra No. issued by the Competent Government Authority. The institution has not uploaded Affidavit Rs.100/- in prescribed format regarding land documents.
- iii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iv. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- v. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- vi. As per the uploaded Fire safety is expired. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- vii. (A) The institution is mentioned land and Built-up area in the land details column is 8093.15 sq.mts. and 6631 sq.mts. (B) in the Building Plan land and built-up area is same mentioned 6309.492 sq.mts. (C) in the BCC column land and Built-up area is mentioned is 7000 sq.mts. and 7000sq.mts. The land and Buil-tup area are mismatched. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- viii. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under

- Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ix. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
  - x. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
  - xi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 6631. If the Merger and applicant institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 60x3=180, B.Com. 60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 1 unit, Diploma in Elementary Education (D.El.Ed.) 1 unit and B.A. B.Ed. Secondary (2 unit), Middle (2 unit), B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit), course cannot be ascertained.
  - xii. The institution has uploaded the list of teaching staff duly approved and countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms
  - xiii. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
  - xiv. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
  - xv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xvi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

32	2627202509162601	GYAN SAGAR COLLEGE OF EDUCATION, SIRONJA, NH 26 NARSINGHPUR ROAD SAGAR, MADHYA PRADESH-470001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE regulations.
- ii. The institution has not uploaded the Mutation (Jamabandi) certificate of all Khasra No. issued by government competent authority.
- iii. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. As per the uploaded affiliated order No. / 2025 dated 03.07.2025 is only running B.Sc. courses. The institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-

- Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegI022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- v. Committee noted that, College Khasra Numbers/plot numbers and other details are not mentioned in the Uploaded building safety certificate no. 235 issued on dated 16/02/2026.
  - vi. Committee noted that, A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
  - vii. The institution has uploaded the list of teaching staff duly approved and countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms.
  - viii. ICT related facilities are not visible in the uploaded geotagged photographs
  - ix. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
  - x. Committee noted that, the institution has not uploaded the latest Non-Encumbrance Certificate.
  - xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
  - xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
  - xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

33	2627202509162558	ANURADHA MAHILA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA NAIWALA, AJMER ROAD, SANGANER, JAIPUR, JAIPUR, RAJASTHAN-302042	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institution.
- ii. The website of the institution has not functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations 2014 as amended from time to time.
- iii. As per the institution has uploaded Fire Safety Certificate bearing No. LSG/JAIPUR GREATER/FIRENOC/2024-25/44136 dated 11.02.2025 valid to 10.02.2025 Fire Safety Certificate is expired however, the institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx).
- iv. As per the institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.

- v. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- vi. As per the institution has uploaded course wise students list but not approved by registrar of the University. However, the Institution is required to upload information of all programme/courses run by institution in the campus and the institution is required to upload year-wise the admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- vii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each teacher training course being run in the premises and the demarcated.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xi. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xii. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- xiii. The institution has uploaded the list of teaching staff duly approved and countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

**Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

34	2627202510043682	SHRI ARJUNRAM SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA, LAXMANGARH ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The applicant institution has submitted land documents for Khasra No. 1013/803/154, 1013/154 and 803/154 Where up on the building of the institution is situated. It is noted that the said land is in favour of shri arjun shiksha samiti and NAVEEN VIKAS SHIKSHA SAMITI. These societies have submitted three applications (i) (2627202510043686- VIKAS TEACHER TRAINING COLLEGE SIKAR, JAIPUR BIKANER ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001) the application (ii) (2627202510043682 - SHRI ARJUNRAM SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA, SIKAR, LAXMANGARH ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001) (iii) Shri Arjunram Shikshan Prashikshan Mahavidyalaya, Sikar (Application No 262720510043682) All three institution are functioning on the same land.

- ii. The institution has not uploaded documentary evidence confirming that both the institutions are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The institution has not uploaded certified land documents in respect of Khasra No. 1013/154. Land documents are uploaded by the institution of Kh. No. 603/154, 1011/154 and 2281/9150 which is mismatch with the submitted Kh. No. by the institution in the column of land details on the online portal. So, the institution needs to upload the documents of Kh. No. 803/154, 1011/154 and 2281/9150.
- vi. The details of Fire Safety Certificate No. 56237 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL [https://lsgonline.rajasthan.gov.in/track\\_application.aspx](https://lsgonline.rajasthan.gov.in/track_application.aspx). However, the institution has mentioned the date of issue of the Fire Safety Certificate as 28.07.2025 which is valid upto 27.07.2027 and the plot area mentioned on the portal of Rajasthan Government is 5000 sq. mts. whereas the institution has mentioned its total land area 9562 sq. mts. The total Land area is mismatched.
- vii. The institution has not uploaded documentary evidence confirming that both the institutions are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- viii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- ix. As per the uploaded Building Plan is mentioned the Khasra No. 803/154 (New mutation Khasra No. 1013/803/154) Whereas the mentioned Khasra No. in the land details column is 1013/154 and 1011/154. The Khasra No. is mismatched. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- x. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- xi. The institution has uploaded Land documents alongwith Change of Land Use Certificate 18.08.2025, Mutation Certificate old kh. no. is 803/154 & new kh. no. after Mutation is 1013/154, 1011/154 , Building Plan approved by Assistant Engineer mentioning old kh. No. 803/154 & after Mutation new kh. No. 1013/803/154 of total const. area is 4702.86 sq. mt., however, land area not mentioned therein.
- xii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- xiii. A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. Furniture in the multipurpose hall is inadequate.

- xvi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xvii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs
- xviii. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- xix. It cannot be ascertained because the bank statement has not uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

35	2627202510043686	VIKAS TEACHER TRAINING COLLEGE SIKAR, JAIPUR BIKANER ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	---

**Decision of WRC:**

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The applicant institution has submitted land documents for Khasra No. 1013/803/154, 1013/154 and 803/154 Where up on the building of the institution is situated. It is noted that the said land is in favour of shri arjun shiksha samiti and NAVEEN VIKAS SHIKSHA SAMITI. These societies have submitted three applications (i) (2627202510043686- VIKAS TEACHER TRAINING COLLEGE SIKAR, JAIPUR BIKANER ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001) the application (ii) (2627202510043682 - SHRI ARJUNRAM SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA, SIKAR, LAXMANGARH ROAD, SIKAR, SIKAR, SIKAR, RAJASTHAN-332001) (iii) Shri Arjunram Shikshan Prashikshan Mahavidyalaya, Sikar (Application No 262720510043682) All three institution are functioning on the same land.
- ii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iii. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded documentary evidence confirming that both the institutions are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- v. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. Since the land documents are not acceptable, the other documents related to land viz. NEC, BP, BCC, CLU, Mutation etc are not acceptable.

- vii. The institution has uploaded the Building Completion Certificate, which mentions a total land area of 2500 sq. mtrs. and a built-up area of 4897.98 sq. m. The institution has shown the entire built-up area of 4897.98 sq. m. as earmarked for Teacher Training Programmes. If the entire built-up area is earmarked for Teacher Training Courses, it is unclear where the institution is conducting its Multi-Disciplinary Courses.
- viii. Committee noted that, In response to this point, the institution has upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department valid upto 21.07.2027 mentioning total plot area is 2500 sq. mt. the plot area is not adequate as per policy of the State Govt of Rajasthan and Norms of NCTE.
- ix. Committee noted that, the institution has uploaded copy of letter dt. 27.01.2026 regarding issuance of NOC stating that both the institutions are located in the same address and run by same Society, copy of affiliation order dt. 19.09.2025 B.A. (Hindi, English, Pol. Science, Pub. Admn., History, Home Science, Drawing, Sociology, Geography) for the session 2025-26 & Building Plan mentioning old kh. No. 803/154 after mutation new kh. No. 1013/803/154.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiv. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.

**In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.**

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)  
अध्यक्ष