
Re: Forwarding of final Minutes of 457th (Part- II-C) Meeting of WRC held on 20th-22nd April, 2026 through Virtual Mode- reg.

From Shailesh Zala <shaileshzala@yahoo.co.in>
Date Tue 28-Apr-26 11:09 AM
To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

Dr. Shailesh N. Zala
Former Vice Chancellor
Maharaja Krishnakumarsinhji Bhavnagar University
Bhavnagar: (Gujarat)

On Monday, 27 April 2026 at 06:23:54 pm IST, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached herewith final Minutes of 457th (Part- II-C) Meeting of WRC held on 20th-22nd April, 2026 through Virtual Mode for your consideration and approval, please.

Rashmi Shukla
Regional Director
WRC, NCTE

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 457वीं (भाग-II-C) का बैठक 20 अप्रैल 2026 से 22 अप्रैल 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य बैठक में उपस्थित थे:

	सदस्यकानाम	पदनाम	Mode
1.	प्रो. शैलेशनारनभाईजाला	अध्यक्ष	व्यक्तिगत
2.	डॉ. पाठककल्पेशकुमारहर्षदराय	सदस्य	व्यक्तिगत
3.	डॉ. अश्विनी हलबेकरवंदे	सदस्य	व्यक्तिगत 20 व 21 अप्रैल 2026 आभासी 22 अप्रैल 2026
4.	डॉ. सुहासकुमाररूपरावपाटिल	सदस्य	व्यक्तिगत
5.	श्रीमतीरश्मिशुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्यकानाम / पदनाम	राज्य / केंद्रशासितप्रदेश
1.	प्रो. भरत भक्ति भाई रामानुज	सदस्य
2.	डॉ. करणम पुष्पनाधाम	सदस्य
3.	राज्यसरकारकेप्रतिनिधि	गोवा
4.	राज्यसरकारकेप्रतिनिधि	छत्तीसगढ़
5.	राज्यसरकारकेप्रतिनिधि	दादरएवंनागरहवेली
6.	राज्यसरकारकेप्रतिनिधि	दमनएवंदीव
7.	राज्यसरकारकेप्रतिनिधि	मध्यप्रदेश
8.	राज्यसरकारकेप्रतिनिधि	महाराष्ट्र
9.	राज्यसरकारकेप्रतिनिधि	राजस्थान
10.	राज्यसरकारकेप्रतिनिधि	गुजरात

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक एवं संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्य सूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application No.	Name and Address	Programme
1	2627202509213023	SWAMI PRAGYANAND SHIKSHA MAHAVIDYALAYA GRAMKULHVA, KATANGIROAD, MAJHOLI, JABALPUR, MADHYA PRADESH-483105	Transition B.A.B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances.
- ii. The institution has uploaded Building Plan Name of the Proposed Lay Out Plan for "Swami Pragya Pragyanand Giri Sanskrit Shiksha Samiti" building on Mouza:- Kulhlema, Part of KS No.48 (NEW-(words not clearly readable) P.H.NO.-25/5, R.N.M.:- Majholi, Tahsil:-Majholi, Distt.- Jabalpur (M.P.), Total Land area 4000 sq.mt. and Total Built up area 38017 sq.ft. (3531.89 sq.mt.) issued by the Sarpanch. However, the institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. The institution has not uploaded Land Use Certificate (CLU) mentioning all Khasra/Plot/Survey No. and land area issued by Competent Government Authority.
- iv. The institution has uploaded self-authorized letter (Bhavan Suraksha Evam Aapdaa Prabandhan Pramanpatra) dated 03.10.2025. However, the institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- v. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- vi. The website of the institution has not be functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution is required to update the website as per NCTE norms.

- vii. The institution has not uploaded Certified land document with mentioning all Khasra No. issued by the Competent Government Authority. The institution has required upload Affidavit on Rs.100/- stamp paper in prescribed format regarding land documents.
- viii. The institution has uploaded documentary evidence situated within the radius of 16 Kilometers. The institution has not uploaded documentary evidence confirming that 'Swami Pragyanand Shiksha Mahavidyalaya' and 'Shri Ram Prasad Tripathi Mahavidyalaya', are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ix. The uploaded list of teaching staff has not been duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- x. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xi. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. Multipurpose Hall related facilities are not visible in the uploaded geotagged photographs.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. ICT related facilities are not visible in the uploaded geotagged photographs.
- xvi. The uploaded certificate is not proper. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

2	2627202509243170	RAJASTHAN T.T. COLLEGE, MANDAWA ROAD, GANPATI NAGAR, JHUNJHUNU JHUNJHUNU, MANDAWA ROAD, GANPATI NAGAR, JHUNJHUNU, RAJASTHAN-333001	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per the institution has uploaded screenshot of google map location but name of the institution is not showing in the google map (Latitude 27.7160828 Longitude 76.1611333).
- iii. A board with the name of the college is seen to have been put up temporarily. This board can be removed at any time.
- iv. The Committee noted that the name of the applicant institution i.e. Rajasthan T. T. College, Mandawa Road, Ganpati Nagar, Jhunjhunu and the name of multidisciplinary institution is Smt. Harkori Devi Girls P.G. College, Mandawa Road, Ganapati Nagar, Jhunjhunu. Both names are different.
- v. Committee noted that as per the Fire NOC on the Fire portal, approved Plot Area is 8000 sq.mts. whereas the land area is mentioned in the land details Column is 22092.46 sq.mts. The land area is mismatched.
- vi. In the Land Details, Built Up area mentioned in the Affidavit (in sq m) is 5031. The institution is conducting degree courses i.e. B.A. $240 \times 3 = 720$, B.Sc. $120 \times 3 = 360$, M.A. $80 \times 2 = 160$, B.Ed. 2 Units $100 \times 2 = 200$, The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed/ Secondary (1 unit) B.Sc. Secondary (1 unit) course cannot be ascertained.
- vii. Mentioning Geographic Location Latitude 27.7160828 Longitude 76.1611333, checked on google map and found that institution name is "Smt. Harkori Devi Girls PG College".
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- ix. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiii. The name of applicant College is not reflected in the geotagged photo uploaded in the online application portal.
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up

area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

3	2627202509162462	BALKAVI BAIRAGI TEACHER EDUCATION RESEARCH CENTER KANAWATI, MHOW-NASIRABAD ROAD, NEEMUCH, MADHYA PRADESH-458441	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not maintained and updated the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- iii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iv. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. The institution has mentioned in the land details column Built-up area is 6006.02 sq.mts. whereas in the uploaded BCC Built-up area is mentioned 4656sq.mts. The Built-up area is mismatch. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vi. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.

- vii. Both the MERGER institutions are running in the same premises. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 150x3=450, B.Com. 180x3=540, B.Sc.300x3=900, BBA 150x3=450,BCA 120x3=360, M.A. 120x2=240, M.Sc. 80x2=160, M.S.W 120x2=240, the sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), Middle (1Unit) B.Sc. B.Ed. Middle (1Unit), course cannot be ascertained.
- viii. Committee noted that, the institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall, Seminar Hall and common hall is same and is not as per NCTE norms. There is no furniture in the multipurpose.
- x. Library and Library reading room related facilities are not visible in the uploaded geotagged photographs.
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- xiii. The uploaded geotagged photographs show that the laboratory, library and other laboratories are not in good condition.
- xiv. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xv. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

4	2627202509122184	B. R. KHOKHAR MEMORIAL SHIKSHAK PRASHIKSHAN MAHAVIDHYALAYA KUCHAMAN CITY, PADAMPURA ROAD, DISTRICT DIDWANA- KUCHAMAN, KUCHAMAN CITY, NAGAUR, RAJASTHAN-341508	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for

transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

5	2627202509202954	SRI GURU NANAK KHALSA PG COLLEGE VILLAGE FIVE Z, HINDUMALKOT ROAD, SRI GANGANAGAR, RAJASTHAN-335001	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

6	2627202510033625	BALAJI MAHAVIDHYALAYA SANPA SINDHARI, SINDHARI, BARMER, RAJASTHAN-344033	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

7	2627202510043681	ASTHA MAHAVIDHYALAYA ITAWA, ITAWA, KOTA, RAJASTHAN- 325004	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

8	627202509253260	LAXMI BAI MAHILA MAHAVIDYALAYA SADARPURA, SADARPURA ROAD, MALPURA, TONK, RAJASTHAN-304502	Transition B.A.B.Ed / B.Sc. B.Ed
---	-----------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time
- ii. The Khasra Nos. mentioned in the NRC recognition order dated 02.05.2017 uploaded by the institution are 664/2 and 872/4. The Khasra Nos. mentioned in the online applications at land details column are 644/6, 872/3 with land area 8837 sq. mts. and built up area 4071.11. The Khasra Nos. mentioned in the affidavit uploaded by the institution with land documents are 644/4, 872/3 with land area 8726.02 sq. mts. and built up area is not mentioned. The Khasra Nos. mentioned in the land documents uploaded by the institution are 872/2 and 644/4. The Khasra nos. and land area mismatch among the uploaded documents.
- iii. Institution uploaded the conversion order of Kh. No.872/3 of total land area 7587.84 sq.m. but 644/4 Kh. No. related documents are not uploaded.
- iv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
- v. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State

- Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- vi. Committed noted that, as per uploaded building plan, institution is having 25x15=375 sq ft staff room for B.A. B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit), which is not sufficient as per NCTE Regulations, 2021 for the proposed ITEP course.
 - vii. Computer lab is available, but ICT related facilities are not visible in the uploaded geotagged photographs.
 - viii. The uploaded list of teaching staff has not been duly countersigned by its affiliating body/Registrar of University and has not submitted in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time.
 - ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
 - x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xi. Committee noted that, in the Land Details, Built Up area mentioned in the Affidavit (in sq m) is 4071.11. Institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, B.Sc.60x180. B.Com. 80x3=240. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

9	2627202509223051	NIRMALA DEVI DEGREE COLLEGE, JAAM(KANHANGAON) KANHARGAON, SEONI, MADHYA PRADESH-480661	Transition B.A.B.Ed / B.Sc. B.Ed
---	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. Committee noted that, the institution has uploaded Fire Safety and Security Certificate issued by Asst. Project Engineer, PWD Seoni (MP). In the fire safety certificate period of validity and expiry is not mentioned. The institution has not uploaded Fire Safety Certificate issued

- by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- iii. As per the institution has uploaded Building Plan whereas, the institution has mentioned in the Building Plan Total land area 6073.61 sq. mtr. total built-up area 3741.23 sq. mtr. for B.A. B.Ed., D.El.Ed. and B.A., which is not sufficient to run the above courses.
 - iv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
 - v. The uploaded file is password protected. As the uploaded file of bank statement is password protected, it cannot be ensured whether salary is being paid by the organization as per Central/State Govt.
 - vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
 - vii. The institution uploaded teaching staff list, but it is not in the prescribed format of NCTE and not as per NCTE norms.
 - viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - ix. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. intake and approved capacity not mentioned and intake for D.EL.ED., course was not mentioned in the online application. B.A. B.Ed. Secondary (2 unit), 100x4=400. The institution has mentioned the total built-up area 3741 sq.mts. This built-up area is not sufficient to run the above courses.
 - x. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

10	2627202509273381	MURLI SINGH YADAV MEMORIAL PRASHIKSHAN SANSTHAN UDAIRAMSAR, KARNI COACH, BIKANER, RAJASTHAN-334402	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify

student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

11	2627202509152332	ALANKAR MAHILA P.G. MAHAVIDYALAYA JAIPUR, SIRSI ROAD, JAIPUR, RAJASTHAN-302034	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The Committee noted that, Alankar Mahila P.G. Mahavidyalaya is not recognised institution for 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed. degree.
- ii. The Committee noted that the name of the applicant institution i.e. Alankar Mahila P.G. Mahavidyalaya does not match with the name of the institution i.e. Alankar Mahila Mahavidyalaya mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme. As per the uploaded letter of affiliation for multi-disciplinary programme the name institution is Alankar Mahila P.G. Mahavidyalaya. There is mismatch in the name of applicant institution.
- iii. As per the institution has uploaded Building Plan, whereas name of institution mentioned in the Building Plan "Alankar Mahila P.G. Mahavidyalaya", which is mismatch with Recognition Order issued by the NCTE.
- iv. The institution has not uploaded documentary evidence issued by government competent authority confirming that all the multidisciplinary and teacher education programmes are conducted in a single campus and in the same premises,
- v. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- vii. The uploaded Land Use Certificate (CLU) is not proper. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- viii. The institution has not uploaded the list of teaching staff duly approved and countersigned by

its affiliating body in the prescribed format of NCTE and as per NCTE norms.

- ix. The institution is conducting degree courses i.e. B.A. 540x3=1620, B.Sc. 420x3=1260, B.Com. 180x3=540, BCA 60x3=180 M.A. 392x2= 784, M.Sc.400x2=800 M.Com. 140x2=280. The sufficiency of 4505 sq.mts. land area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit) course cannot be ascertained. The area earmarked for Multi-disciplinary programmes is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- x. Committee noted that, the institution is required to upload Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xi. Institution uploaded the geotagged photographs of computer lab., but ICT related facilities are not visible in the uploaded geotagged photographs.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the seminar/ Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

12	2627202509162541	SEEMA SHIKSHA SHASTRI B.ED COLLEGE BEHIND F.C.I GODOWN, AJMER ROAD, PARBATSAR, PARBATSAR, NAGAUR, RAJASTHAN-341512	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the latest Exemption Certificate (12A) issued by Income Tax Department.
- ii. As per the institution has uploaded BCC whereas, the institution has not mentioned total land area and total built up area earmarked with name of all the courses being conducted in the premises. However, the institution has not uploaded Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority mentioning total land area and total built up area earmarked with name of all the courses being conducted in the premises.
- iii. The website of the institution has not been maintained and updated in compliance to

- provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. As per the institution has not uploaded Non-Encumbrance Certificate issued by Competent Government Authority.
 - v. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
 - vi. As per the institution has uploaded Building Plan whereas, the institution does not mention total land area and total built up area earmarked with name of all the courses being conducted in the premises. However, the institution has not uploaded Building Plan approved by the Competent Authority of State Government indicating the Khasra/Plot/Survey No. and mentioning the total land area and built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - vii. Uploaded online Mutation Certificate/Jamabandi dated 05.04.2021 (Khasra No. New-1701 Area 2.4100 hect. (24100sq. mtr.) issued by Patwari. However, institution has not uploaded evidence regarding change of Khasra No. old-1291 to Khasra No. new 1701.
 - viii. The institution has not uploaded latest Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official fire NOC portal of Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
 - ix. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - x. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - xi. For confirming the institution's eligible for transition into ITEP course as it is MERGER, institution has not uploaded the affiliation order of liberal arts, science and commerce all programmes run by them with approved intake capacity and present intake capacity as a Multi-Disciplinary Institution.
 - xii. The institution has not uploaded documentary evidence confirming that SEEMA SHIKSHA SHASTRI B.ED COLLEGE and 'Institution to be merged with ' are situated within the radius of 03 Kilometres as per Clause 2(c) of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - xiii. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
 - xiv. The institution has not uploaded the list of teaching staff duly approved and countersigned by its affiliating body in the prescribed format of NCTE and teaching staff not as per NCTE norms.
 - xv. It cannot be ascertained because bank statement has not uploaded by the institution showing

that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

- xvi. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- xvii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xviii. The geotagged photographs uploaded show that the Multipurpose Hall, Seminar hall and common hall is same and is not as per NCTE norms. There is no furniture in the multipurpose hall.
- xix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xx. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

13	2627202509273370	APC COLLEGE PRATAPGARH, NEEMUCH ROAD, PRATAPGARH, RAJASTHAN-312605	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
- ii. Institution has uploaded the building plan of Kh. No. 32/374 and 32/376 in which the total land area and total built-up area is mentioned, but the area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes is not mentioned.
- iii. College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no.EE/PWD-III=PTG/576 issued on dated 6/02/2024. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- iv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- v. The institution uploaded teaching staff list, but same is not in the prescribed format of NCTE and not as per NCTE norms.
- vi. The institution is conducting APC SR SEC School, degree courses i.e. B.A. 80x3=240, B.Sc. 70x3= 210, B.Com 80x3= 240, BBA 40x3=120, BCA 40x3=120 PGDCA 30x2=60, M.A. Geography 40x2=80. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit) course cannot be ascertained.
- vii. The institution has not uploaded the bank statement. It cannot be ascertained whether the institution is paying salary as per Central/State Govt norms. The institution has not uploaded the bank statement of teaching staff to verify it.
- viii. The institution has not updated and maintained the website of institution in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ix. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- x. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xi. The uploaded documents are not proper. The institution has not uploaded Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xii. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc. 70x3= 210, B.Com 80x3= 240, BBA 40x3=120, BCA 40x3=120 PGDCA 30x2=60, M.A. Geography 40x2=80. The sufficiency of land of 4067 sq.mts. area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. (Secondary 1 Unit) B.Sc. B.Ed. (Secondary 1 Unit) course cannot be ascertained. The institution has not demarcated the land and built up area as per the Guidelines issued by the Government of Rajasthan available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- xiii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xiv. The institution has not uploaded Mutation Certificate/ Jamabandi mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- xv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvi. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. Uploaded CLU is not in specific format.

xvii. The name of APC SR SEC School is reflected in the uploaded geotagged photo.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

14	2627202509192895	PITAMBARA COLLEGE OF EDUCATION SITAPUR, NH-75 GWALIOR ROAD, DATIA, MADHYA PRADESH-475685	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website <http://pitambaraeducation.org/> of the institution has not been maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution has not updated the website as per NCTE regulations.
- ii. The committee noted that the name of the multidisciplinary college was Saket College of Education Sitapur Datia, after which vide letter No. F/Smbadhata/202/881 dated 05/08/2025 Jiwaji University gave permission to change the name of Saket College of Education to Pitambara College of Education, Datia.
- iii. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 60x3=180, B.Sc.60x3=180. =360. And intake for Bachelor of Education (B.Ed) degree. 2 units., 100x2=200, Diploma in Elementary Education (D.El.Ed.). 10x2=200, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400 Total students' strength of teacher education programme is 800, the institution has mentioned the total built-up area 4022 sq.mts. This built-up area is not sufficient to run the above courses.
- iv. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- vi. Committed noted that, A flex board with the name of the college is seen to have been put up temporarily. This board can be removed at any time.
- vii. The institution uploaded teaching staff list, but it is not in the prescribed format of NCTE and not as per NCTE norms. In this connection, it is again submitted that, Institution is conducting various teacher education courses. But it is not clear which course the uploaded Teaching staff list belongs to.
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- ix. Committed noted that, Built Up area mentioned in the Affidavit (in sq m) 4022 Sq. Mt. and

in the BCC built up area earmarked for particular teacher training programme is 4849 Sq. Mt., both areas are mismatched.

- x. Committed noted that, Computer lab is not proper and ICT related facilities is not visible in the uploaded geotagged photographs.
- xi. Committed noted that, the uploaded geotagged photographs show that the various labs are not in good condition.
- xii. The Institute has not uploaded the Non-Encumbrance Certificate (NEC) issued by the Government Competent Authority. of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority. In this connection Committee noted that, as the Government site for obtaining a digital copy of NEC is under maintenance, so we are hereby attaching the NEC SIGNED form SUB REGISTRAR. The Digital copy will be made available at the time of Inspection.
- xiii. Library and reading room related facilities are not visible in the uploaded geotagged photographs.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

15	2627202509152455	VEER TEJA CO EDUCATION COLLEGE JAYAL, CHHAJOLI ROAD, JAYAL, JAYAL, NAGAUR, RAJASTHAN-341023	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

16	2627202509182868	RAMKRISHNA COLLEGE OF PROFESSIONAL EDUCATION BETUL, KHANJANPUR, BETUL, MADHYA	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

PRADESH-460001

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Mutation Certificate in respect of Khasra/Plot/Survey No. 21/1 issued by Competent Government Authority.
- ii. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iv. The institution has uploaded Affidavit on Rs.100/- stamp paper, Khasra No. 21/128, 21/179, Total area of the land 8100 sqmt (total built-up area 3232.34sqmt), whereas the institution mentioned the land details column land area is 7090 sq.mts. and 2972.9 sq.mts. at Khasra No. 21/1. However, the institution has not uploaded certified land document in respect of Khasra No. 21/1 issued by the Competent Government Authority.
- v. The meaning of Pravadhik Pramanpatra is provisional certificate. The institution has not uploaded the proper certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions
- vi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. In the reply of this institution has uploaded the Pravadhik Pramanpatra The meaning of Pravadhik Pramanpatra is provisional certificate, Committee noted this.
- vii. The institution has not uploaded university approved teaching staff list as per NCTE norms in the prescribed format of NCTE.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
- xi. The geotagged photographs uploaded show that the condition of computer Laboratory,

- Library, and other labs are not in good condition
- xii. A flex board with the name of the college is seen to have been put up temporarily and this flex board is not readable. This board can be removed at any time.
- xiii. A geotagged photograph shows part of the building left unrepaired. Geo-tagged photos are not uploaded in the reply.
- xiv. Committee noted that, as per the institution uploaded BCC mentioning Khasra No. is 21/128, 21/179, whereas mentioned in the land details column Khasra No. is 21/1. The Khasra No. is mismatched.
- xv. The institution is conducting the teacher education programmes i.e. B.Sc. B.Ed. 1 unit, Bachelor of Education (B.Ed.) courses 1 unit, the sufficiency of 2972.9 sq.mts. built-up area for the above courses intake cannot be ascertained.
- xvi. A geotagged photograph shows that “Ramakrishna School of Scholars Khanjanpur Betul” is running in the same premises. Evidence not uploaded in the reply.
- xvii. It cannot be ascertained because bank statement has not uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

17	2627202509172746	SANDIPANI ACADEMY ACHHOTI, KUMHARI- AHIWARA ROAD, DHAMDHA, ACHHOTI, MURMUNDA, DURG, CHATTISGARH-490036	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

18	2627202509273395	TAGORE PG COLLEGE SURATGARH SURATGARH, LINK ROAD, SURATGARH, SURATGARH, SRI GANGANAGAR, RAJASTHAN-335804	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

19	2627202509233084	KARUNA SHIKSHAK PRASHIKSHAN MAHILA MAHAVIDYALYA NAWAN, BY PASS ROAD, 2NWN, HANUMANGARH, RAJASTHAN-335512	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The name of applicant College is reflected in the geotagged photo 'Kaurna College' which is mismatch with the Karuna Shikshak Prashikshan Mahila Mahavidyalaya.
- ii. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) of NCTE Regulations, 2014 as amended from time to time.
- iii. A flex board with the name Karuna Shikshak Prashikshan Mahavidyalaya of the college is seen to have been put up temporarily. This board can be removed at any time.
- iv. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. As per the institution has uploaded Fire Safety certificate with approved plot area 600 sq. mtr. which is mismatch with the land area in land details i.e.10120 sq. mtr. The institution has not uploaded requisite Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- vi. The institution has not uploaded land related Affidavit document on Rs.100/- stamp paper in prescribed format of NCTE.
- vii. As per the institution has uploaded BCC, but not mentioning total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the multi-disciplinary programmes. However, the institution has not uploaded Building Completion Certificate in the prescribed format of NCTE, but NOT signed by concerned Govt. Competent Engineer. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued

- viii. by the Competent Government Authority for all the courses being conducted in the premises. The bank statement has not been uploaded by the institution. It cannot be ascertained that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- ix. The uploaded list of teaching staff has not been duly countersigned by its affiliating body/Registrar of University and not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time. Committee noted that, the institute conducts various teacher education courses. But the institute has uploaded the list of 'B.Ed.' and 'BA.B.Ed. and B.Sc. B.Ed.' teachers only. The institute has not uploaded the list of teaching staff for other teacher education programmes.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms. The seating arrangement in the library is not suitable. There is no space for students to move and move around in the library.
- xii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xiii. Committed noted that, TEI has uploaded Existing Building Plan for Karuna Shikshak Prashikshan Mahila Mahavidyalya, run by Chandigarh Manav Vikas Charitable Trust, Near Vill. Nawan In Chak No. 2 Nwn, Khata No. 20 (New), Stone No.Murabba No. 60, Kila No. 2,9,12,19 , Bye-Pass Road AtHanumangarh(Raj.) Total Land Area:- 10120 Sqmtr, Total Built up Area:- 103333.5 Sqft or 9600 Sqmtr. certified by Sahayak Abhiyanta, PWD (without date). As reflected on the uploaded plan, B.A.B.ED, B.SC.B.ED BLOCK-A =2200 sqmtr. B.ED& D.EL.ED. BLOCK-A =2800 sqmtr. INOVATIVE BLOCK-A = 2200 sqmtr. B.A. & B.Sc. Degree = 1900 sqmtr. (Red marked highlighted Block-B G.F.+F.F.+S.F.). Total Land Area:- 10120 SQMTR Total Build Up Area:- 103333.5 sqft or 9600 sqmtr., but institution is running B.A. 80x3=240, B.Sc. 70x3=210,Bachelor of Education (B.Ed) degree. 4 units 200x2=400,Diploma in Elementary Education (D.El.Ed.). 50x2=100,Shiksha Shastri (Sanskrit) 100x2=200 and B.A. B.Ed.Secondary (1 unit), Middle (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit). The built-up area is not sufficient for these courses.
- xiv. Committee noted that, Copy of digital Jamabandi dated 17.07.2025 uploaded wherein mentioned that Khasra no.20 Area 0.2530 hectare is for commercial purpose.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

20	2627202509283404	SHREE JIVAN JYOTI TRUST, VAGHELA VAGHELA, AT VAGHELA, WADHWAN, SURENDRANAGAR, SURENDRANAGAR, GUJARAT-363030	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines

issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

21	2627202509233086	MARWAR MAHAVIDHALAYA KUCHAMAN CITY KUCHAMAN CITY, STATION ROAD (PALADA), KUCHAMAN CITY, KUCHAMAN CITY, NAGAUR, RAJASTHAN-341508	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) of NCTE Regulations, 2014 as amended from time to time.
- iii. NCTE WRC Committee noted that, as per given geographic Location Latitude 27.0656049, Longitude 74.8526745 name of institution shows "Marwar P.G College, Global College".
- iv. Computer lab is available but ICT related facilities are not visible in the uploaded geotagged photographs.
- v. A board with the name of the college is seen to have been put up temporarily. This board can be removed at any time.
- vi. Marwar Keshari Senior Secondary School, Kuchaman City is running in this location 27.22390 N, 74.96400E. The Committee noted that, in its reply, the organization said, "Our organization has nothing to do with this place and name."
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.B.A. 240x3=720, B.Com.80x3= 240, B.Sc. 370x3=1110, B.C.A. 60x3=180, M.A. 80x2=160 and M.Sc. 130x2=260. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for intake for B.A.

B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400, course cannot be ascertained

- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
- x. The uploaded prescribed format of teaching staff has not been duly countersigned by its affiliating body/Registrar of University and not as per NCTE regulation 2014 and amendments time by time.
- xi. It cannot be ascertained from the uploaded statement by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not uploaded the bank statement. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

22	2627202509273387	RADHAKRISHNAN TEACHER TRAINING COLLEGE THINGLA, SAWAI MADHOPUR, SWAI MADHOPUR, RAJASTHAN-322001	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of Final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not updated and maintained the website “www.rttcswm.com” in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The applicant institution i.e. Radhakrishnan Teacher Training College and multidisciplinary institution i.e. Radhakrishnan Mahavidyalaya is running in the same premises and the distance is 50 meters. The said letter is attached in Sr. No 2. The institution is conducting multidisciplinary courses and teacher education programme i.e. Bachelor of Education (B.Ed) degree. 6 units, Diploma in Elementary Education (D.El.Ed.). 3 Units, Innovative Shiksha Shastri (Sanskrit)2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), in a same premises, the sufficiency of land and built-up area for the above courses course cannot be ascertained.
- iv. The Fire Safety Certificate with approved plot area mentioned on the fire NOC portal of Rajasthan Government is 1635 sq.mts. whereas the institution has mentioned its total land area 12600 sq. mts. The land area is mismatched. The details of Fire Safety Certificate No.64835 dated 12.02.2026 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the

- institution are verifiable on the online portal of Rajasthan Government at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- v. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
 - vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
 - vii. Committee noted that, College Khasra Numbers/plot numbers and other things as per NCTE Regulations, 2021 are not mentioned in the uploaded Building Safety Certificate no.2126 issued on dated 01.03.2024. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
 - viii. Uploaded geotagged photograph shows that Computer lab is not proper and ICT related other facilities are not visible in the uploaded geotagged photographs.
 - ix. Committee noted that, Faculty profile signed by University Authority on 17.02.2017 has been uploaded by the institute. Actually, NCTE (NRC) has recognized this institute on 22nd March 2017. This is the staff profile before the institute is recognized by NCTE
 - x. The geotagged photographs uploaded show that the Multipurpose Hall, Seminar Hall and common hall is same and is not as per NCTE norms. There is no furniture in the multipurpose hall.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

23	2627202509253264	SANSKAR COLLEGE DANTA, JEEN MATA BYEPASS ROAD, DANTARAMGARH, SIKAR, SIKAR, RAJASTHAN-332702332702	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

19	2627202509162507	RAJASTHAN COLLEGE OF EDUCATION JAKHRANA, NARNAUL- BEHROR ROAD,	Transition B.A.B.Ed /
----	------------------	---	--------------------------

	BEHROR, ALWAR, RAJASTHAN-301713	B.Sc. B.Ed
<u>Decision of WRC:</u>		
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>		
<ol style="list-style-type: none"> i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. ii. The institution has expressed its intention to become a multidisciplinary institution through collaboration, as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions. iii. The institution has not uploaded Not-for-Profit Certificate issued by the concerned govt. competent authority. iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes. v. As per the Building plan and BCC uploaded, the institution has mentioned the total built up area of 2518 sqm, which is not sufficient for the existing B.Ed (Two units) and proposed ITEP course. vi. As per the uploaded Fire NOC on the Fire portal, plot area is 743 sq.mts. whereas the mentioned land area in the land details column is 6500 sq.mts. The land area is mismatched. The institution has not uploaded requisite Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. vii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. viii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2518, the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 120x3=360, B.Sc.120x3=360. M.A.120x2=240. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained. ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is 		

being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

- x. The uploaded list of teaching staff has not been duly countersigned by its affiliating body/Registrar of University and is not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time
- xi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall, Seminar hall and common hall is same and is not as per NCTE norms. There is no furniture in the multipurpose hall.
- xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiv. Uploaded geotagged photograph shows that Computer lab is not proper, ICT related facilities are not visible in the uploaded geotagged photographs

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

20	2627202509303491	GYAYAK T. T. COLLEGE KUPDA, BANSWARA - DUNGARPUR ROAD, BANSWARA, RAJASTHAN-327001	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- ii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- iii. The website of institution has not been functional and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution has uploaded a certificate issued by the Fire safety officer Banswara. However, the plot area is still mentioned as 836 sq. mts on the fire safety certificate portal of Rajasthan Government, whereas the institution mentioned in the online application its land area as 4008 sqmt. The Plot area is still mismatch on the Fire safety NOC Portal. The

institution has not uploaded requisite Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.

- v. As per the uploaded CLU, Khasra No.318 is mentioned, whereas the mentioned Khasra No. in the land details column is 318 and 322/1. The land area is mismatched. The institution has not uploaded all Khasra Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- vii. As per the NEC uploaded by the institution, the Khasra No.1698/318 of area 0.1214 hec, 318/1 of area 0.1862 hec and 322/1 of area 0.6556 hec. The total area comes to 0.9632 hec (9632 sq.mts. approx.) whereas in the online application, the institution has mentioned Khasra no.318 & 322/1 for Total land area 4008.sq.mts. The Khasra No. as well as total land area mentioned in the NEC and online application mismatch. The institution has not uploaded LATEST Non-Encumbrance Certificate (NEC) mentioning all Khasra No. and total land area issued by Competent Authority of State Government.
- viii. The geotagged photographs uploaded show that the seating capacity of reading room is not sufficient as per NCTE norms.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- x. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time.
- xi. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. There is no furniture in the multipurpose hall.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

21	2627202509293439	RUPI DEVI GIRLS COLLEGE	Transition
----	------------------	-------------------------	------------

		MANDAL, MANDAL, MANDAL, BHILWARA, RAJASTHAN-311403	B.A.B.Ed / B.Sc. B.Ed
<u>Decision of WRC:</u>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			
<ol style="list-style-type: none"> i. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority. ii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs. iii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx iv. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. v. As per the uploaded affiliation order on the portal, the institution is conducting only B.A. programme. The institution is not running multi-disciplinary B.Sc. course in the field of sciences, or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multi-disciplinary institution for B.Sc. B.Ed. course. vi. The institution is conducting degree courses i.e. B.A. 180x3=540. The sufficiency area 3096.528 sq.mts. of built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), Diploma in Elementary Education (D.El.Ed.) 2 units course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf. vii. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. viii. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time ix. As per the uploaded BCC, the mentioned land area is 19569.629 sq.mts. and Built-up area is 			

3096.528 sq.mts. whereas the mentioned land area 31236 sq.mts. and Built-up area 4050 sq.mts. in the land details Column in the online application portal. The land area is mismatched. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.

- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xi. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

22	2627202509162531	PALI ACADEMIC INSTITUTION BISONI, BISONI, WARD NO.03,LANJI, BALAGHAT, MADHYAPRADESH- 481222	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per online application portal, the institution has uploaded Not-for-Profit Certificate issued by Private Chartered Accountants. However, the institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. The institution has uploaded affidavit on Rs.100/- stamp paper in the name of Prakhar Deshna Career and Welfare Society, Khasra No. 542/1/2, 542/2/1, 542/2/2, 543/4, 544/1, 544/2, 545, 546/1, 547/1, 547/2, 556/3,556/5/2, 559, 542/1/3,549, 557/6, 546/2, total land area 10319.48 sq. mtrs. (total built-up area 6333.36 sq. mtrs.), dated 13.03.2026. However, the institution has not uploaded Certified land documents in respect of Khasra No.547 issued by the Competent Government Authority.
- iii. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh

- justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
- iv. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
 - v. The website of the institution has not functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - vi. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
 - vii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
 - viii. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
 - ix. This institution has not uploaded Certified land documents in respect of Khasra No.547 issued by the Competent Government Authority.
 - x. Committee noted that, as mentioned in the Land Details column, land area is 10320 sq. mts. whereas mentioned land area in the BCC column in the portal is 5000sq.mts. However, in the uploaded BCC mentioned land area is 4680 sq. mts. The land area is mismatched.
 - xi. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
 - xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

23	2627202509162588	SRI GURU NANAK GIRLS PG COLLEGE SRI GANGANAGAR, OPPOSITE NEHRU PARK, SRI GANGANAGAR, RAJASTHAN- 335001	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

24	2627202509192929	SWAMI VIVEKANAND BED COLLEGE, SAGWARA JETHANA, OPPOSITE RIICO, ADIWAT, SAGWARA, SAGWARA, DUNGARPUR, RAJASTHAN-314025	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time
- ii. The name of applicant College is not reflected on any part of building in the geotagged photo uploaded.
- iii. Committee noted that, the institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built up area".
- iv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- v. Multipurpose Hall related facilities are not visible in the uploaded geotagged photographs.
- vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- vii. Computer labs and ICT related facilities are not visible in the uploaded geotagged photographs.
- viii. A board with the name of the Swami Vivekanand B.Ed. College is seen to have been put up temporarily. This board can be removed at any time.

- ix. It cannot be ascertained because not document regarding salary has uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- x. The institution is having 3940.61 sq.mt built up area as mentioned in the affidavit of land details. Institution is running B.A. 80x3=240, B.Sc.70x3=210, B.A. B.Ed. and B.Sc. B.Ed. Secondary (1 unit). 100x4=400. The sufficiency of built-up area for all courses cannot be ascertained
- xi. Committee noted that, the uploaded khasra number 95 is for educational and commercial purpose. Kh. No.95/1 is not in the list of CLU. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- xii. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time.
- xiii. Committee noted that, the institution has proposed the ITEP course at Plot/Khasra No. 231/1, which has been registered after grant of recognition by NCTE, hence, the same is not acceptable.
- xiv. The uploaded building plan is not proper. The institution has not uploaded the proper Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. Committee noted that, the name of applicant institution is 'SWAMI VIVEKANAND BED COLLEGE' as per the NCTE recognition order whereas the name of institution conducting Multi-Disciplinary Courses is 'Swami Vivekanand College'. The name of institution is mismatch.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

25	2627202509132221	SWAMI VIVEKANAND MAHAVIDYALAYA JANAKPUR PANNA JANAKPUR, PANNA, MADHYA PRADESH-488001	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per online portal, institution has uploaded land related Affidavit, whereas the uploaded

- land related Affidavit is not as per NCTE prescribed format.
- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - iii. In the Land Details, Built Up area mentioned in the Affidavit (in sq. mts.) is 5000. The institution is running various teacher education programme/courses and other courses in the same campus/premises i.e. As per the website of institution, institution is running the B.Ed., D.Ed., Diploma in Yoga, DMLT, BMLT, D.Pharm, Ayurved, ITI. School, and other some Paramedical courses. The sufficiency of land and built-up area for the above courses with of and intake for B.A. B.Ed. Secondary (2 unit), course cannot be ascertained.
 - iv. The institution has not uploaded the certificate issued by the Government of Madhya Pradesh justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
 - v. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions.
 - vi. The institution has uploaded Fire Safety Certificate dated 24.03.2023, however its validity is expired. The institution has not uploaded requisite Fire Safety Certificate issued by Fire Safety Department, Government of MADHYA PRADESH verifiable on the official portal of the Fire Department, Government of. MADHYA PRADESH.
 - vii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
 - viii. As per online portal, the institution has uploaded Building Plan without mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. However, the institution has not uploaded requisite Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
 - ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
 - x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xi. The uploaded list of teaching staff is duly countersigned by its affiliating body/Registrar of University but not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendments time by time.
 - xii. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
 - xiii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

26	2627202509182819	DR. RADHAKRISHANAN INTEGRATED COLLEGE KUCHAMAN CITY DISTRICT NAGAUR RAJASTHAN KUCHAMAN CITY, NAGAUR, RAJASTHAN-341508	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded university approved teaching staff list in the prescribed format of NCTE and as per NCTE norms.
- ii. The institution has not updated and maintained the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. The institution has not uploaded certified copy of registered land documents duly Mentioning all khasra no issued by the Competent Revenue Authority.
- iv. College Khasra Numbers/plot numbers and other details are not mentioned in the uploaded building safety certificate no.612 issued on dated 27.06.2024. The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- v. As per the uploaded Fire safety certificate on the fire NOC portal, approved plot area is 2483 sq.mts., whereas in the land details column mentioned land area is 6793 sq.mts. The land area is mismatched. The institution has not uploaded requisite Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- vi. A board with the name of the college is seen to have been put up temporarily. This board can be removed at any time.
- vii. The institution has uploaded the building plan approved by Assistant Engineer. Further, the earmarked land and built-up area for each course being run in the same premises and the demarcated land and built-up area for teacher education programmes is not mentioned in the building plan.
- viii. As the institution is running the various courses in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution has not demarcated the land and built up area as per the Guidelines issued by the Government of Rajasthan available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- ix. The institution has uploaded the Memorandum of Merger between the two institutions. The

approval of University has been submitted but the approval of State Government as required under Guidelines for Multidisciplinary is not submitted.

- x. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- xi. The name of the applicant institution i.e. "Dr. Radhakrishnan Integrated College" which does not match with the name of the institution i.e. "Dr. Radhakrishna College" mentioned in the NRC recognition order for B.A.B.Ed./B.Sc.B.Ed. programme.
- xii. The institution has mentioned different Khasra No, in the online application. (A) column of address Khasra No.00 is mentioned, (B) in the Column of Land detail Khasra No is mentioned 1127/440,1161/440 and (c) Column of Building Plan is Khasra No. is 00. The Khasra no. does not match.
- xiii. The institution is conducting Multidisciplinary and Teacher Education courses in the same premises i.e. B.A. 80x3=240, B.Sc.140x3= 420. Total strength of multidisciplinary students is 660. And intake for Bachelor of Education (B.Ed) degree. 2 units., 100x2=200 B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), 100x4=400. The institution has mentioned the total built-up area 4332 sq.mts. This built-up area is not sufficient to run the above courses.
- xiv. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xv. In the land details Column Built-up area is mentioned 4331.64 sq.mts. whereas in the BCC Column Built-up area is mentioned 8983.29 sq.mts. The Built-up area is mismatch.
- xvi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

27	2627202509263348	SHRI ADARSH B.ED. COLLEGE BIGGA, SHRI DUNGARGARH, BIGGA, BIKANER, RAJASTHAN-331803	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

28	2627202510043661	MAITREYEE GIRLS TEACHER TRAINING COLLEGE RIYAN BADI RIYAN BADI, SATHANA KALLAN ROAD, RIYAN BADI, RIYAN BADI, NAGAUR, RAJASTHAN-341513	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per portal, the institution has uploaded Building Plan, whereas the institution has not mentioned the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. However, the institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- ii. The institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- iii. The website of the institution has not been in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution has not maintained and updated the website as per NCTE regulations.
- iv. The institution has not uploaded Geotagged photograph showing permanent name board with the name of the college, which is seen to have been put up temporarily.
- v. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- vi. The proposal for 'merger' between the institutions has not been approved by their affiliating university, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- vii. The Institution has not uploaded information of all programme/courses run by institution in the campus and the institution has not uploaded year-wise admitted students list in respect of all running programme(s) countersigned by Affiliating University.
- viii. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ix. The institution has not uploaded the 'Fresh certificate of merger' issued by the Registrar of Societies as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- x. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

- xi. The plot area mentioned on the fire NOC portal of Govt. of Rajasthan is 4053 sq. mts. whereas the institution has mentioned its total Land Area 8031.78 sq. mts. Both land area are mismatch.
- xii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms, furniture in the multipurpose hall is inadequate.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The name of the institution does not appear at the given geographic location with latitude (26.5517383) and longitude (74.257855) coordinates provided in the online portal. However, in its reply of SCN, TEI has mentioned two different coordinates regarding latitude (26.55153) and longitude (74.25765) with screenshot of google location map showing name of TEI, which is not acceptable.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

29	2627202509293480	CAREER COLLEGE, BISSAUROAD, CHURU, BISSAU ROAD, CHURU, RAJASTHAN-331001	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	---	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

30	2627202509263334	GRAMIN MAHILA MAHAVIDYALAYA SHIVSINGHPURA, NAWALGARH ROAD, SIKAR, RAJASTHAN-332024	Transition B.A.B.Ed / B.Sc. B.Ed
----	------------------	--	--

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for

transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, reply of final Show Cause Notice post Preliminary Scrutiny, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

मीटिंग चेयर को धन्यवाद प्रस्ताव के साथ समाप्त हुई।

(प्रो. शैलेशानारनभाईजाला)
अध्यक्ष