
Re: Forwarding of Final Minutes of 458th (Part-II) Meeting of WRC scheduled from 27th-30th April, 2026 and held up to 29.04.2026 through Virtual Mode- reg.

From Shailesh Zala <shaileshzala@yahoo.co.in>
Date Thu 30-Apr-26 10:11 AM
To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Wed, Apr 29, 2026 at 7:54 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Respected Sir,

Please find attached Final Minutes of 458th (Part-II) Meeting of WRC scheduled from 27th-30th April, 2026 and held up to 29th April, 2026 through Virtual Mode for your kind consideration and approval, please.

Rashmi Shukla
Regional Director
WRC, NCTE

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 458वीं (भाग-II) 27-30 अप्रैल 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित थे:

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत
3.	डॉ. अश्विनी हलबे करवंदे	सदस्य	आभासी
4.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत
5.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	राज्य सरकार के प्रतिनिधि	गोवा
3.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
4.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
5.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
6.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
7.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
8.	राज्य सरकार के प्रतिनिधि	राजस्थान
9.	राज्य सरकार के प्रतिनिधि	गुजरात

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

Sl. No.	Application	Name and address	Programme
1	2627202509152403	MAHAVEER JAIN VIDHYALAYA SANSTHAN BADGAON BHINDER ROAD, KEER KI CHOWKI, UDAIPUR, RAJASTHAN-313603	Transition B.A. B.Ed / B.Sc. B.Ed

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. If the University is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 80x3=240, M.A.40x2=80. The university B.Sc. course does not run, but University applied for B.Sc. B.Ed. course. University should upload the information of B.Sc. course. if they are running this B.Sc. course The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree 2 units, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- ii. The University is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- iii. The website of the University is not functional. The website is required to be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time. The institution is required to update the website as per NCTE regulations.
- iv. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.
- v. The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- vi. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- vii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- viii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- ix. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.

- x. Committee noted that as per the online application of the institution, the institution has mentioned Kh. Nos. 3310/1013, 3661/1009, 3663/1009 for total land area of 9420 in sq.m. and total built-up area of 5971.18 sq.mts. Which does not match with the uploaded land documents. In the uploaded documents, Kh. No. 554/1/1/3 is mentioned. The institution has not uploaded certified land documents mentioning Khasra no. 3310/1013, 3661/1009, 3663/1009 issued by the Competent Authority. Institution is required to upload the same.
- xi. Computer lab is not proper. ICT related facilities are not visible in the uploaded geotagged photographs
- xii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xiii. The institution has not uploaded the Mutation Certificate. In lieu of same, the institution has uploaded the other Certificate.
- xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xvi. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

2	2627202505164664	SWAMI VIVEKANAND GOVERNMENT P.G. COLLEGE NEEMUCH (M.P.), NEEMUCH, MANASA ROAD, NEEMUCH, NEEMUCH, NEEMUCH, MADHYA PRADESH-458441	ITEP
---	------------------	---	------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to LOI, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution was issued Final show Cause Notice post Letter of Intent vide dated 16.04.2026 with a request to upload its reply along with all requisite supporting documents within 07 days from the date of issue of the Final Show Cause Notice Post LOI (SCN).
- ii. The institution has not uploaded any representation / reply to the Show Cause Notice and the stipulated time period is over.

Hence, the WRC decided that the application submitted by the institution for ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

3	2627202509273403	MAHARAJA HAMEER COLLEGE CHAUTH KA BARWARA SAWAI MADHOPUR JUWAD, CHAUTH KA BARWARA, SAWAI MADHOPUR ROAD, CHAUTH KA BARWARA, CHAUTH KA BARWARA, SWAI MADHOPUR, RAJASTHAN-322702	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the copy of deed issued mentioning in respect of Khasra No. 2506/128 and 2520/2506 by the government competent authority.
- ii. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL <https://sgonline.rajasthan.gov.in/trackapplication.aspx>.
- iii. The website of institution <http://www.mjfspm.org/> has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The uploaded BCC mentions total built up area 5560 sqm and Building Plan mentions total built up area 5192.12 sqm whereas the mentioned the built-up area in the land details column of online application as 7708 sqm. The Built-up area is mismatched. Also, the Khasra No. 128 is mismatched.
- v. As per the uploaded CLU is mentioned the land converted area is 6950sq.mts. Whereas the mentioned land area in the land detail column is 12600 sq.mts. The land area is mismatched. The institution has not uploaded Land Use Certificate (CLU) mentioning all Khasra No.as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The institution has uploaded the list of teaching staff duly approved and countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms
- ix. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- x. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate No 92 Dated 17/04/2024.
- xi. The uploaded document is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up

- area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. The uploaded geotagged photographs show that the computer lab, library and other labs are not in good condition.
- xiii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

4	2627202509263332	SANSKAR BALIKA P.G. COLLEGE PALSANA, GOVATI ROAD, ANTARAMGARH, PALSANA, SIKAR, RAJASTHAN-332402	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Exemption Certificate (12A) issued by Income Tax Department.
- ii. The institution has not update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3905.29. The institution is conducting degree courses i.e. B.A. 240x3=720, B.Sc.60x3= 180, M.A. 40x2=80. The sufficiency of 3905.29 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained.
- iv. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no.569 issued on dated 9/7/2024.
- v. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- vi. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- vii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

5	2627202509132204	NEW LOOK GIRLS COLLEGE LODHA, DUNGARPUR ROAD, BANSWARA, RAJASTHAN-327001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not created the New Look Girls College, lodha website and update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per the uploaded Building Plan is mentioned Built-up area is 8830.43 Whereas, the built-up area is mentioned in the land details column is 3243.9 sq.mts. and Built-up in the uploaded BCC is 12074.33 sq.mts. The Built-up area is mismatched. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- iii. (i) The institution is mentioned the Khasra No. in land details Column is 242. (ii) the institution mentioned the Khasra No. in the uploaded BCC is 242, 243 and 244 (iii) The institution is mentioned the Khasra No, in the uploaded CLU is 243, 660/244, 671/242 and 672/244. The land area is mismatched.
- iv. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- v. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- vii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- viii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- ix. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- x. As the institution is running the School, Degree College in the same campus, the institution has not submitted the demarcated site plan duly demarcating the land area for the existing College course and the proposed ITEP course. The institution is required to demarcate the land and built up area as per the Guidelines issued by the Government

	of Rajasthan available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf .
xi.	The institution has uploaded the list of teaching staff duly countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms
xii.	Committee noted that, which is issued by Govt. authority of Rajasthan in the name of New Look School Society for khasra number 242,243 and 244. New look School Society is running New Look Girls College on the above mentioned khasra number. We are running Multi-disciplinary Program and Teacher Education Program under New Look School Society. Attached: 1. Annexure -13 2. NCTE Letter for BA Bed. & BSC Bed Course 3. NOC from state government.
xiii.	The geotagged photographs uploaded show that the multi-purpose hall is not as per NCTE norms. The furniture in the multi-purpose hall is inadequate.
xiv.	In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 3244. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.70x3= 210,. And for other courses BBA, BCA,BBM,PGDCA,M.Sc., M.A. institution are required to upload the approved intake on the portal. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.	

6	2627202509162535	LOKMANYA TILAK COLLEGE OF TEACHER EDUCATION, DABOK, DABOK CHORAHA, MAVLI, DABOK, UDAIPUR, RAJASTHAN-313022	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- ii. The website has not be functional and updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time.
- iii. Institution has not uploaded the fire safety certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. Land area is mentioned in the portal is 205978.88 sq.m. and on the Rajasthan portal the area shown 5359 sq.m. which is mismatch
- iv. The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority. The Plot/Khasra No. 798 as mentioned in the NRC recognition Order is not mentioned in the CLU uploaded by the institution.

- v. The institution has not uploaded the legible land documents copy of all Khasara Numbers. The institution has not uploaded the Land related affidavit as per details filled in the online application portal.
- vi. The college does not have sufficient teaching staff for all teacher education programmes. The uploaded teaching staff list not as per NCTE norms.
- vii. The institution has not uploaded Not-for-Profit Certificate issued by Competent Authority of State Government.
- viii. Committee noted that As per the Fire NOC on the Fire portal is 5359 sq.mts. Whereas the land area is mentioned in the land details Column is 37550.25 sq.mts. The land area is mismatched.
- ix. The institution is running so many various programme. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. Committee noted that, A flex board with the name of the college is seen to be put up temporarily. This board can be removed at any time.
- xi. Committee noted that, The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xii. Committee noted that, In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 37550.25. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/ premises i.e. Faculty of Computer Science & Information Technology, Faculty of Engineering & Technology, Faculty of Agriculture Faculty of Management Studies, Faculty of Medicine, Faculty of Law, Faculty of Science, Faculty of Social Science, Faculty of Humanities, Faculty of Earth Science, Faculty of Commerce, and research programme and other chairs and other courses The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Faculty of Education, Diploma in Elementary Education (D.El.Ed.) D Bachelor of Education (B.Ed) degree 6 units, Master of Education(M.Ed) degree. B.Ed. M.Ed (3 Year Integrated) and B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norm.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xv. The institution has not uploaded LATEST Non-Encumbrance Certificate mentioning the Plot/Khasra, Order issued by issued by the Competent Govt. Authority.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

7	2627202509182818	SORABH COLLEGE OF TEACHER TRAINING KHEDA, KHEDA, HINDAUN CITY, HINDAUN CITY, KARALI, RAJASTHAN-322234	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. As per the uploaded BCC ius mentioned the land area is 10520 sq.mts. Whereas the Clu is uploaded by the institution is mentioned total land area is converted 19620 sq.mts. The land area is mismatched.
- iii. The name of applicant institution is Sorabh College Of Teacher Training and the name of multidisciplinary Institution is Sorabh College Of Education. Hence, there is a mismatch in the name.
- iv. Committee noted that, the name of institution mentioned in the letter of affiliation is "Sorabh College of Education" which does not match with name "Sorabh College of Teacher Training" mentioned in the transition application. If the institution is running multidisciplinary courses in another name and teacher education programme/ courses in the same campus/premises i.e. B.A. 160x3=480, B.Sc.70x3=210. M.A.240x2=480 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for B.Ed. M.Ed (3 Year Integrated) 1 unit , Diploma in Elementary Education (D.El.Ed.) 1 unit, Bachelor of Education (B.Ed) degree. 4 units, Master of Education(M.Ed) degree. 1 unit, B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained.
- v. College Khasra Numbers/plot numbers and other things are not mentioned in the uploaded Building Safety certificate no Rajkaj-2831 certificate no. 2831 issued on dated 3/10/2025.
- vi. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- vii. Committee noted that, the uploaded building plan is not proper. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- viii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- x. The trust is running so many courses in the same premises. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

8	2627202509182861	SHAILDEVI MAHAVIDYALAYA, ANDA, JANJGIRI ROAD, DURG, DURG, DURG, CHATTISGARH-491221	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution is required to update and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- ii. In the online application in the address column Khasra No.763/2 is mentioned whereas in the Recognition order in BA., BSc.B.Ed. course uploaded by the institution is Khasra No. 763. The Khasra no. is mismatch.
- iii. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Chhattisgarh verifiable on the official portal of the Fire Department, Government of Chhattisgarh.
- iv. The institution is required to upload the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- v. The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- vi. As per the uploaded BCC land area is 29200 sq.mts. Whereas the mentioned land area in the land details Column is 8300 sq.mts. The land area is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programme.
- vii. Committee noted that, The institution is conducting degree courses i.e. B.A. intake 60x3=180, BCom. intake 60x3=180, B.Sc. intake 120x3=360, BCA intake 30x3=90, DCA intake (45), PGDCA intake (45), PG in Diploma yoga intake (40), M.Com. intake (20x2=40), MSW intake (40x2=80), M.Sc. intake (40x2=80), B.LIB & information Science intake (40x3=120) M.Sc. (CS) 20x2=40 mentioned combined intake of 1300. The sufficiency of land area and built-up area for 1300 intake of multidisciplinary courses and 50 intake for B.A.B.Ed/ B.Sc. B.Ed., 100 intake for B.Ed., 100 intake for D.El.Ed course cannot be ascertained since the institution has mentioned the total built-up area 6370.57sq.mts.
- viii. Committee noted that, the institution has uploaded Fire Safety Certificate in the name of Shaildevi Mahavidyalaya, issued by Fire Safety Department, Government of Chhattisgarh dated 11.05.2025 (period 01 Year).
- ix. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- x. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xi. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports.
- xiii. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

9	2627202509182787	KASTURI DEVI COLLEGE, CHAKSU, JAIPUR, RAJASTHAN-303901	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution i.e. KASTURI DEVI COLLEGE, CHAKSU, JAIPUR, RAJASTHAN-303901 had submitted the application for Transition of the existing B.A. B.Ed / B.Sc. B.Ed into ITEP course in 2025-2026 vide application No. 2526202402091170 wherein the Letter of Intent (LoI) was issued to the institution on 05th May 2025.
- ii. As per the decision of the General Body of NCTE in its 67th meeting held on 28th July 2025, the Public Notice was issued by NCTE directing all the recognised existing TEIs to apply afresh except the institutions which have either been already transitioned into ITEP or issued Letter of Intent by the RC concerned.
- iii. This institution again submitted the application for Transition of the Transition of the existing B.A. B.Ed / B.Sc. B.Ed into ITEP course vide application No. 2627202509182787, whereas as per the decision of the General Body of NCTE the institution was not required to submit the application afresh.
- iv. As the earlier application of the institution has been processed and final decision on the application has been taken, the fresh application submitted by the institution in October 2025 cannot be considered, as the institution was not eligible to apply afresh.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

10	2627202509182810	SAINT SOLDIER MAHILA MAHAVIDYALAYA, TONK, CIVIL LINE ROAD TAL KATORA CHOURAHA, TONK, RAJASTHAN-304001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations,

Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

Visiting Team be constituted for inspection of the institution in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify student list year-wise (I,II,III,IV), website and Fire Safety Certificate and all Building & land related documents, so as to assess institution's preparedness for running the course.

11	2627202509293441	ARAVALI TEACHER TRAINING COLLEGE CHAMUNDA MATA ROAD DEBARI, BEHIND PATWAR TRAINING CENTRE AIRPORT ROAD, GIRWA, UDAIPUR, UDAIPUR, RAJASTHAN-313024	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx.
- ii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- iii. The institution needs to update and maintain the website WWW.ARAVALITTC.ORG in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iv. The institution has uploaded BCC without seal and signature of competent Government Authority. Also Not mentioned single Plot. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- v. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- vi. The name of the institution mentioned in the affiliation order for multi-disciplinary course uploaded by the institution is 'ARAVALI SHIKSHAN MAHAVIDYALAYA' whereas the name of applicant institution is 'ARAVALI TEACHER TRAINING COLLEGE'. The names of institution mismatch.
- vii. Committee noted that, The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- viii. Committee noted that, The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

- ix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- x. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xi. College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 1152 issued on dated 30/11/2023.
- xii. The institution is conducting degree courses i.e. B.A. 80x3=240, B.Sc.70x3= 210. The sufficiency of 4057.90 sq.mts. built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 4 units B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for savailable on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.p>

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

12	2627202509172640	MANDIYA T T COLLEGE MANDIYA NAGAR, NEAR KOTWALI POLICE STATION, NEEM KA THANA, SIKAR, RAJASTHAN-332713	Transition B.A B.Ed / B.Sc. B.Ed
----	------------------	--	--

The WRC in its 455th (Part-V) meeting has decided to Refuse transition application of this institution on certain points.

The observations of WRC recorded at Item No. 11, point No (iii) of 455th (Part-V) meeting of WRC be omitted/ deleted.

Rest of the observations of WRC shall remain unchanged.

Hence, the WRC decided that Corrigendum be issued accordingly.

13	2627202509192881	KARMAVEER HIRE ARTS, SCIENCE, COMMERCE AND EDUCATION COLLEGE, HT. MURLIDHAR NAGAR, BHUDARGAD, GARGOTI, KOLHAPUR, MAHARASHTRA-416209	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	---

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the decision of WRC, First Show Cause Notice (SCN) was issued to the institution vide letter No. F.No.NCTE/WRC/2627202509192881/ MAHARASHTRA/ 2025/ SCN dated 22/01/2026 with a request to upload its reply along with all requisite

- supporting documents within 15 days from the date of issue of the First Show Cause Notice (SCN).
- ii. Committee noted that, No reply has been uploaded by the institution on this portal in response the WRC First Show Cause Notice (SCN) within the stipulated time of 15 days.
 - iii. As per the institution has uploaded Building Use Chart issued by the Deputy Engineer, Panchayat Samiti and mentioned total built-up area 6746.06 sq. mtr. which is mismatch with the details Column of land details, Building Plan and BCC total built-up area 2927.48 sq. mtr.
 - iv. The website of the institution has not functional. The website is required to be functional and updated in compliance to Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
 - v. The Institution has uploaded Building Completion Certificate (BCC) Khasra No. 1033/2, 1033/1, 1034, 1036. However, the Khasra No. 1033/1, 1034, 1036 is not mentioned in the land details it is mismatch. Earmarked Total Land area 877796.81.87 sq/ft / 81549.99 sq/m B.A.B.ED. (Integrated) and Earmarked Total Built Up area 23787.5 sq/ft 2209.93 sq/m B.A.B.ED. (Integrated) issued by the Deputy Engineer, Panchayat Samiti. It is not sufficient for all running courses.
 - vi. As per the institution has uploaded Building Plan whereas not mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multidisciplinary programmes.
 - vii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
 - viii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
 - ix. The institution has not uploaded readable Mutation Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
 - x. As per the institution has uploaded Land Use Certificate mentioning Survey No. 464, 465, 467 and 1036 issued by Tehsildar, Kolhapur, Maharashtra whereas, the institution has mentioned in the in application Khasra No. 1033/2 in Basic Information, Land Details, Building Plan and Building Completion Certificate (BCC) it is mismatch. However, the institution has not uploaded Land Use Certificate (CLU) mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
 - xi. As per the institution has uploaded self-authorized letter and another land documents but in regional language and institution has uploaded notarized English translated copy but not mentioned Khasra Nos. However, the institution has not uploaded land document and not uploaded English translated copy with Khasra Nos. and total land.
 - xii. As per the institution has uploaded land related affidavit whereas, Khasra No. not showing and total land is mismatch.
 - xiii. The name of applicant College is not reflected in the geotagged photo uploaded
 - xiv. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
 - xv. The geotagged photographs uploaded show that the Multipurpose Hall, Seminar hall and common hall is same and is not as per NCTE norms. There is no furniture in the multipurpose hall.
 - xvi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 2297.48 The institution is conducting degree courses i.e. B.A. intake (360), BCom. intake (120), BSc intake (120), BCA intake (80), MA intake (150), MCom intake (50), MCA intake (60), MSc intake (30) combined intake of 670. The sufficiency of land area and built-up area

- for 670 intakes of multidisciplinary courses and 80 intake for B.A.B.Ed. / B.Sc. B.Ed. course cannot be ascertained.
- xvii. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xviii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xix. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- xx. As per the institution has uploaded self-authorized letter and another land documents but in regional language and institution has uploaded notarized English translated copy but not mentioned Khasra Nos. However, the institution has not uploaded land document and not uploaded English translated copy with Khasra Nos. and total land.
- xxi. As per the institution has uploaded land related affidavit whereas, Khasra No. not showing and total land is mismatch.
- xxii. The institution has uploaded the list of teaching staff duly countersigned by its affiliating body but not in the prescribed format of NCTE and not as per NCTE norms

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

14	2627202509162621	SURATGARH P.G. COLLEGE, N.H. NO. 62, SURATGARH, SRI GANGANAGAR, RAJASTHAN-335804	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- ii. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- iii. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Arese (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- iv. The institution is required to uploaded Certified land documents and lease deed in respect of Khasra No. 318/2 and 318/3 issued by the Competent Government Authority.
- v. As per the uploaded Building Plan land area is mentioned 4710 sq.mts. whereas the mentioned in the land details column is 8920 sq.mts. The land area is mismatched. The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The institution has not uploaded Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.

- vii. Committee noted that Institution has uploaded the Patta vilekh of the land on the name of SURATGARH EDUCATIONAL AND SOCIAL WELFARE TRUST in which Kh. No. is not mentioned and the area of the land is also mismatch with the mentioned area in the portal. Institution needs to upload the documents of total land 8920 sq.m. of Kh. No. 318/3 . The institution is required to upload the legible land documents copy.
- viii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- ix. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- x. Bank statement has not uploaded by the institution , hence It cannot be ascertained that the salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xi. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xiii. As per the uploaded NEC land area is mentioned 4710 sq.yard. whereas the mentioned in the land details column is 8920 sq.mts. The land area is mismatched. The institution has not uploaded latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- xiv. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xv. The details of Fire Safety Certificate No. 55458 dated 04.10.2025 issued by Fire Officer, Nagar Parishad, Sikar mentioned by the institution are verifiable on the online portal of Rajasthan Government at URL https://lsgonline.rajasthan.gov.in/track_application.aspx. However, the Fire Safety Certificate is valid upto 03.10.2027 and the plot area mentioned on the portal of Rajasthan Government is 5914 sq. mts. whereas the institution has mentioned its total land area 8920 sq. mts. The uploaded area is mismatched.
- xvi. In the Land Details Built Up area mentioned in the Affidavit (in sq m) is 4893. the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 400x3=1200, B.Sc.210x3=630. B.Com. 160x3=140, M.A.40x2=80, M.Sc. 40x2=80, M.Com. 40x2=80 The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for, B.A. B.Ed. Secondary (1 unit), B.Sc. B.Ed. Secondary (1unit), course cannot be ascertained.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)

अध्यक्ष