
Re: Forwarding of final Minutes of 458th (Part-II-B) Meeting of WRC held on 27-30 April, 2026 through Hybrid Mode- reg.

From Shailesh Zala <shaileshzala@yahoo.co.in>
Date Thu 07-May-26 3:13 PM
To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

Dr. Shailesh N. Zala
Former Vice Chancellor
Maharaja Krishnakumarsinhji Bhavnagar University
Bhavnagar: (Gujarat)

On Wednesday, 6 May 2026 at 04:22:43 pm IST, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Dear Sir/Ma'am,

Respected Sir,

Please find attached herewith final Minutes of 458th (Part-II-B) Meeting of WRC held on 27th-30th April 2026 through Hybrid Mode for your consideration and approval, please.

Rashmi Shukla
Regional Director
WRC, NCTE

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards
Western Regional Committee
NCTE
Dwarka
New Delhi

राष्ट्रीय शिक्षक शिक्षा परिषद की पश्चिमी क्षेत्रीय समिति (WRC) की 458वीं (भाग-II-B) 27-30 अप्रैल 2026 हाइब्रिड मोड के माध्यम से आयोजित की गई।

I. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित थे:

	सदस्य का नाम	पदनाम	Mode
1.	प्रो. शैलेश नारनभाई जाला	अध्यक्ष	व्यक्तिगत
2.	डॉ. पाठक कल्पेशकुमार हर्षदराय	सदस्य	व्यक्तिगत
3.	डॉ. अश्विनी हलबे करवंदे	सदस्य	आभासी
4.	डॉ. करणम पुष्पनाधाम	सदस्य	व्यक्तिगत
5.	डॉ. सुहासकुमार रूपराव पाटिल	सदस्य	व्यक्तिगत
6.	श्रीमती रश्मि शुक्ला	क्षेत्रीय निदेशक एवं संयोजक पश्चिमी क्षेत्रीय समिति	व्यक्तिगत

II. निम्नलिखित सदस्य और राज्य सरकार के प्रतिनिधि बैठक में उपस्थित नहीं हुए:

	सदस्य का नाम / पदनाम	राज्य / केंद्र शासित प्रदेश
1.	प्रो. भरत भक्तिभाई रामानुज	सदस्य
2.	राज्य सरकार के प्रतिनिधि	गोवा
3.	राज्य सरकार के प्रतिनिधि	छत्तीसगढ़
4.	राज्य सरकार के प्रतिनिधि	दादर एवं नागर हवेली
5.	राज्य सरकार के प्रतिनिधि	दमन एवं दीव
6.	राज्य सरकार के प्रतिनिधि	मध्यप्रदेश
7.	राज्य सरकार के प्रतिनिधि	महाराष्ट्र
8.	राज्य सरकार के प्रतिनिधि	राजस्थान
9.	राज्य सरकार के प्रतिनिधि	गुजरात

III. अध्यक्ष की अनुमति से, श्रीमती रश्मि शुक्ला, क्षेत्रीय निदेशक व संयोजक, पश्चिमी क्षेत्रीय समिति ने समिति के समक्ष कार्यसूची प्रस्तुत की। प्रत्येक कार्यसूची पर मदवार निर्णय निम्नानुसार है:-

The meeting Number and date of the Minutes of the 457 (Part-II-D) meeting of WRC held on 20th-22nd April 2026 may be read as 458 (Part-II-A) of the meeting of WRC held on 27th-30th April 2026.

Sl. No.	Application	Name and address	Programme
1	2627202509263329	CHANCHAL AHILYA UMRAWATI MAHILA P.G. COLLEGE MANDRELLA, MANDRELLA ROAD, CHIRAWA, JHUNJHUNU, RAJASTHAN-333025	Transition B.A. B.Ed / B.Sc. B.Ed

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time, Reply of final show cause notice post Inspection, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution uploaded Certificate dated 23.01.2026 in the name of Rajasthan Samaj Kalyan Shiksha Samiti Mandrella for Kh.No.1129/199 mentioning that there is no outstanding dues on this office regarding this land and building issued by UP-Panjiyak, Mandola, Jhunjhunu. In this connection Committee noted that in this Non-Encumbrance Certificate (NEC), there is no mention of “the land is free from all encumbrances”.
- ii. Room sizes cannot be verified as the Room numbering is not done in a systematic manner and rather randomly done as informed by the college authorities too. In this regard, the Committee noted that the reply uploaded by the institution was not satisfactory and relevant.
- iii. The uploaded geotag photo shows that the ramp was not proper. Also, the institution has not uploaded geotag photos of disabled accessible toilets.
- iv. As the reply uploaded by the Institute is not satisfactory, the Committee accepts the report of the visiting team in this regard that, “Laboratories are not in functioning condition to the level of the programme, and library facilities are not to the level of the required programme. The institution was neither ready nor equipped for the visit/programme.”
- v. As the reply given by the institution is not satisfactory, the Committee accepts the report of the visiting team in this regard that, “During the inspection of the college, it was observed that the institution does not fulfil the essential minimum requirements prescribed by the NCTE.”
- vi. “The laboratories are not properly equipped and lack adequate infrastructure and necessary apparatus.”
- vii. “The classrooms are found to have improper seating arrangements, poorly maintained, and not conducive to effective teaching-learning processes.

- viii. The institution does not provide basic accessibility facilities such as ramps or lifts for differently-abled students.
- ix. There is no functional language laboratory available.
- x. The library is also inadequately equipped and does not possess sufficient encyclopaedias, educational journals, reference books, and other essential learning resources.
- xi. Land Details Not Accepted by the Visiting Team Members.
- xii. The classrooms are found to have improper seating arrangements, poorly maintained, and not conducive to effective teaching-learning processes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993.

2	2627202509243215	ARYAN MAHAVIDYALAYA GATHWARI, BOBARI ROAD, JAIPUR, RAJASTHAN-303120	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	--------------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time, Reply of Final Show Cause Notice post Inspection, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As the reply given by the institution in response to point of final SCN post Inspection is not satisfactory. The Committee accepts the report of the visiting team in this regard that,
- ii. 'Mutation Certificate was neither presented to the VT members'.
- iii. 'Proper Land Use Certificate is not shown to the VT members during Online Meeting'.
- iv. 'Laboratories are inadequately equipped and lack proper furniture'.
- v. 'Seating capacity in the Multipurpose Hall is less and also not equipped properly'.
- vi. 'The document shown regarding Non-Encumbrance Certificate to the VT Members is not in the correct format'.
- vii. 'Building Plan Building Plan is not sealed and signed by the Council of Architecture Registered architect and not in good resolution to read'.
- viii. The institution has not uploaded Building Safety Certificate to the effect that the building of the institution has been constructed as per National Building Code and the same is fully safe and structurally sound having load bearing capacity as per the Code/ Standards, to run the teacher training course.
- ix. The uploaded photograph is without geotag; there is no provision of Lift or Ramp for upper floors.
- x. The uploaded photograph is without geotag; No facilities are provided for the toilets of physical handicapped persons.
- xi. Seating Capacity of Library -Not Accepted.
- xii. As per the Photographs uploaded during virtual inspection, some Photograph areas are Mismatched.
- xiii. During virtual inspection, the institution failed to confirm the Title and volume of books to VT Members.
- xiv. Photo of Institute's Building-Some areas are Mismatched - Not Accepted.

- xv. Professional Research Journals not provided in the library.
- xvi. Electronic Publications not available.
- xvii. Digital or online resources not available.
- xviii. Health and Physical Education room, Common room not provided.
- xix. Furniture in labs is not adequately provided.
- xx. The institution has mentioned the land area as 5086 sqm. The above area of 5086 sqm is not sufficient for running the ITEP course and the Degree college keeping in view the Guidelines issued by the Government of Rajasthan.
- xxi. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993.

3	2627202509182805	JLN COLLEGE BASERI, BAYANA ROAD BASERI, DHOLPUR, RAJASTHAN-328022	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	--------------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time, Reply of final Show Cause Notice post Inspection, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As the reply given by the institution is not satisfactory, the Committee accepts the report of the visiting team in this regard that the 'JLN COLLEGE' applied for transition to ITEP course i.e. B.A.B.Ed. and B.Sc.B.Ed. 2 units each, and they are running Integrated B.A.B.Ed./B.Sc.B.Ed., B.A and B.Sc., but the instructional and infrastructural facilities to accommodate ITEP 04 units are not sufficient, and they are not fulfilling the norms of NCTE accordingly.
- ii. Required Classrooms were not present for current courses.
- iii. The Institute does not have the infrastructure to run all multidisciplinary and teacher education programme in the same place.
- iv. Labs were not having Basic infrastructure like Chair and proper lighting.
- v. Labs were not having Basic infrastructure like Chair other furniture and various apparatus.
- vi. Classrooms furniture were very dilapidated in conditions.
- vii. Washrooms for Specially Abled Persons was not available.
- viii. Library resources were not having adequate books. Bills in library were looked very improper.
- ix. Labs were having improper stock register. No stock verification was done in several years. It looks like a fake register. Bills for lab equipment were improper.
- x. Attendance registers and project files were not shown at the time of inspection.

- xi. Facilities for special ability person is not proper and does not following universal guideline. Basic things like ramp for upper floor does not exist but institute claimed in form.
- xii. Insufficient infrastructure facilities. Required Classrooms were not present for current courses.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993

4	2627202510053701	D.R.S. B.ED. COLLEGE GANGAPUR (BHATLO) GANGAPUR, (BHATLO), GOVINDGARH ROAD, HUZUR REWA, REWA, MADHYA PRADESH-486001	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	-----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time, Reply of final Show Cause Notice post Inspection, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. Basic amenities are not available as per NCTE norms.
- ii. Basic facilities such as toilets, lifts, ramps, tactile markings etc. are not available for persons with special needs for easy and efficient use of the campus and built environment by all.
- iii. Certificate of Building Safety based on VISUAL INSPECTION from Sub Div Officer, PWD REWA dated 16 Jan 2025 is uploaded. In this Building Safety Certificate, it is not mentioned that certificate is issued in adherence of safety guidelines as prescribed by National/State Disaster Management Authority as required under NCTE Regulations, 2021.
- iv. There is no provision of lift, ramp in building. No proper ramp at entrance to building, Absence of Handrails, Tactile paving, etc.
- v. No Toilets available for Persons with Special Abilities or Elderly or Physically Challenged persons.
- vi. Approved Plan does not provide Room Number.
- vii. It is noted that the 'DRS B.Ed College' is running only B.Com. BCA, PGDCA, Diploma in Yoga Education course. The institution is not running multidisciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTE-Regl012/7/2025-Reg. Sec-HQ dated 12.09.2025 related with extension of timeline to existing recognized teacher education institutions for transition from B.A.B.Ed./ B.Sc.B.Ed. Programme to ITEP before the start of academic session 2026-27. The institution does not fall in the category of multidisciplinary institution.
- viii. The institution is not offering B.A. course. The institute does not have enough land area to conduct teacher education programmes and other courses in the same premises. The institute does not own land as per NCTE rules.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993.

5	2627202510013537	GYAYAK COLLEGE GOVADI, BADGI - SAGWARA ROAD, SAGWARA, SAGWARA, DUNGARPUR, RAJASTHAN-314025	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations Guidelines issued by NCTE from time to time, Reply of Show Cause Notice post Inspection, and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the reply to the point of final show cause notice post inspection given by the institution is not satisfactory, the Committee accepts the report of the visiting team in this regard that Lab are not in operational conditions. None of the labs were proper. In the reply, institution uploaded a photograph that was not geotagged. The Committee cannot verify the authenticity of this labs.
- ii. No psychology lab was there. In the reply, institution uploaded a photograph that was not geotagged. The Committee cannot verify the authenticity of this psychology laboratory.
- iii. No lightening system in any of the rooms.
- iv. Library resources were not adequate -Title of Book, Professional Research General, Seating Capacity of Multipurpose Hall, Education Encyclopaedia, Electronic Publication, Digital or Online Resources not accepted by visiting team.
- v. Humanities Stream Laboratories, Activity Cum Resource Center, Health and Physical Education Room, Faculty Room, Not available,
- vi. Common Room not having proper washrooms, Availability of adequate Furniture, Effective arrangement of clearing of campus, water and toilet, Availability of developed Kitchen Garden, Facilities for co-curricular Activities not available
- vii. No lightening system in any of the rooms.
- viii. No interaction with teaching staffs.
- ix. salary slips of teachers were not shown at the time of inspection.
- x. Washrooms for physically challenged persons was not available.
- xi. The Institute does not have the infrastructure for any additional courses.
- xii. Classrooms, Lab and other infrastructure do not have Basic infrastructure like lighting.
- xiii. Facilities for special ability person is not proper and does not following Universal guideline.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course post inspection be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993

6	2627202509182850	MAHARAJA SURAJMAL COLLEGE AJABPURA, NH 148-DAUSA- MANOHARPUR HIGHWAY, JAMWARAMGRAH, JAIPUR, RAJASTHAN-303120	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	-----------------------------------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 02.02.2026, reply of show cause notice after Virtual Inspection Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As the reply given by the institution is not satisfactory, the Committee accepts the report of the visiting team in this regard that,
- ii. Professional Research General- Not Accepted- The library's collection of 5,356 books and 1,200 titles across all streams (General and Teacher Education) falls significantly short of the required NCTE standards for titles and volume. In the Library, the number of book titles and total books is insufficient for the Teacher Education Programme, which affects academic reference and study resources for students and faculty. Journals and encyclopedias are also not available in sufficient numbers, limiting access to updated knowledge, research materials, and comprehensive reference sources.
- iii. Faculty Room- Teaching staff is not provided with writing tables, just chairs are provided.
- iv. Common Room- Not furnished as common room
- v. The institution lacks permanent nameplates for Principal office, classrooms and laboratories, relying instead on temporary paper printouts pasted on doors.
- vi. Although the building plan shows 24 classrooms, this is critically insufficient to accommodate the 2-unit B.Sc. B.Ed./ B.A. B.Ed. course alongside B.A. (360 students – 10 subjects), B.Sc. (180 students – 5 subjects), and M.A. (5 subjects) programs.
- vii. The Toilet facilities are not disability-friendly. There are no support/holding bars installed, and the entrance has a small barrier, which restricts easy access for differently-abled students.
- viii. The campus lacks mandatory accessibility infrastructure, such as ramps or lifts, for students with physical disabilities.
- ix. The Multipurpose Hall does not meet NCTE norms, as it lacks a seating capacity of 200 and has an extremely inadequate number of chairs. The Multipurpose Hall is disorganized and lacks a formal dais, making it unsuitable for academic or institutional gatherings. The Multipurpose Hall has very limited seating capacity, which is insufficient for conducting seminars, workshops, and large academic gatherings effectively.
- x. The Ramp facility is inadequate, as it lacks proper railings and has a very short and steep pathway, making it unsafe and unsuitable for students with disabilities.
- xi. The teaching faculty room is poorly equipped, providing some chairs but no tables or workstations for the educators, indicating insufficient infrastructure
- xii. The Language Laboratory is entirely empty, and lacks the necessary equipment required for the training course. which limits opportunities for students to develop essential communication and language skills.
- xiii. The ICT Lab is largely non-functional; out of 20 PCs, only 2 or 3 are in working condition, while the rest are inoperable
- xiv. The Building Plan fails to specifically demarcate the area for Teacher Education, merging it with general courses and making it impossible to verify compliance with NCTE spatial norms.
- xv. The official college website is not updated as per the NCTE Norms.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course post inspection be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993

7	2627202509182780	SARASWATI SHIKSHAN SANSTHAN, JAISINGHWAS JAISINGHWAS, LOTIA ROAD, SURAJGARH, SURAJGARH, JHUNJHUNU,	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	--	--------------------------------------

		RAJASTHAN-333029	
<u>Decision of WRC:</u>			
<p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Regulations, Visiting Team Report, Reply to Show Cause Notice post inspection, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee decided as under:</p> <p>Committed Noted the remarks of Visiting team that, “As very few students are admitted in existing B.Sc, B. Ed hence approval for B.Sc & B. Ed courses cannot be accepted”</p> <p>Letter of Intent (LOI) as per Clause 7(13) of the NCTE Regulations 2014 for 2 units (B.A.B.Ed. 2 units (Secondary), be issued to the institution through online transition application portal. The Committee noted that the institution is conducting B.A.B.Ed./B.Sc.B.Ed. course with approved annual intake of 100 (2 units). The institution is required to maintain the FDRs towards Endowment Fund and Reserve funds for both courses stage wise. The institution is also required to upload the list of teaching staff duly approved by the Affiliating University course wise and stage wise including downloaded copies of all related information displayed on its website in compliance to relevant provisions of NCTE Regulations, 2014 as amended from time to time.</p>			
8	2627202509172730	BAGRU MAHILA P.G. MAHAVIDHYALAYA BADI KA KHEDA, BEGAS ROAD, SANGANER, JAIPUR, RAJASTHAN- 303007	Transition B.A. B.Ed / B.Sc. B.Ed
<u>Decision of WRC:</u>			
<p>The online application of the institution along with other related documents was carefully examined in terms of Section 14 (1)/15 (1) of the NCTE Act, 1993 the institution for transition from B.A. B.Ed. / B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with other related documents, NCTE Act, 1993, Virtual Inspection Report dated 02.04.2026, reply of show cause notice after Virtual Inspection Regulations Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p> <ol style="list-style-type: none"> As the reply given by the institution is not satisfactory, the Committee accepts the report of the visiting team in this regard that, There are no lift/Ramp in the institute. no such facilities was available for upper floors, in place of ramp there was just a wooden bord kept under carpet as ramp behind the institute buildings. Required classrooms are 44 in numbers but Institute has only 12 classrooms. There was no Multipurpose Hall in the institute. it was just aa veranda in which chairs are kept. Labs does not have proper infrastructure. Computer Lab did not had electricity for all computers Computer Lab, Art Craft and principal room was places in underground without a proper entry/exit. it was a very small staircase. Toilets are also not for PH candidates. The institution needs to include more tests in the psychology lab. Digital or Online Resources Not available 			

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course post inspection be refused under Section 14(3)(b)/15(3)(b) of the NCTE Act, 1993.

9	2627202509243185	VEENA MEMORIAL PG COLLEGE, KARAUJI, VEENA CAMPUS, VEENA MARG, KARAUJI, KARAUJI, KARAUJI, RAJASTHAN-322241	Transition B.A. B.Ed / B.Sc. B.Ed
---	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the land details column land area is 5920 sq.mts and built-up area is 3316.44. whereas the Fire portal plot/land area is mentioned 743 sq.mts. The land area is mismatch. The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsqonline.rajasthan.gov.in/track_application.aspx.
- ii. The institution is conducting degree courses B.A. =80, B.Sc. 80x2=160, M.A. =80, M.Sc. =100 combined intake of 500. The sufficiency of land and built-up area for 500 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. and 100 intake course cannot be ascertained. Since the institution has mentioned the total built-up area 3316.44 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- iii. As per the Recognition order of NCTE uploaded, it is observed that the institution has been recognised by NCTE in the name of Veena Memorial Degree College at Plot No.5928/2, Street/Vill./P.O.- Karauli, Dist. Karauli, Rajasthan-322241", whereas the application has been made in the name of Veena Memorial name and address as per transition application is "Khasra No.5928/3, Street-Veena Campus, Veena Marg, Vill./P.O.- Karauli, Dist. Karauli, Rajasthan- 322241". The name of institution granted recognition by NCTE and applied for transition is different.
- iv. Veena Memorial PG College is not running B.A.B.ED./B.Sc.B.Ed. Course. Therefore, this college/institute is not eligible for the category of transition scheme. The institution has applied for transition in the name of Veena Memorial PG College, which is not recognised by NCTE, hence, the application for transition of existing B.A.B.Ed/B.Sc.B.Ed. course into ITEP cannot be considered. The name of applicant institution Veena Memorial PG College, and the name of transition college is multidisciplinary institution is Veena Memorial Degree College, name of both institutions are mismatched.
- v. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- vi. The website of the institution has not been maintained and updated in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

- vii. The institution has shifted to the new premises without approval from NCTE, which is violation of provisions of NCTE Regulations.
- viii. The old documents are again uploaded by institution, The institution has not uploaded Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- ix. committee noted that, College is running so many courses in the premises, in view of that, The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- x. As per the land details column land area is 5920 sq.mts and built-up area is 3316.44. whereas the Fire portal plot/land area is mentioned 743 sq.mts. The land area is mismatch. The institution has not uploaded the proper Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- xi. Committee noted that, In google map, as per given geographic Location, the name of institution is not shown.
- xii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE .
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- xiv. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

10	2627202509172717	SORABH COLLEGE OF TEACHER TRAINING BHAVALI, KARALI ROAD, MASALPUR, MASALPUR, KARALI, RAJASTHAN-322242	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.2.2 of the NCTE Guidelines for transforming into multidisciplinary higher education institutions.
- ii. The website of the institution has not been compliance as per NCTE Regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time.
- iii. The uploaded building plan is not proper. This building plan is signed by the Sarpanch. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.

- iv. The name of applicant institution Sorabh College of Teacher Training and the name of multidisciplinary institution is Sorabh College, Masalpur name of both institutions are mismatched.
- v. committee noted that, Both transition applications (Application ID: 2627202509182818 and 2627202509162556) belong to the same sponsoring society i.e., Rajasthan Delhi Education Society. Therefore, the registered address / correspondence address mentioned in both applications is identical. Both institutions are being managed by the same society and are located under the same administrative control..
- vi. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- vii. Committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. Rajkaj-2829 issued on dated 03/10/2025.
- viii. The uploaded teaching staff list is not as per NCTE norms and not in the prescribed format of NCTE .
- ix. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms.
- x. The committee noted that, Address of the Institution is filled on the portal. The address of institution filled in the portal "Khasra no.870/4, 870/6 Street/Road- Karauli Road, Vill.Bhavali, P.O. Masalpur, Taluka- Masalpur, City-Masalpur, Dist. Karauli, Rajasthan-322242" whereas the address mentioned in the recognition order dated 30.04.2017 for 4 year Integrated B.A.B.Ed./B.Sc.B.Ed. and B.Ed. courses as "Vill. Mashalpur, Street/Road- Kheda Road, Taluka/City- Mashalpur, Dist. Karauli, Rajasthan-322242". In both the addresses, Village and Street/Road of one address differ with the other address.
- xi. If the institution is running multidisciplinary and teacher education programme/ courses in the same campus/premises i.e. B.A. 160x3=480, B.Sc.60x3=180. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. (4 units,) B.A. B.Ed. Secondary (1 unit), Middle (1 unit) B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit)course cannot be ascertained.
- xii. The institution has not uploaded Not-for-Profit Certificate issued by government competent authority.
- xiii. The institution has not uploaded the Exemption Certificate (Form 12A) issued by the Income Tax Department or issued by government competent authority.
- xiv. The committee noted that the geotagged photo shows that the college building is old.
- xv. The committee noted that the geotagged photo shows that the some part of college building is not in use.
- xvi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xvii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xviii. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility
- xix. The geotagged photographs uploaded show that the ramp is not proper.

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

11	2627202509152313	SARASWATI SHIKSHAN COLLEGE, GANGANAGAR,	SHIKSHAN UDYOG LNP	SADAN VIHAR, HANUMANGARH	P.G. SRI	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	--------------------	--------------------------	----------	-----------------------------------

		ROAD, SRI GANGANAGAR, SRI GANGANAGAR, SRI GANGANAGAR, RAJASTHAN-335002	
<u>Decision of WRC:</u>			
<p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:</p>			
<ol style="list-style-type: none"> i. The institution is conducting degree courses B.A. 80x3=240, B.Sc. 70x3=210, MA 40x2=80 combined intake of 530. The sufficiency of land and built-up area for 530 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. / B.Sc. B.Ed. and 100 intake course cannot be ascertained. Since the institution has mentioned the total built-up area 3050 sq.mts. Out of which the entire built-up area is earmarked for the teacher education programme as per the BCC is uploaded by it. No built area is earmarked for teacher education. The area earmarked for Multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for (निजी महाविद्यालय नीति) available on https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf. ii. As per the institution has uploaded BCC whereas, the collum no. 14 institution has mentioned total built-up area 5250 sq.mtr. which has mismatch with the 3050 sq.mtr. However, the institution has not uploaded latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. iii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time. iv. The name of applicant institution Saraswati Shishan Sadan P.G. College and the name of multidisciplinary institution is Saraswati Shishan Sadan P.G. Mahavidyalya name of both institutions are mismatched v. Committee noted that, according to the institution's website i.e WWW.SSSADAN.COM Of The trust is running B.Ed. programme also, name is Women Teacher's Training College. This programme is hide by the trust in online application vi. The uploaded list of teaching staff has not duly countersigned by its affiliating body/Registrar of University and has not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time vii. Committee noted that, the institution is running B.Sc. (Medical) course. This B.Sc. (Medical) course is different form B.Sc. (Math) and B.Sc.(Bio). viii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate ix. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms x. Committee noted that, as per the website of institution it shows that, P.G.College, W.T.T. College, Agriculture College, Convent school is running by the trust. Institution is required to upload the information regarding the same. in this connection institution replied that "The trust hereby informs you that it is running a P.G. College, W.T.T. College, Agriculture College, and Convent School, all of which are being operated in separate buildings. A self-Declaration to this effect is attached herewith for your kind perusal." 			

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

12	2627202509273388	BHUPAL NOBLES UNIVERSITY, OLD STATION ROAD, GIRWA, UDAIPUR, RAJASTHAN-313001	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- ii. The website WWW.BNUNIVERSITY.AC.IN of university has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time. The institution has not uploaded the Not-for-Profit Certificate issued by government competent authority.
- iii. As per the uploaded fire safety certificate is mentioned the land area is "1000 sq.mts. in the name of BNPG COLLEGE AND PHY EDU UDAIPUR" Whereas in the land details is mentioned "88100 sq.mts. in the name of BHUPAL NOBLES' UNIVERSITY The Khasra No. is mismatched. The University has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://sgonline.rajasthan.gov.in/track_application.aspx.
- iv. The uploaded list of teaching staff duly countersigned by its affiliating body/Registrar of University not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time
- v. The uploaded document is not proper. The University has not uploaded proof that all khasara number i.e. 440,2441/2610,2241/2612,2442 are in a single plot, upload a proof issued by government competent authority.
- vi. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- vii. committee noted that, The instituton has mentioned the land details column Khasra No. is 2440, 2440/2610, 2240/2612, 2441. Whereas the uploaded NCTE recognition order is mentioned the Khasra No. is 2240, 2441 & 2610. The Khasra No. is mismatched.
- viii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes
- ix. Committee noted that, As per the website, the University is conducting degree courses i.e. Faculty of Agriculture, Faculty of Management and Commerce, Faculty of Physical Education, Faculty of Law, Faculty of Social Science and Humanities, faculty of Science, Faculty of Pharmacy, faculty of Management. The sufficiency of land and built-up area for the above courses with of multidisciplinary courses and intake for Faculty of Education, Bachelor of Education (B.Ed) degree., B.A. B.Ed. Secondary (2 unit), Middle (2 unit) B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit) course cannot be ascertained.
- x. University has uploaded the English version of the land documents in which KH. No. are not mentioned and Institution has not uploaded the complete documents of land. Kh. No. are

mismatch with the application documents like land use certificate and details filled in Non-encumbrance certificate.

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

13	2627202510033606	DCS PG COLLEGE, RATLIYA, DIGGI ROAD, SANGANER, JAIPUR, RAJASTHAN-302029	Transition B.A. B.Ed /
----	------------------	---	------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The website of the Institution is updated and maintained in compliance with the provisions of Section 7(14)(i), 8(6), 8(14) and 10(3) of the NCTE Regulations, 2014, as amended from time to time.
- ii. As per the building plan and BCC uploaded, the institution has earmarked part of the same building for ITEP course and Degree college. The same is not as per clause 6.1(b) of NCTE Regulation 2021, which clearly specifies "The institution shall earmark 3000 sqm of well demarcated land for the initial intake of fifty students and 2000 sqm shall be the demarcated built-up area"
- iii. The institution has not uploaded Exemption Certificate (12A) issued by the Competent Government Authority.
- iv. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area, earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- v. the Land Details land area is 9700 and Built Up area mentioned in the Affidavit (in sq m) is 3616. The institution is claimed that they are running and conducting degree courses if this is true i.e. B.A. 300x3=900, B.Com 180x3=540, B.Sc. 120x3=360, M.A. Hindi 40x2=80, M.A. Geography 60x2=120, M.A. History 60x2=120, M.A. Political science 60x2=120, M.Sc. Zoology 40x2=80, M.Sc. Math 40x2=80, M.Sc. 20x2=40 M.Sc. Physics 40x2=80. The sufficiency of land area and built-up area for the above courses with of multidisciplinary courses and intake for applied B.A. B.Ed. Secondary (1 unit), Middle (1 unit) course cannot be ascertained. The area earmarked for multi-disciplinary is not adequate as per the Guidelines issued by the Government of Rajasthan for available on <https://hte.rajasthan.gov.in/dept/dce/uploads/doc/NOCpolicy202122.pdf>.
- vi. The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- vii. committee noted that, College Khasra Numbers/plot numbers and other things are not mentioned in the Uploaded building safety certificate no. 159 issued on dated 30/04/2025.
- viii. The uploaded list of teaching staff was not opened hence committee cannot ascertain that, it is duly countersigned by its affiliating body/Registrar of University or not. it is very difficult to ascertain that it is in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time

- ix. It cannot be ascertained from the statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xi. The uploaded list of teaching staff duly countersigned by its affiliating body/Registrar of University not in the prescribed format of NCTE and not as per NCTE regulation 2014 and amendment time by time.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms..
- xiii. A board with the name of the college is seen to be put up temporarily. This board can be removed at any time

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993

14	2627202509243207	CHANDU RAM SUTHAR MEMORIAL COLLEGE, CHHANI BARI, ADAMPUR ROAD 5CHN BHADRA, BHADRA, HANUMANGARH, RAJASTHAN-335511	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	--	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. As per the uploaded BCC is mentioned the Khasra No. is 7973.63 sq.mts. Whereas the mentioned total land area in the uploaded NEC 5960 sq.mts. The land area is mismatched.
- ii. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- iii. As per the uploaded Mutation is mentioned the total land area is 5960 sq.mts. Whereas the mentioned Built-up area in BCC 7973.63 sq.mts. The land area is mismatched. The institution is required to upload Mutation (Jamabandi) Certificate mentioning all Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- iv. The institution has not uploaded the proper documents i.e. information related to availability of having availability of electricity connection as a part of criteria of institution's campus, building, furniture etc. barrier free/Accessible. However, a copy of previously uploaded letter dated nil by the Secretary, Chanduram Suthar Memorial Sikshan Santhan addressed to Nayab Tahasildar, Chhani Bari Ta: Bhadra, Hanumangarh is again uploaded, which has been certified by Patwari in report dated 25.02.2026 regarding availability of electricity connection as a part of criteria of institution's campus, building, furniture etc. barrier free/Accessible, countersigned by Up-Tahasildar, Chhani Bari dated 25.02.2026 along with copy of electricity bill dated 10.07.2025.
- v. TEI has uploaded copy of approved faculty list (2025-2026) for B.A.B.Ed./B.Sc.B.Ed. countersigned by Adhishtha (Shiksha Sankay), Maharaja Ganga Singh University, Bikaner (without date). The faculty list is not prescribed format of NCTE.

- vi. The geotagged photograph is uploaded related with computer lab and ICT related facilities may be perused by WRC. The name of place showing area, pincode etc. is not reflected in the details of geotagged coordinates / photo uploaded.
- vii. Committee noted that, Copy of building safety certificate dated 02.05.2025 valid up to 01.05.2026 Executive Engineer, PWD Nohar is uploaded.
- viii. The institution has not uploaded the list of teaching staff duly approved and countersigned by Registrar of its affiliating body in the prescribed format of NCTE and teaching staff should be as per NCTE norms.
- ix. Computer labs is not proper The institute has kept laptops in the computer lab, there are some computers but the computers do not see power supply. ICT related facilities are not visible in the uploaded geotagged photographs.
- x. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate
- xi. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xiii. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms

Hence, the WRC decided that the application submitted by the institution for Transition to ITEP course be refused under Section 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

15	2627202509233123	SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE, SMPR ROAD, REENGUS, REENGUS, SIKAR, RAJASTHAN-332404	Transition B.A. B.Ed / B.Sc. B.Ed
----	------------------	---	-----------------------------------

Decision of WRC:

In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A. B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Reply to Final Show Cause Notice, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:

- i. The institution has not uploaded any reply to the First Show Cause Notice dated 23.01.2026 issued by WRC.
- ii. The name of the Multidisciplinary college is Shri Taijal Shikshan Sansthan Girls College and the name of ITEP College is SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE. Both colleges name mismatch. The applicant institution is not running multi-disciplinary courses in the field of liberal arts, humanities, social sciences, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl022/16/2023-Reg. Sec-HQ dated 22/16/2023-Reg.Sec-HQ dated 5.2.2024 (2025-26). The institution does not fall in the category of multi-disciplinary institution.
- iii. The institution has uploaded the Jamabandi (Khasra Khatoni) for Khasra No. 3511, which is signed by the Tehsildar, Sikar. However, the institution has not uploaded the Mutation Certificate or Jamabandi covering all Khasra numbers and land areas, issued by the competent government authority, which is verifiable on the Rajasthan Government digital land records portal.

- iv. The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- v. The institution has uploaded the NRC Recognition Order dated 04/09/2008 and revised recognition order dated 06/05/2015 for B.Ed. course wherein the name of the institution is mentioned as Shri Taijal Teacher Training College. There is a mismatch in the name of the institution across the uploaded documents.
- vi. The name of the Multidisciplinary college is Shri Taijal Shikshan Sansthan Girls College and the name of ITEP College is SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE. Both colleges name mismatch.
- vii. The institution has not uploaded Legible land use Certificate. The Converted land area cannot be ascertained.
- viii. Committee noted that, the Khasra No.3514 is not mentioned in the mutation Certificate uploaded by the institution.
- ix. The uploaded the list of teaching staff is countersigned by Registrar of its affiliating body but not in the prescribed format of NCTE and teaching staff list in not as per NCTE norms
- x. It cannot be ascertained from the bank statement uploaded by the institution that salary is being paid as per the Central/State Government pay scale. The institution has not been able to prove/confirm whether the institution is paying salaries to the teaching staff as per Central/State Govt norms
- xi. The uploaded geotag photos shows that Lift is not available and Ramp is not proper.
- xii. Committee noted that, the name of the Multidisciplinary college is Shri Taijal Shikshan Sansthan Girls College and the name ITEP College is SHRI TAIJAL B.A., B.ED INTEGRATED COLLEGE. Both colleges name mismatch. The both colleges are run in same premises. institution is running multidisciplinary degree courses i.e. B.A..300x3=900, B.Sc. 140x3=420, M.A. 160x2=320, M.Sc.40x2=80, the sufficiency of land area and built-up area for the above courses with multidisciplinary courses and intake for Bachelor of Education (B.Ed) degree. 2 units, B.A. B.Ed. Secondary (1 unit) B.Sc. B.Ed. Secondary (1 unit), course cannot be ascertained.
- xiii. The uploaded building plan is not proper. The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area. But earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- xiv. The institution has not uploaded Exemption Certificate (12A) issued by Competent Government Authority.
- xv. Committee noted that, The name of the institution does not appear at the latitude and longitude coordinates provided in the online portal.
- xvi. The geotagged photo uploaded does not show the applicant college name on the building
- xvii. The geotagged photographs uploaded show that the seating capacity of Library reading room is not sufficient as per NCTE norms.
- xviii. The geotagged photographs uploaded show that the Multipurpose Hall is not as per NCTE norms. furniture in the multipurpose hall is inadequate.
- xix. The geotagged photographs uploaded show that the college does not have adequate playgrounds and sports facility.
- xx. Computer lab is not proper and ICT related facilities are not visible in the uploaded geotagged photographs

In view of the above, the WRC decided that the application submitted by the institution for transition of existing B.A. B.Ed / B.Sc. B.Ed into ITEP be refused u/s 14 (3) (b) / 15 (3) (b) of the NCTE Act, 1993.

16	2627202509223065	SHARMA MODERN MAHILA SHIKSHAK PRASHIKSHAN MAHAVIDYALAYA, PATAN AHIR, HARSOLI BIBIRANI ROAD KOTKASIM, BIBIRANI, ALWAR, RAJASTHAN-301403	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>The WRC noted that the WRC in compliance of the directions of the Hon'ble Court in its 456th (Part-1) meeting held on 02nd April 2026 decided that the applications of this institution be scrutinised by the office and placed before WRC for consideration.</p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:-</p> <ol style="list-style-type: none"> i. The institution has NOT uploaded authorization letter on stamp paper as per admissible government rate ii. The institution has expressed its intention to become a multidisciplinary institution through collaboration, as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions. However, the institution has not uploaded any Memorandum of Collaboration (MoC). The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution has not uploaded documentary evidence that both institutions proposed for collaboration are affiliated with the same university. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution has not uploaded documentary evidence confirming that 'Sharma Modern Mahila Shikshak Prashikshan Mahavidyalaya' and the institution to be collaborated with, are situated within the radius of 10 Kilometers. iii. The institution is required to upload the not-for-profit certificate issued by government competent authority iv. Exemption Certificate (12A), a copy of acknowledgement receipt Income Tax for the assessment year 2026-2027 in the name of Society is uploaded. v. The institution has filled information of Chairman/president, Treasurer and Secretary with PAN & Aadhar no. only. It is required to mention PAN & Aadhar no. of all Society members. vi. The institution mentioned that it is not multidisciplinary. vii. It is an ITEP transition application, hence student admitted information for all programme/courses run by institution in the campus and the institution. It is required to upload list of year-wise admitted students in respect of all running programme(s) countersigned by Affiliating University 			

	<p>viii. The institution has uploaded Conversion Order instead of uploading Certified land documents approved by the competent authority. Notarized translated English version of land documents registered in the name of the institution/Trust which is certified by the competent authority is not uploaded by the institution.</p> <p>ix. The institution has uploaded Mutation Certificate for khasra no 1043 but not for khasra no 1040.</p> <p>x. The institution is required to upload latest non-encumbrance certificate (NEC) issued by competent authority of state government indicating that the land is free from all encumbrances issued by competent government authority</p> <p>xi. Name of the institution/Society/Trust is not displayed in the given Geographic location uploaded by the institution.</p> <p>xii. The khasara nos of 1040, 1043 are mentioned in the basic information, however the building plan is for khasra nos 1041, 1043, 956, 957 and 958 are given. The earmarked area for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes is also required.</p> <p>xiii. The institution is required to upload geotag photos of Safe Drinking Water and Accessible Toilet with date of photographs with different angles and required to upload Building Safety certificate, Fire Safety Certificate issued by Govt. Competent Authority.</p> <p>xiv. The institution is required to upload geotag photos of the institution building Front view, Rear View, Multipurpose Hall, Library, Library, Lab 1, Lab 2, Lab 3 and playground with date of photographs.</p> <p>Therefore, the Committee decided that Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 15 days along with all relevant supporting documents from the date of issue of Show Cause Notice.</p>			
17	<table border="1"> <tr> <td>2627202509243176</td> <td>KALYANI DEVI MAHAVIDYALAYA, NAILA, NAILA, JAMWARAMGARH, JAIPUR, JAIPUR, RAJASTHAN-303012</td> <td>Transition B.A. B.Ed / B.Sc. B.Ed</td> </tr> </table>	2627202509243176	KALYANI DEVI MAHAVIDYALAYA, NAILA, NAILA, JAMWARAMGARH, JAIPUR, JAIPUR, RAJASTHAN-303012	Transition B.A. B.Ed / B.Sc. B.Ed
2627202509243176	KALYANI DEVI MAHAVIDYALAYA, NAILA, NAILA, JAMWARAMGARH, JAIPUR, JAIPUR, RAJASTHAN-303012	Transition B.A. B.Ed / B.Sc. B.Ed		
	<p><u>Decision of WRC:</u></p> <p>The WRC noted that the WRC in compliance of the directions of the Hon'ble Court in its 456th (Part-1) meeting held on 02nd April 2026 decided that the applications of this institution be scrutinised by the office and placed before WRC for consideration.</p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:-</p> <p>i. The institution website "www.kdmbdcollege.com" is not operational. The website of the institution has not been compliance as per NCTE regulations, 2014 of para 7(14)(i), 8(6), 8(14) and 10(3) as amended from time to time. The institution is</p>			

	<p>required to update the website as per NCTE regulations.</p> <p>ii. The institution has NOT uploaded authorization letter on stamp paper as per admissible government rate.</p> <p>iii. The institution is required to upload NOC letter no. No. ACAD.II/2022/7339-43 dated 07.10.2022 as mentioned in the portal.</p> <p>iv. In the column of Multi Disciplinary Programme(s) other than Teacher Education Programme(s), the institution has mentioned "NO" in the portal. Proof of being multidisciplinary institution either by merger or by collaboration regarding Multi Disciplinary Programme(s) other than Teacher Education Programme(s) is not given. The institution has mentioned status of institution not multidisciplinary (It Self) in the portal, and uploaded self-multidisciplinary proof as a office order 26-08-2025 university of Rajasthan regarding extension of affiliation Provisionally on the basis of NOC issued by the State Govt. and recommendations made by the BOI at its meeting held on dated 20.07.2024 for the academic session 2024-25 for B.A and B.Sc course in Arts and Science stream in favour of Kalyani Devi Mahavidyalaya, Jaipur.</p> <p>v. The institution is required to upload the not-for-profit certificate issued by government competent authority</p> <p>vi. The institution is required to upload registration certificate of the Trust/Society.</p> <p>vii. The institution is required to upload Exemption Certificate (12A) issued by Income Tax Department.</p> <p>viii. The institution has filled information of Chairman/president, Treasurer and Secretary with PAN & Aadhar no. only. It is required to mention PAN & Aadhar no. of all Society members.</p> <p>ix. It is an ITEP transition application, hence student admitted information for B.A.B.Ed/B.Sc.B.Ed course is required to upload for all programme/courses run by institution in the campus and the institution. It is required to upload list of year-wise admitted students in respect of all running programme(s) countersigned by Affiliating University</p> <p>x. The institution has NOT uploaded all pages of certified copy of registered land documents</p> <p>xi. The institution has not uploaded affidavit mentioning Land related details.</p> <p>xii. The institution is required to upload latest non-encumbrance certificate (NEC) issued by competent authority of state government indicating that the land is free from all encumbrances issued by competent government authority</p> <p>xiii. Mentioning Geographic Location Latitude 26.9170016 Longitude 75.986396 checked on google map and found that institution name is reflected as Shri Vinayak Research & Training Institute</p> <p>xiv. Mentioning size of multipurpose Hall (in sq.m.) 222.53 and size of Library-Cum-Reading Room (in sq.m) 107.53 in the portal in reflected in the building plan of fourth floor, but Room size of room no. 2, 8,9,4,7,3,1,5,6 and 10 (each 600 sq.m.) not identified in the uploaded building plan.</p> <p>xv. The institution is required to upload geotag photos of Ramp, Safe Drinking Water and Accessible Toilet with date of photographs with different angles and required to upload Building Safety certificate, Fire Safety Certificate issued by Govt. Competent Authority.</p> <p>xvi. The institution is required to upload geotag photos of the institution building Front view, Rear View, Multipurpose Hall, Library, Library, Lab 1, Lab 2, Lab 3 and playground with date of photographs.</p>
--	---

	<p>Therefore, the Committee decided that Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 15 days along with all relevant supporting documents from the date of issue of Show Cause Notice.</p>		
18	2627202509293445	D.P.M. COLLEGE SARSENA WEIR SARSENA, HALENA ROAD, WEIR, WEIR, BHARATPUR, RAJASTHAN-321642	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>The WRC noted that the WRC in compliance of the directions of the Hon'ble Court in its 456th (Part-1) meeting held on 02nd April 2026 decided that the applications of this institution be scrutinised by the office and placed before WRC for consideration.</p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:-</p> <ol style="list-style-type: none"> i. The institution is required to upload the authorization letter on the stamp paper as per admissible government rate ii. Affiliating body details mentioned without uploading the affiliation order. iii. The institution mentioned that it is not multidisciplinary. iv. The institution has expressed its intention to become a multidisciplinary institution through collaboration, as stipulated in the NCTE Guidelines for transforming NCTE recognized stand-alone teacher education institutions into multidisciplinary higher education institutions. However, the institution has not uploaded any Memorandum of Collaboration (MoC). The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution has not uploaded documentary evidence that both institutions proposed for collaboration are affiliated with the same university. The proposal for collaboration between the institutions has not been approved by their affiliating university, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. The institution has not uploaded documentary evidence confirming that 'D.P.M. College' and the institution to be collaborated with, are situated within the radius of 10 Kilometers, as required under Clause 4.3(a) of the NCTE Guidelines for transforming into Multidisciplinary Institutions. v. The institution is required to upload the not-for-profit certificate issued by government competent authority vi. The institution has filled information of Secretary with PAN & Aadhar no. only. It is required to mention PAN & Aadhar no. of Chairman/president, Treasurer and all Society members. vii. It is an ITEP transition application, hence student admitted information for 			

	<p>B.A.B.Ed/B.Sc.B.Ed course is required to upload for all programme/courses run by institution in the campus and the institution. It is required to upload list of year-wise admitted students in respect of all running programme(s) countersigned by Affiliating University</p> <p>viii. The institution is required to upload mutation certificate of land.</p> <p>ix. The institution is required to upload latest non-encumbrance certificate (NEC) issued by competent authority of state government indicating that the land is free from all encumbrances issued by competent government authority</p> <p>x. The institution has not uploaded approved building plan.</p> <p>xi. The institution has mentioned details, but is required to upload Building Safety Certificate as per the details mentioned in the online portal. The institution has mentioned details, but is required to upload Fire Safety Certificate as per the details mentioned in the online portal.</p> <p>xii. The institution is required to upload Building Completion Certificate approved by the Govt. Engineer and in the prescribed format of NCTE (17 points) issued by the competent government authority for all the courses being conducted in the premises.</p> <p>xiii. The institution is required to upload geotag photos of Ramp, Safe Drinking Water and Accessible Toilet with date of photographs with different angles and required to upload Building Safety certificate, Fire Safety Certificate issued by Govt. Competent Authority.</p> <p>xiv. The institution is required to upload geotag photos of the institution building Front view, Rear View, Multipurpose Hall, Library, Library, Lab 1, Lab 2, Lab 3 and playground with date of photographs.</p> <p>Therefore, the Committee decided that Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 15 days along with all relevant supporting documents from the date of issue of Show Cause Notice.</p>		
19	2627202510043666	CH. K. R. GODARA MEMORIAL COLLEGE BASHIR, BASHIR, 4 MKS BASHIR TH. - TIBBI DIST. - HANUMANGARH, TIBBI, SANGRIA, HANUMANGARH, RAJASTHAN-335063	Transition B.A. B.Ed / B.Sc. B.Ed
<p><u>Decision of WRC:</u></p> <p>The WRC noted that the WRC in compliance of the directions of the Hon'ble Court in its 456th (Part-1) meeting held on 02nd April 2026 decided that the applications of this institution be scrutinised by the office and placed before WRC for consideration.</p> <p>In terms of Section 14 (1)/15 (1) of the NCTE Act, 1993, the online application of institution for transition from B.A.B.Ed./ B.Sc. B.Ed. Programme to 4-Year Integrated Teacher Education Programme (ITEP) for the session 2026-27 along with NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time and documents uploaded by the institution were carefully considered by the WRC, NCTE and the Committee observed as under:-</p> <p>i. The institution website " www.krgodaracollage.com " is not operational at the time</p>			

	<p>of scrutiny. The institution has not created operational website and not maintained and updated the same in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.</p> <p>ii. The address of institution as per online application is 'Khata no.128, Street/Road-4 MKS BASHIR TH. - TIBBI DIST.–Hanumangarh, Village/P.O. Vashir, Taluka: Tibbi, Town- Sangria, Dist. Hanumangarh, Rajasthan, Pin Code- 335063' whereas the address of institution as per recognition order dated 02.05.2017 is 'Village- 4 MKS, Bashir, Street/Road- Sangria-Tibbi Road, Town- 4 MKS, Bashir, Dist. Hanumangarh, Rajasthan, Pin Code- 335526. Khata no. not mentioned in the recognition order and both pin code is mismatched. Both addresses differently mentioned.</p> <p>iii. Authorization letter on the stamp paper as per admissible government rate has not been uploaded.</p> <p>iv. NOC vide letter F-07()/MGSUB/ACAD./2017/14418-430 dated 20.12.2017 issued by Affiliating Body (Maharaja Ganga Singh University) as mentioned in the portal has not been uploaded.</p> <p>v. With regard to proof of being multidisciplinary institution either by merger or by Collaboration, the institution has filled its status 'Standalone' and sub-status "Collaboration". As a proof of collaboration, a copy of letter of provisional affiliation dated 17.06.2025 for running of B.A.B.Ed./B.Sc.B.Ed. course for the academic session 2022-23 to 2023-24 issued by Maharaja Ganga Singh University in respect of institution viz.Ch. K.R. Godara Memorial College, 4MK, Sangria Road, Bashir Tibbi Road, Goluwala, Dist. Hanumangarh – 335526 is uploaded. However, the pin code of applied institution for transition to ITEP is "335063". Both pin codes mismatch each other. The institution intending to have collaboration with other HEI has not uploaded following documents: The institution has not uploaded copy of signed document regarding Memorandum of Collaboration in the prescribed proforma as stipulated in the NCTE Guidelines for Multidisciplinary Institutions dated 15.05.2025. The institution has not uploaded the certificate issued by the Government of Rajasthan justifying the requirement for a teacher education programme in the area, as required under Clause 4.3(i) of the NCTE Guidelines for Multidisciplinary Institutions dated 15.05.2025. Information regarding affiliation status in respect of both institutions proposed for collaboration with the same university has not been furnished. No document uploaded related with approval document of collaboration by affiliating university as required under Clause 4.3(a) of the NCTE Guidelines for Multidisciplinary Institutions dated 15.05.2025. No documentary evidence uploaded mentioning the name of both institutions under collaboration that they are situated within a radius of 10 Kilometers.</p> <p>vi. Copy of Not-for-Profit Certificate and Exemption Certificate (12A) have not been uploaded by the institution, self-undertaking in this regard by the management of institution has been uploaded.</p> <p>vii. The institution has filled information of society/ Trust/ Secretary with PAN & Aadhar no. only. It is required to mention PAN & Aadhar no. of Chairman/president, Treasurer and all Society members.</p> <p>viii. The institution is not a multidisciplinary institution</p> <p>ix. It is an ITEP transition application, hence student admitted information for B.A.B.Ed/B.Sc.B.Ed course is required to upload for all programme/courses run</p>
--	--

	<p>by institution in the campus and the institution. The institution has not uploaded list of year-wise admitted students in respect of all running programme(s) countersigned by Affiliating University.</p> <p>x. Registered sale deed land documents uploaded without land related affidavit filling information on the portal. Khasra no.128 as per address filled in portal whereas khata no.07/05 mentioned as per Land details Document uploaded by the institution.</p> <p>xi. In the online application, Khasra no.128 mentioned in the address of TEI and different Khasra no.07/05 (land owner GODARA PUBLIC SHIKSHA SAMITI BASHIR) is mentioned in the land details. Mentioned Land Area 20240 sq.mts. Built up area 8480 sq.mts. and date of registration of land 13.03.2014. The institution has not uploaded land affidavit in the prescribed format of NCTE showing detail description regarding land in possession of the society being used for the institution applied for transition to ITEP Programme. As per uploaded document in the online application, different certified land documents registered at different dates pertains to different plot/khasra in the name of society/trust, which do not reflect in the online application have been uploaded.</p> <p>xii. Mutation Certificate of Land showing details of land in possession of society for educational purpose as per online application issued by Competent Govt. Authority is not uploaded.</p> <p>xiii. Details of Non-Encumbrance Certificate dated 28.02.2024 has been uploaded by the institution wherein khata no. of mentioned in the portal has not been reflected.</p> <p>xiv. In the online application Khasra no.128 mentioned in the address whereas Khata no.07/05 mentioned in respect of NEC, Both khasra no. is mismatched. Total land area as per land details is 20240 sq.mts. whereas total land area mentioned for NEC in the online portal is 8100 sq.mts. both khasra no. is mismatched. Details of land description as per NEC vide letter no.457 dated 28.02.2024 issued by Tahasildar, Tibbi, Dist. Hanumangarh without office seal is uploaded, showing land in the name of Godara Public Shiksha Samiti, Bashir. Land located at Chak 4 M.K.S. P.No. 201/230 Mu no.34 ki no.23/0.253, 24/0.253, 25/0.253 and P.No. 202/230 Mu.no. 35 Ki No.21/2/0.51 Total 0.8100 hectare (0.506 hectare Gai.Mu. School, 0.253 hectare on command, 0.05 hectare Nahari).</p> <p>xv. As per information filled in the portal, the building of the institution has not been constructed as per National Building Code, hence the same is not treated as fully safe and structurally sound having load bearing capacity as per the Code/Standards, to run the teacher training course. As per information filled in the portal, safeguard against fire hazard has not been provided in all parts of the building. Information regarding availability of Lift, Ramp, Electricity, Safe drinking water, Accessible Toilet etc. as a part of basic criteria for the institution's campus, building, furniture to be barrier free/accessible is not filled in the online application portal.</p> <p>xvi. Complete address of TEI with pin code as per online application is not mentioned in the BCC. Location of land mentioned in the BCC is mismatched with land details, building plan, NEC, CLU, address of TEI mentioned in the portal. Date of registration of land as per BCC is 21.04.2014, which is mismatched with date of registration 13.03.2014 mentioned in the land details and other different dates of land registration as per uploaded certified land documents. The location of land shown 'single plot' in the BCC. Documentary evidence from Govt. dept. in this</p>
--	---

	<p>regard is not uploaded. Information regarding electricity, telephone, water connection is not reflected in the BCC. Total land area as per Land details is 20240 sq.mts. whereas mentioned 8100 sq.mt. in the BCC. Total Earmarked land area (8100 sq.mts.) and total earmarked built up area (8480 sq.mts.) for which course is not reflected in BCC. Total built up area (floor wise) 4240 sq.mts. in the column 17 is mentioned, whereas totalling of built up area of ground floor and first floor is filled in excess. CLU details for educational purpose obtained from Govt. Dept./Authority is not reflected in the BCC.</p> <p>xvii. Total floor wise built up area mentioned in the online application is 8480 sq.mts. whereas in the BCC is 4240 sq.mts. which is mismatched.</p> <p>xviii. The institution is required to upload geotag photos of the institution building Front view, Rear View, Multipurpose Hall, Library, Library, Lab 1, Lab 2, Lab 3 and playground with date of photographs.</p> <p>Therefore, the Committee decided that Show Cause Notice be issued to the institution thereby providing an opportunity for making representation through online transition application portal of NCTE, within 15 days along with all relevant supporting documents from the date of issue of Show Cause Notice.</p>
--	---

बैठक का समापन अध्यक्ष को धन्यवाद प्रस्ताव के साथ हुआ।

(प्रो. शैलेश नारनभाई जाला)
अध्यक्ष