



Outlook

Re: Forwarding of final Minutes 443rd (Part-I) meeting of WRC held on 18th-20th December, 2025 -reg.

From Shailesh Zala <shaileshzala@yahoo.co.in>

Date Fri 26-Dec-25 10:10 AM

To Western Regional Committee, NCTE <wrc@ncte-india.org>

Approved

[Yahoo Mail: Search, Organize, Conquer](#)

On Tue, Dec 23, 2025 at 4:40 PM, Western Regional Committee, NCTE <wrc@ncte-india.org> wrote:

Dear Sir/Ma'am,

Respected Sir,

Please find the attachment final Minutes 443rd (Part-I) meeting of WRC held on 18th-20th December, 2025 for your kind perusal and approval.

For more information or query, Please revert on the same mail <wrc@ncte-india.org>.



Warm Regards

Western Regional Committee

NCTE

Dwarka

New Delhi

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18TH – 20TH December 2025

The 443rd (Part-I) Meeting of Western Regional Committee (WRC), National Council for Teacher Education, was held on 18th – 20th December, 2025 through Hybrid Mode.

I. The following Members and State Representative attended the meeting:

S No.	Name of the Member(s)	Designation	Mode
1.	Dr. Shailesh Naranbhai Zala	Chairperson	Physical (18 th – 20 th December, 2025)
2.	Prof. Suhaskumar Ruprao Patil	Member	Physical (18 th – 20 th December, 2025)
3.	Prof. Ashwini Halbe Karwande	Member	Virtual (18 th – 20 th December, 2025)
4.	Ms. Rashmi Shukla	Regional Director & Convener WRC, NCTE	Physical

II. The following Members and State Government Representatives did not participate in the meeting:

S No.	Name of the Member/ State Government Representative	State/U.T.
1.	Dr. Kalpeshkumar H. Pathak	Member
2.	Prof. K. Pushpanadham	Member
3.	Prof. Bharat Bhaktibhai Ramanuj, Member	Member
4.	State Government Representative	Goa
5.	State Government Representative	Chhattisgarh
6.	State Government Representative	Dadra Nagar Haveli
7.	State Government Representative	Daman and Diu
8.	State Government Representative	Gujarat
9.	State Government Representative	Madhya Pradesh
10.	State Government Representative	Maharashtra
11.	State Government Representative	Rajasthan

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

III. With the permission of the Chair, Smt. Rashmi Shukla, Regional Director, WRC & Convener presented the Agenda before the Committee. Item-wise decision on each agenda is as under: -

ITEP Applications (2026-27)

1.	2627202505194823	MODY UNIVERSITY OF SCIENCE AND TECHNOLOGY (FORMERLY MODY INSTITUTE OF EDUCATION AND RESEARCH) LAKSHMANGARH, LAKSHMANGARH, LAKSHMANGARH, SIKAR, RAJASTHAN-332311	ITEP
----	------------------	--	------

Decision of WRC:

- (i) The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:
- (ii) As per land details filled in the portal, khasra no.974. As per deficiency point 2, institution has uploaded photocopies/certified copies of digital jamabandi in respect of khasra nos.972/1 (0.86 hectare), 973/1/2 (1.1300 hectare), 974 (2.3300 hectare), 976 (0.9100 hectare), 992 (1.9000 hectare), 977 (2.0100 hectare), 990 (1.4000 hectare), 991 (2.3800 hectare), which may be perused by WRC. Till this stage of scrutiny, the institution has not uploaded duly filled in land related affidavit in the NCTE prescribed proforma as filled on the portal showing total land area, total built up area, mode of possession, location of land, land use certificate issued by govt. authority for educational purpose etc.
- (iii) The institution has uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx The Plot area mentioned on this fire safety portal is 6725 sq.mts. whereas the land area mentioned by the institution on the ITEP portal is 23300 sq.mts. the land area/plot area is mismatched.
- (iv) The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- (v) The copies of statements land use summary and allocated areas for different department(courses) certified by Registrar of Mody University of Science and Technology dated 29.10.2025 including building plans pertaining to different khasra nos. 973/1, 972/1, 978/1, 976, 990, 974 approved by Assistant Engineer, Laxmangarh Division, Sikar dated 25.09.2025 are uploaded. The name of multidisciplinary programme(s) filled in the application portal is not found reflected in the Registrar's land use summary statement showing name of courses being run by the university. As per given information in the certified statement of Registrar, out of total land area 31.925 acres, 3434.88 sq.mts. built up area is allocated to ITEP programme.

In view of the above, the application for ITEP is rejected.

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

2.	2627202505235169	S S JAIN SUBODH P G COLLEGE, JAIPUR, RAMBAGH CIRCLE, TONK ROAD, JAIPUR, JAIPUR, JAIPUR, RAJASTHAN-302004	ITEP
----	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution was issued first show cause dated 07.08.2025 followed by final show cause noticed dated 30.09.2025. The institution has uploaded reply of final show cause notice and the following deficiencies are still persisting:

- (i) The institution has uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx The Plot area mentioned on the fire safety portal is 1720 sq.mts. whereas the land area mentioned by the institution on the ITEP portal is 40666 sq.mts. the land area/plot area is mismatched.
- (ii) The institution has uploaded Building Plan approved by the Assistant Engineer of PWD. However, the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes is not clearly legible. The institution is required to upload the proper approved building plan.
- (iii) The institution has not uploaded Building Plan approved by the Competent Authority of State Government indicating the Khasra/Plot/Survey No. and mentioning the total land area and built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. The institution is required to upload the proper approved building plan
- (iv) The institution is required to upload the legible Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- (v) The Bye-laws of Society/Trust uploaded by the institution but institution uploaded again same Bye-laws of Society, which is not legible. The Institution is required to upload legible documents.
- (vi) The institution is required to upload Land Use Certificate (CLU) as per Rajasthan Urban Areas (Permission for use of Agricultural Land for Non-Agricultural Purposes and Allotment) Rules, 2012 in Form-11 of Rule 7(1) while mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority
- (vii) The institution has uploaded Govt. of Rajasthan form GST REG-25 Certificate of Provisional Registration dated 28.06.2017 and 10C Exemption Certificate instead of Exemption Certificate 12A.
- (viii) The institution is conducting degree courses i.e. B.A. $600 \times 3 = 1800$, B.Com $780 \times 3 = 2340$, B.Sc. $780 \times 3 = 2340$, M.A. $40 \times 2 = 80$, M.Com. $40 \times 2 = 80$ M.Sc. $40 \times 2 = 80$ The sufficiency of land and built-up area for the above courses with 6720 intake of multidisciplinary courses and B.A.B.Ed.

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

Secondary (1 unit), Middle (1 unit), Foundational (1 unit), Preparatory (1 unit), B.Sc. B.Ed. Secondary (1 unit), Middle (1 unit), Foundational (1 unit), Preparatory (1 unit) and B.com.B.Ed. Secondary (1 unit)course cannot be ascertained.

(ix) The institution has uploaded all details of Society/ Trust/ Company Members but not issued/approved by Competent Govt. Authority. and institution uploaded list stating that the Raj High court has issued stay on election from 2005.

(x) The institution has uploaded Building Safety Certificate issued on 01/09/2022 by the Executive Engineer, Public Works Department, City Jaipur with a validity of 3 years. The validity of Building Safety Certificate is expired. The institution is required to upload the building safety certificate.

(xi) The institution has uploaded Not-for-Profit Certificate issued by its Society and CA Firm. The certificate has not been issued by any Government Authority / Registrar of Societies.

(xii) The institution has uploaded Non-Encumbrance Certificate (NEC) issued on 26/10/2023. However, it is required to upload the latest NEC issued by the Competent Government Authority.

(xiii) The institution has uploaded land documents in the name of *Subadh Science College, Jaipur*, instead of in the name of the applicant/institution. The institution has also uploaded an affidavit and a land authorization letter on stamp paper dated 04.09.2025, as per the admissible government rate, mentioning Khasra No. 462 with a total land area of 10 acres. However, the institution is required to upload certified land documents issued by the Revenue Department, clearly mentioning the name of the institution/society and the relevant Khasra number(s). In addition, the institution has not clarified the specific portion of land allotted for the Teacher Education Programme, and same has not been clearly indicated in the submitted documents.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making written representation through online ITEP application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

3.	2627202505094096	PMCOE SWAMI VIVEKANAND GOVERNMENT POST GRADUATION COLLEGE NARSINGHPUR KANDELI, RAJEEV WARD ITWARA BAZAR, NARSINGHPUR, NARSINGHPUR, MADHYA PRADESH-487001	ITEP
----	------------------	--	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

The Committee noted that the institution was issued first show cause dated 12.09.2025 followed by final show cause noticed dated 27.10.2025. The institution has not uploaded reply of final show cause notice and the following deficiencies are still persisting:

- (i) The institution did not upload any reply of first Show Cause Notice dated 12.09.2025 followed by final SCN dated 27.10.2025 and following deficiencies are still persisting.
- (ii) The institution is required to upload letter of recommendation of the State Government / UT Administration.
- (iii) The institution is required to upload details of Affiliating Body and letter of NOC.
- (iv) The institution is required to upload the complete details of all Society/Trust/Member.
- (v) The institution is required to upload initial and latest affiliation orders issued by the Affiliating University for all multi-disciplinary programmes.
- (vi) The institution is required to upload the details of admitted students for all running programmes along with supporting documents.
- (vii) The institution is required to upload certified registered land documents clearly mentioning all the Khasra Nos. issued by Competent Authority of State Government showing that the building is situated on a single plot.
- (viii) The institution is required to upload Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- (ix) The institution is required to upload Land Use Certificate (CLU) mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- (x) The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- (xi) The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- (xii) The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- (xiii) The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of MADHYA PRADESH verifiable on its official portal.
- (xiv) The institution has not filled details (Total Land area) in the online portal. But Total Built up area less as per NCTE Norms. The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) available on NCTE's website issued by the Competent Government Authority for all the courses being conducted in the premises.
- (xv) Floor Wise Built-Up Area (in sq m) is less as per NCTE Norms.
- (xvi) The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity Connection, Safe Drinking Water and Accessible Toilet clearly indicating the longitude and latitude with date of photograph.
- (xvii) The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1 and playground, clearly indicating

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

the longitude and latitude with date of photograph.

In view of the above, the application for ITEP is rejected.

4.	2627202505215015	CENTRAL SANSKRIT UNIVERSITY, NASHIK CAMPUS GARWARE STOP, SAIYYAD PIMPARI, TAKEKAR SHIKSHA SANKUL,NEAR BAPHANA WHEREHOUSE,, NASHIK, NASHIK, NASHIK, MAHARASHTRA- 422003	ITEP
----	------------------	--	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has uploaded reply of First Show Cause Notice dated 12.09.2025 and the following deficiencies are still persisting:

- (i) In uploaded NAAC Certificate, the name of institution mentioned as 'Central Sanskrit University, Delhi' whereas the name of applicant institution is 'Central Sanskrit University, Nashik Campus'. The institution is required to upload NAAC Certificate in the name of applicant institution.
- (ii) In uploaded NIRF Ranking document, the name of institution mentioned as 'Central Sanskrit University, Delhi' whereas the name of applicant institution is 'Central Sanskrit University, Nashik Campus'. The institution is required to upload NIRF Ranking Certificate in the name of applicant institution.
- (iii) Building Safety Certificate uploaded is not in the name of institution/University/Society/Trust.
- (iv) Land Use Certificate uploaded is not in the name of institution/University/Society/Trust.
- (v) As per the details regarding multi-disciplinary programmes mentioned in the online ITEP application portal, the institution is running courses in the field of arts stream only. However, the institution is not running multi-disciplinary courses in the field of science, commerce or mathematics as per Regulation No.NCTE-Regl011/80/2018- MS(Regulation)-HQ dated 26.10.2021 as amended from time to time and Public Notice No.NCTERegl011/3/2025-Reg. Sec-HQ dated 06.05.2025. The institution does not fall in the category of multi-disciplinary institution.
- (vi) Building Completion Certificate in the name of the institution/University/Society/Trust is not uploaded by the institution.
- (vii) Building Plan in the name of the institution/University/Society/Trust is not uploaded by the institution.
- (viii) The institution is required to upload Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

- (ix) Fire Safety Certificate in the name of the institution/University/Society/Trust is not uploaded by the institution.
- (x) The institution has submitted that the Nashik campus is functioning in a rented building under a 30 year lease agreement with Sant Upasani Maharaj Bahu Uddeshiya Sevabhavi Sanstha, which is not as per NCTE Regulations, 2014. As per NCTE Regulations 2014, “Clause 8 (4) (i) No institution shall be granted recognition under these regulations unless the institution or society sponsoring the institution is in possession of required land on the date of application. The land free from all encumbrances could be either on ownership basis or on lease form Government or Government institutions for a period of not less than thirty years. In cases where under relevant State or Union territory laws the maximum permissible lease period is less than thirty years, the State Government of Union territory administration law shall prevail and in any case no building shall be taken on lease for running any teacher training programme.” Translated English version of land documents in the name of the institution/Society/Trust/University is not uploaded by the institution.
- (xi) Non -Encumbrance Certificate issued by the competent authority in the name of the institution/University/Society/Trust is not uploaded by the institution.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making written representation through online ITEP application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

5.	2627202505083945	VIVEK PG MAHAVIDHYALAYA KALWAR JAIPUR KALWAR, JAIPUR JOBNER ROAD KALWAR, JHOTWARA, JAIPUR, JAIPUR, RAJASTHAN-303706	ITEP
----	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has uploaded reply of First Show Cause Notice dated 11.09.2025 and the following deficiencies are still persisting:

- (i) The institution has uploaded Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority but not all the courses being conducted in the premises and issuing date for approval has not been mentioned.
- (ii) The institution has uploaded Land Building Certificate Khasra No. 874, 869/1164, 815/1 total land area 8612.11 sq. mtr. in favour of the Vivek Shiksha Samiti Kalwar, Jaipur issued by Tehsildar, Jaipur dated 13.08.2024. However, the institution has not uploaded the certified land documents in respect of Khasra nos. 874 and 869/1164 mentioned in the online application.

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

<ul style="list-style-type: none"> (iii) The website of the institution is not updated as per NCTE Regulations, 2014 of para 7(14)(i) , 8(6), 8(14) and 10(3) as amended from time to time. (iv) The institution has uploaded Non Encumbrance Certificate in respect of Plot/Khasra No.874, 815/1, 869/1164 and total land area is 8612.11 sq. mtrs approved by Sub Registrar dated 18.09.2024. The institution is required to upload <u>LATEST</u> Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority. (v) The institution has uploaded the list of admitted students, but it has not uploaded the year-wise details of admitted students for all ongoing programmes approved by the affiliating body/university (vi) The institution has stated that it has applied for the Fire NOC at the Fire Department, Banipark, Jaipur, and that the department will issue the certificate soon, after which it will be submitted on the portal. (vii) The institution is conducting degree courses i.e. B.A. with $540 \times 3 = 1620$, B.Sc. $420 \times 3 = 1260$, B.Com. $180 \times 3 = 540$, M.A. $60 \times 2 = 120$, M.Sc. $50 \times 2 = 100$, M.Com $60 \times 2 = 120$ total combined intake of 3760. B.Ed. 1 unit 100 & Diploma in Elementary Education (D.El.Ed.). 1 unit of 50. The sufficiency of land and built-up area for 3760 intake of multidisciplinary courses and 100 intake for B.A.B.Ed. Secondary (1 unit)/ B.Sc. B.Ed. Secondary (1 unit) course cannot be ascertained. (viii) The institution has uploaded a photograph of the fire safety arrangements but has not uploaded the Fire Safety Certificate issued by the Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan URL https://lsgonline.rajasthan.gov.in/track_application.aspx (ix) The institution has uploaded six months Bank statement from 25.03.2025-25.09.2025 of State Bank of India, Sirsi, Road, Jaipur. A single entry of lump sum payment of salary to all the staff is mentioned. However, it cannot be ascertained from the uploaded bank statement as to whether the institution is paying each of its staff as per the pay scale prescribed by the Central/State Government in accordance to NCTE Norms & Standards. (x) The institution has uploaded Building Plan approved by the Assistant Engineer, PWD but not demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes. 	
<p>Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making written representation through online ITEP application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.</p>	
<p>6.</p>	<p>2627202505265378</p> <p>SETH GYANIRAM BANSIDHAR PODAR COLLEGE, NAWALGARH NAWALGARH, RAMBILAS PODAR ROAD,, NAWALGARH, JHUNJHUNU, RAJASTHAN-333042</p> <p>ITEP</p>
<p><u>Decision of WRC:</u></p>	

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has not uploaded reply of Show Cause Notice dated 04.12.2025 post inspection and the following deficiencies mentioned in SCN are still persisting:

- (i) The institution is running so many courses and the approved intake of institution is i.e. B.A. $240 \times 3 = 720$, B.Com. $240 \times 3 = 720$, B.Sc. $420 \times 3 = 1260$, BCA $150 \times 3 = 450$, BBA $150 \times 3 = 450$, M.Sc. Physics $40 \times 2 = 80$, M.Sc. Chemistry $45 \times 3 = 135$, M.Sc. (Zoology) $40 \times 2 = 80$, M.Sc. Botany $40 \times 2 = 80$, M.Sc. Mathematics $40 \times 2 = 80$, M.A. (Political Science) $40 \times 2 = 80$, M.A. (English) $40 \times 2 = 80$, M.Com. (EAFM) $40 \times 2 = 80$, MA (Geography) $40 \times 2 = 80$ total approved intake is 4375. The sufficiency of land and built-up area for 4375 of approved intake of multidisciplinary courses intake for B.A.B.Ed Secondary (2 unit), Middle (2 unit), Foundational (2 unit), Preparatory (2 unit) B.Sc. B.Ed. Secondary (2 unit), Middle (2 unit), Foundational (2 unit), Preparatory (2 unit) B.Com. B.Ed. Secondary (2 unit), Middle (2 unit), Foundational (2 unit), Preparatory (2 unit) course cannot be ascertained.
- (ii) The institution has uploaded an affidavit and requested Committee to consider the effective intake capacity of 1300 students only in place of 4330 while assessing the sufficiency of land and built-up area and approve a total intake of 500 seats under ITEP in place of 1200 seats. This affidavit also cannot be ascertained.
- (iii) The institution has uploaded FORM NO. 10A issued by Income Tax Department and registration date is 04.04.2022. This is not the "Not for Profit" certificate.
- (iv) The link of website: - <https://podarcollege.com/ncteitep/> provided by the institution checked and found that is not functional.
- (v) In addition, the institution has uploaded Fire Safety Certificate issued by the Fire Safety Department, Nagar Palika, Nawalgarh, Jhunjhunu, Rajasthan, vide reference number 2023-24-10537, dated 17/02/2023, valid until 17/02/2026. The institution has also applied for renewal through the Rajasthan Fire Safety Portal, and the updated certificate is awaited.

In view of the above, the application for ITEP is rejected.

7.	2627202505073777	SCHOOL OF TEACHERS EDUCATION RK UNIVERSITY KASTURBADHAM, RAJKOT - BHAVNAGAR HIGHWAY, RAJKOT, RAJKOT, RAJKOT, GUJARAT-360020	ITEP
----	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution was issued first show cause dated 06.08.2025 followed by final show cause noticed dated 26.09.2025. The institution has uploaded reply of final show cause notice and the following deficiencies are still persisting:

- (i) With regard to the land is mortgaged, institution has a loan on the land. The institution has not uploaded the Non-Encumbrance certificate issued by the Competent Government of the State Government.
- (ii) The institution has not uploaded Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.
- (iii) The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- (iv) The institution has not uploaded the Invoice/Bill in respect of purchase of journal and its entry in the stock/ Accession Register.
- (v) The institution has not uploaded the Invoice/Bill in respect of Purchase of Education encyclopedia and its entry in the stock/ Accession Register.
- (vi) The institution has not uploaded the Invoice/Bill in respect of purchase Electronics Publication and its entry in the stock/ Accession Register.
- (vii) The institution has not uploaded the Invoice/Bill in respect of purchase Digital or online Resources and its entry in the stock/ Accession Register.
- (viii) The institution has not uploaded the Invoice/Bill in respect of purchase Science Stream Laboratories and its entry in the stock/ Accession Register.
- (ix) The institution has not purchased/installed Humanities Stream Laboratories.
- (x) The institution has not uploaded the Invoice/Bill in respect of purchase of Furniture, Fixture, Equipment for Activity Cum Resource Centre instruments and its entry in the stock/ Accession Register.
- (xi) The institution has not uploaded the Invoice/Bill in respect of purchase of Furniture, Fixture, Equipment for Common Room and its entry in the stock/ Accession Register.
- (xii) The institution has not uploaded the Invoice/Bill in respect of purchase of Equipment and apparatus for Labs, Library resources and its entry in the stock/ Accession Register.
- (xiii) The institution has not uploaded the Invoice/Bill in respect of purchase of Library books, Journals, Encyclopedia. Digital and online resources facilities are not available.
- (xiv) Lift / Ramp facility resources and its entry in the stock/ Accession Register is not uploaded.
- (xv) The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.

In view of the above, the application for ITEP is rejected.

7.	2627202505225118	INSTITUTE FOR EXCELLENCE IN HIGHER EDUCATION (IEHE), Bhopal DAM KHEDA, KOLAR ROAD, HUZUR, BHOPAL, MADHYA PRADESH-462016	ITEP
----	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has not uploaded reply of Show Cause Notice dated 04.12.2025 post inspection and the following deficiencies mentioned in SCN are still persisting:

- (i) Non-Encumbrance Certificate from competent authority is required as per NCTE Norms.
- (ii) Approved Plans not presented by Institute in Online Meeting. Physical measurements cannot be taken or verified in Online Meeting.
- (iii) Report of an Empanelled Licensed Engineer has been presented by Institute. NoC from Government Department required as per norms. Building Safety Certificate required to be submitted.
- (iv) Khasra No. 11/1, 12/2, 14 and 15/2/3 as per land documents presented in Meeting Report of an Empanelled Licensed Engineer has been presented by Institute. NoC from Government Department required as per norms. Building Completion Certificate required to be submitted in prescribed format of NCTE.
- (v) Approved Plans of the Building / Floor enmarked by Institute are to be submitted/ presented by Institute.
- (vi) Book in Library is not accepted.
- (vii) Title of Book is not accepted.
- (viii) Professional Research Journal is not accepted.
- (ix) Multipurpose Hall is not accepted.
- (x) Seating capacity of Multipurpose Hall is not accepted. Capacity reported by institute is less.
- (xi) Education Encyclopedia - Not available.
- (xii) Electronic Publication - Not available.
- (xiii) Digital Or Online Resources - Not available.
- (xiv) Science Stream Laboratories - Not available.
- (xv) Humanities Stream Laboratories - Not available.
- (xvi) Activity Cum Resource Centre - Not available.
- (xvii) Health And Physical Education Room - Not available.
- (xviii) Availability of developed Kitchen Garden is not available.
- (xix) During the inspection, the fire safety certificate issued by the concerned authority was not produced.
- (xx) During the inspection, the building safety certificate issued by the concerned authority was not produced.
- (xxi) Non-encumbrance certificate and Not-for-Profit Certificate issued by the concerned authority was not produced.
- (xxii) Sitting capacity of the multipurpose hall is not as per NCTE norms.
- (xxiii) There is no laboratory (Curriculum Lab, Language Lab, ICT Lab, Art & Craft Lab, Psychology Lab) for applied course (B.Sc.B.Ed., B.A. B.Ed. & B.Com. B.Ed.)
- (xxiv) The building plan is not for ITEP & Teacher Education Programmes.
- (xxv) Institution was unable to provide the BCC (Building Completion Certificate).

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

- (xxvi) The building plan is not updated.
- (xxvii) There are no pedagogy books and teacher education book in the library.
- (xxviii) The Land documents, Library facilitates, Fire safety provision need to be fulfilled as per NCTE Norm for ITEP.

In view of the above, the application for ITEP is rejected.

8.	2627202505225156	School of Education, Mats University, Gullu, Aarang - Kharora Highway, Raipur, Chattisgarh-493441	ITEP
-----------	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

- (i) In the minutes of the 435th (Part-I) WRC Meeting, it has been recorded that the same institution has submitted online ITEP application bearing no.2526202405032584 for 03 units for 2025-26 session, which is under consideration. Therefore, the instant application bearing no.2627202505225156 may be kept in abeyance till the final decision on the application no.2526202405032584 for 2025-26 session because two applications for same course cannot be processed simultaneously.
- (ii) Reply to First Show Cause Notice dated 06.08.2025 has been uploaded.

In view of the above, the Committee decided that Final Show Cause Notice be issued to the University to opt for the application which needs to be processed.

9.	2627202505164637	Royal College of Arts, Science And Commerce, Royal College Campus, Penkarpada, Mira Bhayandar, Mira Road (E), Thane, Maharashtra-401107	ITEP
-----------	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has uploaded reply of the first show cause dated 07.08.2025 and the following deficiencies are still persisting:

- (i) The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- (ii) The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises. Further the institution has mentioned the Total Built-up area 10186 sq.mts. in the BCC whereas it has indicated the built-up area 9969.32 sq.mts. in the column of

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

land details of the ITEP portal both the areas mismatched. The institution has earmarked 1914.49 sq.mts. for teacher education programmes. The earmarked area is inadequate as per NCTE norms.

(iii) The institution is required to upload Building Plan approved by the Competent Authority of State Government indicating the Khasra/Plot/Survey No. and mentioning the total land area and built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programmes including multi-disciplinary programmes.

(iv) The institution is conducting degree courses i.e. B.A. intake (100), B.Sc intake (100), B.Sc.(computer science) intake(48) B.Com intake (100),, B.Com (A&F) intake (60),, BMS intake (60), and M.Com intake (60), Course combined annual intake of 528. The sufficiency of land and built-up area for 528 intake of multidisciplinary courses and 50 intake for B.Ed. and 100 intake for proposed ITEP course cannot be ascertained.

(v) The institution has uploaded No Objection Certificate for Fire Fighting arrangements purpose only valid up to 31.12.2025.

(vi) The website of institution has NOT been found operational at the time of verification. The institution is required to create and maintain the website in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.

(vii) The institution is required to submit Land Use Certificate mentioning all Khasra Nos. issued by Competent Government Authority.

(viii) The institution has filled information in the portal of multipurpose hall size 222.967 sq.m. and library-cum-reading room size 98.84 sq.m but building plan has not been uploaded. Hence, multipurpose hall size and library-cum-reading room size could not be verified.

(ix) The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government.

(x) The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.

(xi) The name of the institution “Royal College of Education & Research (B.ED College)” mentioned in the application and recognition order of B.A.B.Ed./B.Sc.B.Ed. whereas “Royal College of Arts, Science And Commerce” mentioned in the university letter of affiliation with regard to Multi-disciplinary Programmes uploaded by the institution. Both the names are different. Therefore, as per NCTE Regulations, 2014 as amended from time to time, the application of the institution does not fall in the category of Multi-disciplinary institution.

(xii) The institution has uploaded permanent affiliation order dated 25.03.1997 in the name of Royal Higher Education Society's, College of Arts, Science and Commerce and uploaded certificate dated 05.06.2025 for affiliation from the academic session 2025-2026 in the name of Royal College of Education and research for Women. Both the names mismatch.

(xiii) It is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.

Therefore, the Committee decided that Final Show Cause Notice be issued to the institution thereby providing an opportunity for making written representation through

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

online ITEP application portal of NCTE, within 07 days along with all relevant supporting documents from the date of issue of Final Show Cause Notice.

10.	2627202505305773	Pradhan Mantri College of Excellence Govt Tilak Pg College Katni, Rafi Ahmad Kidwai Ward Khrhani Katni, Shahdol Road Katni, Katni, Madhya Pradesh- 483501	ITEP
------------	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the first show cause dated 01.09.2025 followed by final show cause notice dated 27.10.2025 were issued to the institution. The institution has uploaded reply of final show cause notice and the following deficiencies are still persisting:

- (i) The institution has not uploaded Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- (ii) The institution has not uploaded Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority but not all the courses being conducted in the premises and issuing date for approval has not been mentioned.
- (iii) The institution has not uploaded Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- (iv) The institution has not uploaded Building Plan approved by the Competent Authority of State Government indicating the Khasra/Plot/Survey No. and mentioning the total land area and built-up area earmarked for each course being run in the premises and the demarcated land area and built-up area for the teacher education programs including multi-disciplinary programmes.
- (v) The institution has not uploaded Fire Safety Certificate issued by Fire Safety Department, Government of Madhya Pradesh verifiable on the official portal of the Fire Department, Government of Madhya Pradesh.
- (vi) The institution is conducting degree courses i.e. B.A. intake (750), B.Sc intake (820), B.Com intake (340),, M.A intake (280), M.Sc intake (330), and M.Com intake (120), combined annual intake of 2640. The sufficiency of land and built-up area for 2640 intake of multidisciplinary courses and applied 150 intake for proposed ITEP course cannot be ascertained

In view of the above, the application for ITEP is rejected.

11.	2627202505124271	Gyan Vihar School of Education Suresh Gyan Vihar University, Jagatpura, Mahal, Mahal, Jaipur, Jaipur, Rajasthan-302017	ITEP
------------	------------------	--	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

- (i) The Committee noted that the first show cause dated 11.09.2025 followed by final show cause notice dated 27.10.2025 were issued to the institution. The institution has not uploaded reply of both show cause notices and the following deficiencies are still persisting.
- (ii) With regard to running of Multidisciplinary programme(s), the institution has uploaded copy of agenda and minutes of academic council held on 19.01.2019 vide letter no. F.9(12)REG/SGVU/2018/510 dated 22.01.2019 wherein mentioned regarding conduct of B.A, B.Sc., M.Sc. courses in different subjects. The separate document in connection with year of start of course from 2019 is not uploaded.
- (iii) As per filled application, particulars of Authorized Person/Representative mentioned 'Dr. Shruti Tiwari as Registrar, whereas in the affidavit her designation mentioned as 'Principal' and she has been authorized by Madhusudan Sharma, Registrar.
- (iv) In lieu of uploading of Not-for-profit certificate issued by competent Govt. authority, the institution has uploaded a copy of letter dated 18.06.2007 issued by Income Department, Jaipur wherein the date of registration of society and address of the trust/society information are mismatching with information as mentioned in the application and attached document. The institution is required to upload Not-for-Profit Certificate issued by Competent Authority of State Government.
- (v) As per information filled in online application, name of Trust/Society/Company is 'Sahitya Sadawart Samiti' whereas in the uploaded duplicate notarized copy of certificate of registration 20.11.1959, the name of institution mentioned as 'Sahitya Sadawart Vishwa Vidyalaya Samiti'. Both the names do not match.
- (vi) The institution has uploaded copy of Byelaws of the Trust/Society/Company to run the Teacher Education/Physical Education courses, which is without mentioning the date.
- (vii) In lieu of Exemption Certificate (12A), the institution has uploaded a copy of letter dated 18.06.2007 issued by Income Department, Jaipur wherein the date of registration of society and address of the trust/society information are mismatching with information as mentioned in the application and attached document. The institution is required to upload Exemption Certificate (12A) issued by Competent Government Authority.
- (viii) All society/trust/company members information have not been filled in the online application. The institution is required to upload the details of all society/trust/company members.
- (ix) No relevant document regarding running of M.A. course as per filled application is uploaded.
- (x) The institution has uploaded recognition order dated 24.01.2007 for B.Ed. course with annual intake of 100 students. Copy of Revised order for conducting two years B.Ed. course in consonance with provisions of NCTE Regulations, 2014 is not uploaded. In the application, it has filled that Revised Order is not issued.
- (xi) Students admitted for B.Ed., 4-Year Integrated programme leading to B.A. B.Ed./ B.Sc. B.Ed degree and B.Ed. M.Ed (3 Year Integrated) in the academic session 2024 filled in the application. Other course i.e. M.Ed. is not filled in online application. The list of students admitted for each course (year wise) countersigned by Registrar of Affiliating University is required to upload by the institution.
- (xii) With regard to details of land and filled information in online application, affidavit on Rs.100 stamp paper in NCTE prescribed proform showing plot/khasra no., land

area built up area and other land related information has not been uploaded. The institution has uploaded copy of Govt. lease document issued by Jaipur Development Authority for 99 years in the name of Mantri, Sahitya Sadawarth Samiti dated 28.12.2002 with land area 3574.3 sq.yard + 5000 sq.yard= 8574.3 sq.yard (7169.20682sq.mts.). Khasra Nos. mentioned in the online application (656, 657, 792) have not been mentioned in the lease land document.

- (xiii) The institution is required to upload all pages of recognition order for all teacher education programmes issued by NCTE.
- (xiv) With regard to mutation certificate of land, the institution has uploaded copy of lease land document dated 28.12.2002 issued by Jaipur Development Authority. The institution is required to upload Mutation Certificate mentioning Khasra/Plot/Survey No. issued by Competent Authority of State Government.
- (xv) With regard to CLU for educational purpose, the institution has uploaded building plan approval letter by Jaipur Development Authority dated 19.02.2003 mentioning all khasra nos. as per online application. The institution is required to upload Land Use Certificate (CLU) mentioning all Khasra/Plot/Survey No. issued by Competent Government Authority.
- (xvi) The institution has uploaded self-attested NEC dated 06.10.2018 in the official letter head of parent organization (by Tehsildar) whereas filled in the online application "NEC issued date 01.01.2021 by Jaipur Development Authority". The institution is required to upload latest Non-Encumbrance Certificate (NEC) issued by Competent Authority of State Government indicating that the land is free from all encumbrances issued by Competent Government Authority.
- (xvii) The uploaded building plan in small fonts not readable, approving authority with official seal is not clearly visible. The institution is required to upload legible Building Plan approved by the Competent Authority of State Government mentioning the name of institution, Khasra/Plot/Survey No. and mentioning the total land area and total built-up area earmarked for each course being run in the premises and the demarcated land and built-up area for the teacher education programmes including multi-disciplinary programmes.
- (xviii) Information related to availability of Electricity Connection as a part of requisite criteria for the institution's campus, building, furniture etc. is barrier free/Accessible is not filled in the application.
- (xix) The institution is required to upload Building Safety Certificate in adherence of safety guidelines as prescribed by National/State Disaster Management Authority issued by Competent Government Authority.
- (xx) The institution is required to upload Fire Safety Certificate issued by Fire Safety Department, Government of Rajasthan verifiable on the official portal of the Fire Department, Government of Rajasthan at URL https://lsgonline.rajasthan.gov.in/track_application.aspx
- (xxi) The institution is required to upload latest Building Completion Certificate (BCC) in the prescribed format of NCTE (17 points) issued by the Competent Government Authority for all the courses being conducted in the premises.
- (xxii) The institution is required to upload geotag photos with different angles of Lift, Ramp, Electricity Connection, Safe Drinking Water and Accessible Toilet indicating the longitude and latitude with date of photograph.
- (xxiii) The institution is required to upload geotag photos with different angles of front view, rear view, multipurpose hall, library, lab 1, lab 2, lab 3 and playground

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

indicating the longitude and latitude with date of photograph.

- (xxiv) The website of institution has NOT been updated and maintained in compliance to provisions under Clause 7(14)(i), 8(6), 8(14) and 10(3) of NCTE Regulations, 2014 as amended from time to time.
- (xxv) The institution is required to upload the latest list of teaching staff countersigned by the Registrar of affiliating body in the prescribed format of NCTE as per qualification contained in the NCTE Norms and Regulations as amended from time to time.
- (xxvi) The institution is required to upload the bank statement of last six months indicating the transaction of the salary / remuneration to its teaching staff.

In view of the above, the application for ITEP is rejected.

12.	APW00843/123177	Janata Shikshan Prasarak Mandals, Womens B.Ed. College, OPP R.T.O. Jahangirgar Colony, Railway Station, Aurangabad-431005, Maharashtra	B.Ed
-----	-----------------	--	------

Decision of WRC:

The matter of the institution and related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has filed the court case W.P. No, 10295/2025, CM APPL.42715/2025 & 53812 before the hon'ble high court of Delhi and the court has passed order dated: 16.09.2025 with following directions:

“... 16. Consequently, the petition is allowed. The impugned withdrawal order dated 14.11.2022, as well as, the impugned order dated 13.10.2024 of the appellate committee, are set aside, and the following directions are passed:

(i) the matter is remanded to the respondent no.2-WRC to pass a fresh order on the basis of inspection; (ii) the NCTE is directed to carry out fresh inspection under Section 13 NCTE Act and inform the petitioner institution about recommendations, if any, on the basis of such inspection;

(iii) in the event any deficiencies are pointed out in the recommendations, NCTE will grant reasonable time to the petitioner institution to rectify the same; and

(iv) if no deficiencies are recommended, or in case deficiencies recommended by NCTE are rectified by petitioner institution during the time period granted to it, the WRC will restore the recognition of petitioner institution for B.Ed. course (two basic units-100 seats), and consequently, the NCTE shall communicate about the restoration order to the affiliating university of the petitioner institution, as well as, to the State Government. Further, NCTE will also do the needful with regard to updation of the status of petitioner institution on its website.

17. The petition along with pending applications, is disposed of, in the aforesaid terms.

18. The date already fixed i.e. 27.10.2025 stands cancelled.

The Committee noted the direction of Hon'ble Court and decided that Visiting Team be constituted for inspection of the institution under Section 13 of NCTE act 1993 in order to ascertain and scrutinize all the essential documents and at the time of verification, VT shall also check/verify all Building & land related documents, NEC, CLU, Mutation

Certificate, Building Plan, Building Completion Certificate, Building Safety Certificate, Fire Safety Certificate, List of Teaching Staff approved by the Affiliating body and payment of Salary as per NCTE norms, Not-for-Profit Certificate and website so as to assess institution's preparedness for running the B.ED. course as per provisions of the NCTE Regulations, 2014 as amended from time to time.

ITEP APPLICATIONS (2025-2026)

13.	2526202404222164	FACULTY OF EDUCATION IASE (SHIKSHAN MAHAVIDYALAYA), GUJARAT VIDYAPITH USMANPURA, ASHRAM ROAD, AHMEDABAD CITY, AHMEDABAD, GUJARAT-380009	ITEP
-----	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has uploaded reply of Show Cause Notice dated 24.10.2025 post inspection (after appeal remand back order dated 12.3.2025) and the following deficiencies mentioned in SCN are still persisting:

- (i) With regard to VT observation "Particulars of Authorized Person/Representative is not accepted and not verified", institution uploaded a copy of notarized affidavit dated 02.05.2024 regarding letter of authorization and submits explanation "when the institution applied for ITEP 2025-26, at that time according to the given format by NCTE, we have submitted the affidavit for letter of authorization. for your kind information the same person of the institution has also appeared before the Hon'ble VT on dated 23-09-2025.
- (ii) With regard to observation of VT "Details of Head/ Principal of the Institution is not accepted and not verified", Institution uploaded a forwarding letter dated 30.10.2025 of Institution authenticating the authorized person and Principal/Head by Registrar, enclosing list of faculties for ITEP i.e. B.A.B.Ed. (Foundation) - 1 unit and B.Sc.B.Ed.(Middle) - 1 unit countersigned by Registrar, Gujarat Vidyapith.
- (iii) With regard to VT observation "Land details is not accepted. Uploaded Land Documents are in Gujarati language. No English translation copy is provided during online VT meeting", institution uploaded English translated version land document (without notarized) and approved site plan of institution building.
- (iv) With regard to VT observation "Details of mutation certificate of land is not accepted, the same is not uploaded and not provided during online VT meeting", institution uploaded a copy of request letter dated 30.10.2025 seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.
- (v) With regard to VT observation "Details of non-encumbrance certificate is not accepted, the same is not uploaded and not provided during online VT meeting", institution uploaded a copy of request letter dated 30.10.2025 seeking extension

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

of time of 7 days (up to 8.11.2025) for uploading of related document.

(vi) With regard to VT observation "Building Plan is not accepted. Shown updated building plans are not approved by the Council of Architecture registered Architect", institution uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

(vii) With regard to VT observation "Break-up of built up area mentioned in the building plan for the teacher education programme/s is not accepted. Uploaded building plans are in low resolution, not readable at all", institution uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

(viii) With regard to VT observation "Other information required is not accepted. Building Safety Certificate not provided. Fire Safety Certificate is not issued by the competent authority", institution uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

(ix) With regard to VT observation "Building Completion is not accepted. Building Completion Certificate is not issued by the competent authority", institution uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

(x) With regard to VT observation "Floor Wise Built-Up Area (in sq m) is not accepted. Uploaded building plans are in low resolution, not readable at all", institution uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

(xi) With regard to VT observation "Multipurpose Hall is not accepted. Uploaded building plans are in low resolution, not readable at all", institution uploaded 16 photos (without geotagged) related with sitting arrangement, stage, guest room, server room, small meeting hall.

(xii) With regard to VT observation "Seating Capacity of Multipurpose Hall: Not accepted", institution uploaded 04 photographs (without geotagged) related with multipurpose hall and mentioning seating capacity 350+ in the portal.

(xiii) With regard to VT observation "Humanities Stream Laboratories is not available and not satisfactory", institution uploaded geotag photograph dated 16.08.2024 in respect of IASE Bridge Lesson at the address 2HV9+F23, Sattar Taluka Society, Usmanpura, Ahmedabad. In its explanation, stated that this pertains to a Language Lab and a Psychology Lab for Humanities.

(xiv) With regard to VT observation "Activity Cum Resource Center is not available and not shown", institution uploaded two photographs (without geotagged) related with Activity cum Resource Center, which may be perused by WRC.

(xv) With regard to VT observation "Common Room is not available and not shown", institution uploaded a geotagged photograph dated 30.11.2023 showing an event of Faculty of Education, GVP on the theme Workshop on Research Methodology Phase-1 at the address 2HV9+F23, Sattar Taluka Society, Usmanpura, Ahmedabad, and mentions in its explanation "SEPARATE CHAMBERS FOR ALL FACULTIES, COMMON MEETING ROOM FOR STAFF & STUDENT REPRESENTATIVES.

(xvi) With regard to VT observation "Land Mutation, Non-Encumbrance Certificate and Building Safety Certificate are not uploaded and not provided during online

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

VT meeting", institution uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

- (xvii) With regard to VT observation "Shown updated building plans are not approved by the Council of Architecture registered Architect", institution has uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.
- (xviii) With regard to VT observation "Uploaded building plans are in low resolution, not readable at all", institution has uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.
- (xix) With regard to VT observation "Fire Safety Certificate is not issued by the competent authority", institution has uploaded a copy of request letter dated 30.10.2025 signed by Registrar seeking extension of time of 7 days (up to 8.11.2025) for uploading of related document.

In view of the above, the application for ITEP is rejected.

14.	2526202405012518	IIS (DEEMED TO BE UNIVERSITY), JAIPURJAIPUR, GURUKUL MARG, SFS., SANGANER, JAIPUR, JAIPUR, RAJASTHAN-302020	ITEP
------------	------------------	---	------

Decision of WRC:

The online application of the institution along with other related documents was carefully examined in the light of the NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time and the Committee observed as under:

The Committee noted that the institution has uploaded reply of Show Cause Notice dated 24.10.2025 post inspection and the following deficiencies mentioned in SCN are still persisting:

- (i) Information related to Parent Organization is not accepted. Given name of the trust is different.
- (ii) Land details is not accepted. Land allotment letter is not presented during online VT meeting and not uploaded on the portal. No document is presented for the name change of the Institute.
- (iii) Details of mutation certificate of land is not accepted. Land Mutation certificate is not presented during online VT meeting and not uploaded on the portal.
- (iv) Details of permission of land use/ land use certificate (CLU) for educational purpose is not accepted. Land Use Certificate is not presented during online VT meeting and not uploaded on the portal.
- (v) Details of non-encumbrance certificate is not accepted. Non-Encumbrance Certificate is not presented during online VT meeting and not uploaded on the portal
- (vi) Building Plan is not accepted. Not in good resolution to read, and name of the institute is not in the building plans.

MINUTES OF 443RD (PART-I) MEETING OF WRC HELD ON 18th – 20th December 2025

- (vii) Break-up of built up area mentioned in the building plan for the teacher education programme/s is not accepted. Not in good resolution to read.
- (viii) Other information required is not accepted. Fire Safety Certificate is expired. There is no facility of toilets for the physically handicapped.
- (ix) Building Completion shown during online VT meeting but relevant document is not uploaded on the NCTE portal.
- (x) Floor Wise Built-Up Area (in sq m) is not accepted. Areas are not dedicated to the applied course. No resolution letter is presented for the same.
- (xi) Photo of Institute's Building is not accepted. Photos are already clicked and uploaded before the online inspection.
- (xii) Class Room is not accepted and not verified. No resolution letter is presented for areas and classrooms.
- (xiii) Multipurpose Hall is not accepted and not available.
- (xiv) Seating Capacity of Multipurpose Hall is not accepted and not available.
- (xv) Activity Cum Resource Center is not available and not shown.
- (xvi) Common Room is not available and not shown.
- (xvii) Land allotment letter is not presented during online VT meeting.
- (xviii) Land Mutation certificate is not presented during online VT meeting and not uploaded on the portal
- (xix) Land allotment letter is not presented during online VT meeting and not uploaded on the portal. No document is presented for the tame change of the Institute.
- (xx) Land Mutation certificate, Land Use Certificate and Non-Encumbrance Certificate is not presented during online VT meeting and not uploaded on the portal.
- (xxi) Building Plans are not in good resolution to read, and name of the institute is not in the building plans.
- (xxii) Fire Safety Certificate is expired. There is no facility of toilets for the physically handicapped.
- (xxiii) Areas are not dedicated to the applied course. Trust's resolution letter is not presented for the same.

In view of the above, the application for ITEP is rejected.

Dr. Shailesh Naranbhai Zala)
Chairperson, WRC